

DELTA POINT CUT SLIDE FOR GLOCK® 19 GEN 3 - BROWNELLS DPP SLIDE FOR GEN 3 GLOCK® 19 STAINLESS NITRIDE

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Our Leupold Delta Point Pro Cut Slide for Glock® 19 Gen3 pistols features distinctive, wraparound front cocking serrations that aid in manipulating the slide to check the chamber or clear a jam. (OK, we'll admit it: the serrations just look cool, too.) It also comes with a pre-cut slot for easy, secure mounting of a Leupold Delta Point Pro or compatible footprint red dot sight. All DPP Slides also have standard Glock® factory front and rear sight dovetails for "iron" backup sights. To get proper co-witnessing with the DPP, you will need to also install suppressor-height iron sights. You can also get your Brownells DPP Slide for Glock® 19 Gen3 with a "window" cutout on top that enhances airflow to keep the barrel cool - ideal for hard-working action competition pistols. Plus, if you have an upgraded barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, "flames," etc.) the window lets you show it off a bit! Each DPP Slide for Glock® starts life as a billet of 17-4 stainless steel that is machined to Glock® factory specifications inside, so it'll fit factory frames and accept factory or aftermarket barrels and Gen3 internal parts. Slides are heat-treated to Rc 41-44 on the Rockwell C scale for added surface hardness and wear resistance. Fits Gen3 Glock® 19 pistols & clones Machined from corrosion-resistant 17-4 stainless steel billet Leupold Delta Point Pro footprint Plus factory front/rear sight cuts Available with distinctive top Window cutout or traditional Solid top A Brownells DPP Slide is the ideal upgrade for your factory Glock® 19 Gen3 pistol. Brownells Gun Tech™ Note: Channel liner required for these slides. Channel liner is a press fit and requires a tool to install. We recommend #777-100-017. Includes patented optic cut technology pioneered by ZEV Technologies. Patent No. RE47335



Attributes

- Name: [BROWNELLS DPP SLIDE FOR GEN 3 GLOCK® 19 STAINLESS NITRIDE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078000659
- Mfr. No.:
- Cartridge: 9 mm Luger
- Finish: Stainless w/Nitride Finish
- Model: 19
- Sights: Delta Point Pro
- Style: Solid
- Weapon type: Glock
- Delivery weight: 0.29kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 229mm
- UPC: 050806113879

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for DELTA POINT CUT SLIDE FOR GLOCK® 19 GEN 3](#)
- [About Us](#)

Safety Instruction Guide for DELTA POINT CUT SLIDE FOR GLOCK® 19 GEN 3

Introduction

Thank you for choosing the DELTA POINT CUT SLIDE FOR GLOCK® 19 GEN 3. This guide provides essential safety instructions, installation guidelines, and disposal information to ensure safe and effective use of your product. Please read this manual carefully before using the slide.

General Safety Guidelines

- Ensure that the firearm is unloaded before installing or modifying the slide.
- Always handle firearms with care and in accordance with local laws and regulations.
- Keep the slide and all firearm components out of reach of children and unauthorized persons.
- Regularly inspect the slide for any signs of wear or damage before use.
- If you notice any irregularities, do not use the slide and consult a qualified gunsmith.
- Always use the slide in conjunction with appropriate safety gear, including eye and ear protection.
- Be aware of your surroundings and ensure that you are in a safe environment when handling firearms.

Specific Safety Precautions for Use

- Only use the DELTA POINT CUT SLIDE with Glock® 19 Gen 3 pistols and compatible clones.
- Ensure that all components are properly installed and secured before use.
- Use only factory or compatible aftermarket barrels and internal parts to maintain safety and reliability.
- When installing a red dot sight, ensure it is mounted securely to avoid detachment during use.
- For proper cowitnessing with the Leupold Delta Point Pro, use suppressorheight iron sights.
- Avoid using the slide in extreme conditions or environments that may compromise its integrity.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather required tools, including the recommended channel liner installation tool (#777100017).

2. Installation of the Slide

- Remove the existing slide from the Glock® 19 Gen 3 by following the manufacturer's instructions.
- Install the channel liner into the frame of the Glock® 19 Gen 3. This is a press fit and requires a tool for installation.
- Align the DELTA POINT CUT SLIDE with the frame and ensure it fits securely.
- If applicable, install the Leupold Delta Point Pro or compatible red dot sight into the precut slot on the slide.
- Ensure that all sight cuts are aligned and secure.

3. Final Checks

- After installation, conduct a thorough inspection of the firearm to ensure all components are properly fitted.
- Test the slide mechanism to ensure smooth operation.

4. Usage

- When ready to use, always follow safe handling practices.
- Regularly check the slide for any signs of damage or wear during use.

Disposal Instructions

- Dispose of the DELTA POINT CUT SLIDE in accordance with local regulations regarding electronic and metal waste.
- If the slide is damaged beyond repair, consult with local authorities or waste management for safe disposal options.

Contact Information for Further Support

For any questions or concerns regarding the DELTA POINT CUT SLIDE, please refer to your local dealer or the manufacturer's website for additional support and resources.

By following these guidelines, you can ensure safe and effective use of your DELTA POINT CUT SLIDE FOR GLOCK® 19 GEN 3. Thank you for prioritizing safety and responsibility in your firearm practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk