

AIMPOINT HIGH PROFILE MOUNT - AMERICAN DEFENSE MANUFACTURING AIMPOINT HIGH PROFILE MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

Quick-release lever-lock system clamps solidly to flattop rail and will not work loose even under heavy recoil—the more force acting on the lever, the tighter it locks. Depress the release tab to swing the lever open, and the mount easily lifts off the rifle. Adjustable with a flat head screwdriver or even a coin for an ultra-secure, no-slip fit on almost any Picatinny or Weaver-style rail, including over- or under-sized commercial rails. Lever may be configured to lock to the front or the rear to suit the operator's preference. Large locking bar on the side of the mount engages the maximum amount of rail area, while the crossbolt and two integral locking lugs ensure rock-solid engagement of rail slots to prevent movement under recoil. Five heavy duty steel hex head screws (three on top, two on bottom) clamp the vertically split ring halves together. Cutouts in the ring sides and in the base reduce weight without sacrificing strength. AD-68 Aimpoint Mount is designed for Aimpoint optics or similar aiming devices requiring a single, 30mm ring, including the Comp C3 and M2/ML2/M3/ML3 series. Available in four configurations to suit a variety of mounting needs. High positions the backup sight picture in the lower 1/3 of the optic viewing area.



Attributes

- Name: [AMERICAN DEFENSE MANUFACTURING AIMPOINT HIGH PROFILE MOUNT](#)
- Manufacturer: [AMERICAN DEFENSE MANUFACTURING](#)
- Product no.: 100003651
- Mfr. No.: AD68HSTD
- Colour: Matte Black
- Finish: Black
- Fits / Used For: -
- Height: 1.120"
- Material: 6061 T6 Aluminum
- Number of Bases: 1-Piece
- Scope Tube Diameter: 30mm
- Size: High
- Style: High Profile
- Weapon type: AR-15
- Delivery weight: 0.091kg
- Shipping height: 58mm
- Shipping width: 86mm
- Shipping length: 145mm
- UPC: 818503010125

Item details

Made in USA

Table of Contents

- Startpage
- AIMPOINT HIGH PROFILE MOUNT Safety Instruction Guide
- About Us

AIMPOINT HIGH PROFILE MOUNT Safety Instruction Guide

Introduction

Thank you for choosing the AIMPOINT HIGH PROFILE MOUNT by American Defense Manufacturing. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this manual carefully before installation and usage.

General Safety Guidelines

To ensure safe use of the AIMPOINT HIGH PROFILE MOUNT, please follow these guidelines:

- Always inspect the mount and rifle before use to ensure they are in good condition.
- Keep the product out of reach of children and vulnerable individuals.
- Use the mount only with compatible optics and devices as specified in this guide.
- Avoid using the mount in extreme conditions (e.g., excessive heat, cold, or humidity) that may affect its performance.
- Report any accidents or unsafe product concerns to the appropriate authorities.

Specific Safety Precautions for Use

When using the AIMPOINT HIGH PROFILE MOUNT, adhere to the following safety precautions:

- Ensure that the mount is securely attached to the rifle before use.
- Regularly check the tightness of the screws and locking mechanisms to prevent loosening during operation.
- Do not attempt to modify the mount or use it in a manner not specified by the manufacturer.
- Always follow safe handling practices for firearms, including keeping the firearm pointed in a safe direction and keeping your finger off the trigger until ready to shoot.
- If you experience any difficulties during installation or use, cease operation and consult a qualified professional.

Instructions for Installation and Usage

Follow these steps for proper installation and usage of the AIMPOINT HIGH PROFILE MOUNT:

1. Preparation:

- Gather the necessary tools: a flat head screwdriver or a coin.
- Ensure that the rifle is unloaded and pointed in a safe direction.

2. Installation:

- Place the mount onto the Picatinny or Weaverstyle rail on your rifle.
- Adjust the lever to lock it to your preferred position (front or rear).
- Use the flat head screwdriver or coin to tighten the screws on the mount.
- Check that the mount is securely attached by attempting to wiggle it gently; it should not move.

3. Usage:

- Once installed, attach your Aimpoint optic or compatible device to the mount.
- Ensure that the optic is securely fastened.
- Before firing, perform a final check to ensure all components are secure.

4. PostUse:

- After use, inspect the mount and optic for any signs of wear or damage.
- Store the rifle in a safe and secure location.

Disposal Instructions

When disposing of the AIMPOINT HIGH PROFILE MOUNT, please consider the following:

- Follow local regulations for the disposal of aluminum and other materials.
- Do not dispose of the mount in regular household waste.
- If the product is damaged or no longer usable, consider recycling it at a designated facility.

Contact Information for Further Support

For any inquiries or concerns regarding the AIMPOINT HIGH PROFILE MOUNT, please refer to the manufacturer's contact details provided with your product or on their official website.

Thank you for your attention to these safety instructions. Enjoy the enhanced performance and reliability of your AIMPOINT HIGH PROFILE MOUNT.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk