

# EXTREME SERVICE NIGHT SIGHT FOR 1911 HANDGUN - NOVAK-CUT REAR SIGHT, SQUARE NOTCH 1-DOT TRITIUM

[Handgun Parts](#) > [Sights](#) > [Rear Sights](#)

Sights are not "drop-in" parts, especially for 1911 pistols. There are so many companies, large and small, manufacturing 1911 pistols today and they all have different ideas about dimensional consistency in the sight cut. The only way after-market sight manufacturers can provide you with sights is to manufacture their sights and hold their dimensions on the high side of the range commonly encountered. This means that to install sights on 1911s, you often have to "fit" the sight to the sight cut by finding the surface on the sight that is too big and filing it down until the sight can be installed and still fit tightly. Sometimes it's more than a single surface that has to be fitted. Features include: Square Notch. Flat rear blade with 50 lpi serrations to reduce glare All edges and corners machine radiused for snag-free comfortable carry. Will not cut your hand during "over-hand" slide lock manipulation like some competitors sights Flat front face in adequate size to "hook" on belt, holster, boot heel, etc. for one-handed slide manipulation 8-32 set screw for added security in dovetail Made in the USA The HD-004 is made to the standard .325" blade height and will easily replace other brands of the same height. Also available in T1 and T2 night sight configurations with "Stealth Dot" lamps. HD-004 / HD-005 rear sights will fit the popular Novak LoMount ® dovetail, which is found on fixed sight 1911s offered by Les Baer, Ed Brown, Colt's XSE, RailGun and Gunsite models, Nighthawk Custom, Rock River, Springfield Armory, Dan Wesson, Wilson Combat and others. My HD-004 / 005 sights will fit your slide with minor hand fitting of the sight, if the correct sight cut is already made; otherwise, your slide will need to have the .495" X 65 degree sight cut machined. NOTE: The HD-004/005 sights DO NOT fit: Kimber, Para Ordnance, or S&W 1911s.



## Attributes

- Name: [NOVAK-CUT REAR SIGHT, SQUARE NOTCH 1-DOT TRITIUM](#)
- Manufacturer: [HARRISON DESIGN & CONSULTING](#)
- Product no.: 100006569
- Mfr. No.: HD-004-T1
- Make: 1911
- Sight Color: Black
- Style: Novak Cuts,Tritium
- Delivery weight: 0.027kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for EXTREME SERVICE NIGHT SIGHT FOR 1911 HANDGUN NOVAKCUT REAR SIGHT, SQUARE NOTCH 1DOT TRITIUM](#)
- [About Us](#)

# Safety Instruction Guide for EXTREME SERVICE NIGHT SIGHT FOR 1911 HANDGUN NOVAKCUT REAR SIGHT, SQUARE NOTCH 1DOT TRITIUM

## Introduction

Thank you for choosing the EXTREME SERVICE NIGHT SIGHT for your 1911 handgun. This guide provides essential safety instructions to ensure the safe use, installation, and disposal of the product. Please read this guide carefully before use.

## General Safety Guidelines

- Ensure that the product is compatible with your specific model of 1911 handgun.
- Always handle firearms with care and follow standard safety practices.
- Inspect the night sight for any visible damage before installation.
- Keep the product out of reach of children and unauthorized users.
- If you experience any difficulty during installation or usage, seek professional assistance.
- Regularly check for recalls or safety updates related to your product.

## Specific Safety Precautions for Use

- The night sight is designed for use with 1911 handguns only. It is not compatible with Kimber, Para Ordnance, or S&W 1911s.
- Be aware that improper installation may lead to malfunction or injury. Ensure proper fitting before use.
- Avoid using excessive force when fitting the sight to prevent damage to the sight or handgun.
- Use caution when filing down the sight to achieve a proper fit; sharp tools can cause injury.
- Always ensure that the firearm is unloaded before attempting to install or adjust the sight.
- Do not modify the sight beyond the recommended filing; this may compromise safety and functionality.

## Instructions for Installation and Usage

### 1. Preparation for Installation:

- Ensure your workspace is clean and welllit.
- Gather necessary tools: a file, a screwdriver, and a cleaning cloth.
- Verify that your firearm is unloaded and safe to handle.

### 2. Fitting the Sight:

- Identify the surface of the sight that requires adjustment.
- Use a file to carefully remove material from the sight until it fits snugly into the sight cut of the slide.
- Regularly check the fit during the filing process to avoid overfiling.

### 3. Securing the Sight:

- Once fitted, insert the 832 set screw to secure the sight in place.
- Ensure the sight is aligned properly for accurate aiming.

### 4. Final Inspection:

- Check that the sight is securely attached and does not move when pressure is applied.

- Clean the area around the sight to remove any debris or metal shavings.

#### **5. Usage:**

- Familiarize yourself with the sight's features, including the square notch and tritium dot for lowlight conditions.
- Practice aiming with the sight in a safe environment to ensure comfort and familiarity.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations regarding firearm accessories.
- If the sight is damaged or no longer usable, do not attempt to repair it. Instead, dispose of it responsibly.

## **Contact Information for Further Support**

For any questions or concerns regarding the EXTREME SERVICE NIGHT SIGHT, please refer to the manufacturer's contact information provided with your product. Make sure to consult the EU's Safety Gate platform for any recall updates or safety alerts related to this product.

Thank you for prioritizing safety and responsible firearm ownership. Enjoy your shooting experience with the EXTREME SERVICE NIGHT SIGHT!

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)