

AR-15 MBUS GEN 2 SIGHT SET - MAGPUL MBUS SIGHT SET FLIP-UP POLYMER FOR AR-15 BLACK

[Rifle Parts](#) > [Sights](#) > [Sight Sets](#)

Reliable, Low-Profile, Quick-Deploy Backup Sights

Low-profile, flattop-mounted, polymer sights deploy instantly at the touch of a finger to provide backup sighting if a primary optic fails. Streamlined contours mean there's nothing to snag on brush, sling, or other gear when folded.

Spring-loaded ambidextrous release mechanism lets you hit the grooved tab on either side of the sight to deploy, and lock it in place. Hitting the same tabs retract the sight when you're done. Uses less than 1" of MIL-STD 1913

Picatinny receiver rail space and locks securely in place with the included steel crossbolt. Provides the same height over bore as standard A2 iron sights.

Windage-adjustable rear sight has two apertures: a large, .185" peep and a .070" peep. Designed for AR-type rifles and carbines, fits any weapon with Picatinny rails. Front sight must be mounted on a railed forend on the same plane as the receiver rail to witness correctly with rear sight. Not compatible with railed gas blocks or the MOE handguard.



Low-profile, flattop-mounted, polymer sights deploy instantly at the touch of a finger to provide backup sighting if a primary optic fails. Streamlined contours mean there's nothing to snag on brush, sling, or other gear when folded.

Spring-loaded ambidextrous release mechanism lets you hit the grooved tab on either side of the sight to deploy, and lock it in place. Hitting the same tabs retract the sight when you're done. Uses less than 1" of MIL-STD 1913

Picatinny receiver rail space and locks securely in place with the included steel crossbolt. Provides the same height over bore as standard A2 iron sights.

Windage-adjustable rear sight has two apertures: a large, .185&

Attributes

- Name: [MAGPUL MBUS SIGHT SET FLIP-UP POLYMER FOR AR-15 BLACK](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100006941
- Mfr. No.:
- Colour: Black
- Style: Flip-Up
- Weapon type: AR-15
- Delivery weight: 0.091kg

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 MBUS GEN 2 Sight Set
- About Us

Safety Instruction Guide for AR15 MBUS GEN 2 Sight Set

Introduction

Thank you for choosing the AR15 MBUS GEN 2 Sight Set by Magpul. This guide provides essential safety instructions, installation procedures, and general usage guidelines to ensure a safe and effective experience with your new sight set. Please read this document carefully before use.

General Safety Guidelines

- Ensure that the sight set is compatible with your firearm before installation.
- Always treat your firearm as if it is loaded, even when it is not.
- Use the sight set only for its intended purpose. Do not modify or alter the product.
- Keep the sight set out of reach of children and unauthorized users.
- Regularly inspect the sight set for any signs of wear or damage. Do not use if damaged.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about any recall updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure your firearm is pointed in a safe direction when using the sight set.
- Be aware of your surroundings and ensure a safe backdrop when aiming.
- Do not rely solely on the sight set for safety; always follow proper firearm handling practices.
- Avoid using the sight set in adverse weather conditions that may impair visibility or functionality.
- Ensure that the sight is properly locked in place before use to prevent accidental deployment.

Instructions for Installation and Usage

Installation

1. **Prepare your Firearm:** Ensure that your firearm is unloaded and pointed in a safe direction.
2. **Identify the Rail:** Locate the MILSTD 1913 Picatinny receiver rail on your AR15.
3. **Position the Sight:** Align the sight set with the rail, ensuring it fits securely.
4. **Secure the Sight:** Use the included steel crossbolt to lock the sight in place. Tighten securely but do not overtighten.
5. **Check Stability:** After installation, gently tug on the sight to ensure it is firmly attached.

Usage

1. **Deploying the Sight:** To deploy the sight, press the grooved tab on either side of the sight. The sight will spring up into position.
2. **Locking the Sight:** Ensure the sight is fully deployed and locked in place before aiming.
3. **Retracting the Sight:** To retract the sight, press the same tabs used for deployment and gently fold the sight back down.
4. **Adjusting Windage:** Use the windage adjustment feature on the rear sight to align your aim as needed.

Disposal Instructions

- Dispose of the sight set in accordance with local regulations.
- Do not dispose of the sight set in regular household waste.
- Consider recycling options where applicable.

Contact Information for Further Support

For questions or concerns regarding the AR15 MBUS GEN 2 Sight Set, please refer to the manufacturer's website or customer support channels for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk