

TLR REMOTE SWITCH

Works in conjunction with TLR Battery Door/Switch Assembly (100-008-462)
Standard battery door/switch on existing TLR-1 and TLR-2 light must be replaced with 100-008-462 Retains momentary/lock on function of original paddle switch Tethered rubber weather cap keeps connector dry when remote is not in use All remotes feature rotating quick disconnect plug with O-ring seal Fits TLR-1, TLR-2, NOT TLR-3



Attributes

- Name: TLR REMOTE SWITCH
- Manufacturer: Streamlight
- Product no.: 100010589
- Mfr. No.: 69135
- Application Type: Tactical
- Consumable Commodity: Commodity
- Expertise Required: Novice
- Market Tier: High
- Delivery weight: 0.045kg
- Shipping height: 13mm
- Shipping width: 145mm
- Shipping length: 147mm
- UPC: 080926691353

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: TLR Remote Switch Safety Instruction Guide](#)
- [Svenska: Säkerhetsinstruktioner för TLR REMOTE SWITCH](#)

TLR Remote Switch Safety Instruction Guide

Introduction

Thank you for choosing the TLR Remote Switch. This product is designed to enhance the functionality of your TLR1 and TLR2 lights. Please read this safety instruction guide carefully to ensure safe and effective use of the product. Following these guidelines will help prevent accidents and ensure optimal performance.

General Safety Guidelines

- Ensure that the TLR Remote Switch is used only with the compatible TLR Battery Door/Switch Assembly (100008462).
- Always check for any visible damage to the product before use. Do not use if damaged.
- Keep the remote switch out of reach of children and vulnerable individuals to prevent unintended use.
- Use the product in accordance with the manufacturer's instructions to minimize risks associated with improper use.
- Regularly inspect the tethered rubber weather cap to ensure it is functioning properly and keeping the connector dry when not in use.
- Report any unsafe product incidents or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Do not expose the TLR Remote Switch to extreme temperatures, moisture, or corrosive substances.
- Avoid using the remote switch while driving or operating heavy machinery.
- When using the remote switch, ensure that your hands are dry to maintain a secure grip and prevent slipping.
- Be aware of your surroundings when using the remote switch to avoid accidents or injuries.
- Do not force the rotating quick disconnect plug; ensure it is properly aligned before connecting or disconnecting.
- If the product malfunctions or does not operate as expected, discontinue use immediately and seek assistance.

Instructions for Installation and Usage

1. Installation

- Remove the standard battery door/switch from your existing TLR1 or TLR2 light.
- Replace it with the TLR Battery Door/Switch Assembly (100008462) following the manufacturer's instructions.
- Ensure all connections are secure and properly aligned.

2. Using the TLR Remote Switch

- Connect the TLR Remote Switch to the installed battery door/switch assembly.
- Confirm that the tethered rubber weather cap is securely in place when the remote is not in use to keep the connector dry.
- To operate the light, press the momentary switch for temporary activation or engage the lockon function for continuous use.
- If you need to disconnect the remote switch, gently rotate the quick disconnect plug to release it without applying excessive force.

Disposal Instructions

- Dispose of the TLR Remote Switch and any associated components in accordance with local regulations for electronic waste.
- Do not dispose of the product in regular household waste.
- Consider recycling options to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the TLR Remote Switch, please refer to the manufacturer's website or contact their customer support for assistance.

By following these safety instructions, you can ensure a safe and efficient experience with your TLR Remote Switch. Thank you for your attention to these important guidelines.

Säkerhetsinstruktioner för TLR REMOTE SWITCH

Introduktion

Tack för att du valt TLR REMOTE SWITCH från Streamlight. Denna produkt är utformad för att förbättra din användning av TLR1 och TLR2 lampor. För att säkerställa säker och effektiv användning av produkten, vänligen läs och följ dessa säkerhetsinstruktioner noggrant.

Allmänna säkerhetsriktlinjer

- Använd alltid produkten enligt tillverkarens instruktioner.
- Kontrollera produkten regelbundet för skador eller slitage.
- Förvara produkten på en torr och säker plats när den inte används.
- Rapportera eventuella osäkra produkter eller olyckor till myndigheterna.
- Håll produkten utom räckhåll för barn och sårbara grupper.

Specifika säkerhetsåtgärder för användning

- Använd endast TLR REMOTE SWITCH med kompatibla lampor (TLR1 och TLR2).
- Byt alltid ut standard batterilucka/strömbrytare mot den rekommenderade modellen (100008462).
- Se till att gummiskyddet är på plats för att hålla kontakten torr när den inte används.
- Använd produkten i enlighet med gällande lagar och regler inom ditt område.

Instruktioner för installation och användning

1. Installation av fjärrkontrollen:

- Ta bort den befintliga batteriluckan/strömbrytaren från din TLR1 eller TLR2 lampa.
- Installera den nya batteriluckan/strömbrytaren (100008462) enligt instruktionerna i produktens manual.
- Kontrollera att fjärrkontrollen är korrekt ansluten och att gummiskyddet är på plats.

2. Användning av fjärrkontrollen:

- För att aktivera lampan, tryck på fjärrkontrollens paddelströmbrytare.
- Använd momentär/låsfunktion enligt behov.
- Kontrollera att lampan fungerar korrekt innan du använder den i fält.

3. Underhåll:

- Rengör fjärrkontrollen med en mjuk, torr trasa.
- Undvik att använda kemikalier eller lösningsmedel som kan skada produkten.

Avfallshanteringsinstruktioner

- Kasta inte produkten i hushållsavfall. Följ lokala riktlinjer för elektroniskt avfall.
- Återvinn förpackningsmaterialet där det är möjligt.
- Kontakta din lokala avfallshanteringsmyndighet för mer information om säker avfallshantering.

Kontaktinformation för vidare stöd

För frågor eller säkerhetsrelaterade ärenden, vänligen kontakta tillverkaren eller din lokala återförsäljare. Det är viktigt att ha en EUbaserad kontakt för säkerhetsfrågor.

Vi tackar för att du valt TLR REMOTE SWITCH och önskar dig en säker och effektiv användning!