

1911 Custom Grip Screws - VZ GRIPS TURBO SCREWS (4) FS BLK OUT

[Handgun Parts](#) > [Grip Parts](#) > [Grip Screws](#)

1911 Grip Screws with custom patterns. Features: Packaged in sets of four (4)
Install using a T-15 torx driver Standard thickness Available in Turbo and DPL patterns



Attributes

- Name: [VZ GRIPS TURBO SCREWS \(4\) FS BLK OUT](#)
- Manufacturer: [VZ GRIPS](#)
- Product no.: 100011295
- Mfr. No.: TURBO-BLK
- Model: Commander, Government, Officers
- Weapon type: 1911
- Quantity: 4
- Delivery weight: 0.091kg
- Shipping height: 15mm
- Shipping width: 76mm
- Shipping length: 76mm
- UPC: 639713206982

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 1911 Custom Grip Screws VZ GRIPS TURBO SCREWS \(4\) FS BLK OUT](#)
- [About Us](#)

Safety Instruction Guide for 1911 Custom Grip Screws VZ GRIPS TURBO SCREWS (4) FS BLK OUT

Introduction

Thank you for choosing the 1911 Custom Grip Screws VZ GRIPS TURBO SCREWS. This guide provides important safety information and instructions for the proper use and installation of these grip screws. Please read this guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is to secure grips on 1911 pistols.
- Inspect the grip screws before installation for any signs of damage or defects. Do not use damaged screws.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use a T15 torx driver for installation to avoid stripping the screw heads.
- Do not overtighten the screws, as this may damage the grip or the pistol.
- Ensure that the grip is properly aligned before tightening the screws to maintain a secure fit.
- Avoid using the grip screws in any other type of firearm or application.
- If you experience difficulty during installation, consult a qualified gunsmith for assistance.

Instructions for Installation and Usage

1. Preparation:

- Gather the necessary tools: a T15 torx driver and the grip screws.
- Ensure your 1911 pistol is unloaded and safe to work on.

2. Installation Steps:

- Remove the existing grip screws from the pistol using the T15 torx driver.
- Align the grip with the frame of the pistol.
- Insert the new grip screws into the designated holes.
- Using the T15 torx driver, tighten the screws gently until secure. Do not overtighten.

3. PostInstallation Check:

- After installation, check that the grip is firmly attached and does not wobble.
- Test the functionality of the pistol to ensure that all components operate correctly.

Disposal Instructions

- Dispose of any unused or damaged grip screws in accordance with local regulations.
- Do not dispose of the product in regular household waste. Check for local recycling programs for metal products.

Contact Information for Further Support

For any questions or concerns regarding the use of the 1911 Custom Grip Screws VZ GRIPS TURBO SCREWS, please refer to the manufacturer's contact information provided on the product packaging or visit the manufacturer's website for additional resources.

Thank you for your attention to these safety instructions. Enjoy the enhanced performance and customization that the 1911 Custom Grip Screws provide to your firearm.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk