

# ULTRALIGHT RINGS - 30MM LOW .885 6 SCREW ULTRALIGHT RINGS

Designed to fit Mil-Std. 1913 scope bases, Nightforce rings are precisely manufactured to match the machined recess of a Nightforce Mil-Std. 1913 base, providing perfect alignment and accuracy. Nightforce rings are designed and produced in-house to exacting specifications entirely out of steel or from 7075-T6 aluminum with beta series titanium crossbolts and jaws. All Nightforce rings are 100% micro-radiused and honed in pairs for perfect fit of 30mm scope tubes to prevent the possibility of the rings damaging your scope.



## Attributes

- Name: 30MM LOW .885 6 SCREW ULTRALIGHT RINGS
- Manufacturer: NIGHTFORCE
- Product no.: 100012589
- Mfr. No.: A264
- Finish: Black
- Height: Low
- Scope Tube Diameter: 30mm
- Size: Low
- Style: Picatinny Rings
- Delivery weight: 0.136kg
- Shipping height: 34mm
- Shipping width: 118mm
- Shipping length: 124mm
- UPC: 847362006406

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [English: ULTRALIGHT RINGS 30MM LOW .885 6 SCREW ULTRALIGHT RINGS Safety Instruction Guide](#)
- [Norsk: Bruksanvisning for ULTRALIGHT RINGS NIGHTFORCE 30MM LOW .885 6 SCREW ULTRALIGHT RINGS](#)
- [Svenska: Säkerhetsinstruktioner för ULTRALIGHT RINGS NIGHTFORCE 30MM LOW .885 6 SCREW ULTRALIGHT RINGS](#)

# ULTRALIGHT RINGS 30MM LOW .885 6 SCREW

## ULTRALIGHT RINGS Safety Instruction Guide

### Introduction

Thank you for choosing the ULTRALIGHT RINGS 30MM LOW .885 6 SCREW ULTRALIGHT RINGS by Nightforce. This guide provides essential safety instructions to ensure the safe use and installation of your product. Please read this document carefully before use.

### General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for installation and usage.
- Regularly inspect the rings for any signs of wear or damage before each use.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- In case of any product malfunction or failure, cease use immediately and consult the manufacturer.

### Specific Safety Precautions for Use

- Only use the ULTRALIGHT RINGS with compatible MilStd. 1913 scope bases.
- Ensure that the scope tube diameter is 30mm to guarantee a proper fit.
- Avoid overtightening the screws during installation to prevent damage to the scope or rings.
- Do not modify the rings in any way, as alterations can compromise safety and performance.
- If you notice any unusual sounds or movements while using the product, stop using it immediately.

### Instructions for Installation and Usage

#### Installation

1. **Preparation:** Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
2. **Alignment:** Position the ULTRALIGHT RINGS on the MilStd. 1913 scope base, ensuring they are aligned correctly.
3. **Securing the Rings:**
  - Insert the screws into the rings and handtighten them.
  - Use a torque wrench to tighten the screws to the manufacturer's specified torque settings. Do not exceed the recommended torque.
4. **Scope Installation:**
  - Carefully place the 30mm scope tube into the rings.
  - Adjust the scope to your desired position and ensure it is level.
5. **Final Tightening:** Once the scope is positioned, tighten the screws securely, ensuring even pressure across the rings.

#### Usage

- Always check the tightness of the rings and scope before each use.
- Use the rings only in suitable environments that do not expose them to extreme temperatures or harsh conditions.
- If transporting your equipment, ensure the scope and rings are protected to prevent damage.

### Disposal Instructions

- Dispose of the ULTRALIGHT RINGS according to local regulations for metal and aluminum products.
- Do not dispose of the product in household waste. Check for recycling programs in your area that accept

aluminum and steel materials.

## **Contact Information for Further Support**

For questions or concerns regarding the ULTRALIGHT RINGS, please refer to the manufacturer's official website or contact customer support through the provided channels. Ensure you have your product details ready for assistance.

By adhering to these safety guidelines and instructions, you can ensure a safe and effective experience with your ULTRALIGHT RINGS 30MM LOW .885 6 SCREW ULTRALIGHT RINGS. Thank you for your attention to safety and for choosing Nightforce products.

# Bruksanvisning for ULTRALIGHT RINGS NIGHTFORCE 30MM LOW .885 6 SCREW ULTRALIGHT RINGS

## Introduksjon

Takk for at du valgte ULTRALIGHT RINGS NIGHTFORCE 30MM LOW. Denne bruksanvisningen gir viktig informasjon om sikker bruk, installasjon og avhending av produktet. Vennligst les nøye gjennom denne veiledningen for å sikre trygg og effektiv bruk.

## Generelle sikkerhetsretningslinjer

- Sørg for at produktet er i god stand før bruk.
- Bruk alltid produktet i henhold til produsentens instruksjoner.
- Oppbevar produktet utilgjengelig for barn og sårbare grupper.
- Rapportér eventuelle skader eller ulykker til relevante myndigheter.
- Sjekk jevnlig for oppdateringer om tilbakekallinger via EU Safety Gateplattformen.

## Spesifikke sikkerhetstiltak for bruk

- Unngå å bruke produktet hvis det er synlige skader eller mangler.
- Sørg for at ringene er ordentlig festet og justert før bruk for å unngå at kikkertsiktet faller av.
- Bruk alltid passende verneutstyr når du installerer eller håndterer produktet.
- Vær oppmerksom på at feil installasjon kan føre til skade på kikkertsiktet eller andre skader.

## Instruksjoner for installasjon og bruk

### 1. Forberedelse:

- Kontroller at alle deler er inkludert i pakken.
- Les gjennom bruksanvisningen nøye før du begynner installasjonen.

### 2. Installering av ringene:

- Plasser kikkertsiktet på en stabil overflate.
- Fest Nightforceringer til kikkertsiktet ved å bruke de medfølgende skruene.
- Sørg for at ringene er plassert i henhold til produsentens spesifikasjoner.
- Stram skruene jevnt for å sikre en sikker festing uten overbelastning.

### 3. Bruk av kikkertsiktet:

- Når kikkertsiktet er installert, sjekk at det er korrekt justert for optimal sikt.
- Unngå å utsette kikkertsiktet for ekstreme temperaturer eller fuktighet.

## Avhendingsinstruksjoner

- Følg lokale forskrifter for avhending av metall og aluminiumprodukter.
- Unngå å kaste produktet i vanlig husholdningsavfall.
- Lever produktet til en godkjent avfallsmottak eller resirkuleringsstasjon.

## **Kontaktinformasjon for ytterligere støtte**

For spørsmål om produktet, vennligst kontakt produsenten direkte. Det er viktig å ha informasjon om produktet tilgjengelig når du tar kontakt.

Takk for at du følger disse retningslinjene. Vi ønsker deg en trygg og tilfredsstillende opplevelse med ULTRALIGHT RINGS NIGHTFORCE 30MM LOW.

# Säkerhetsinstruktioner för ULTRALIGHT RINGS NIGHTFORCE 30MM LOW .885 6 SCREW ULTRALIGHT RINGS

## Introduktion

Tack för att du har valt ULTRALIGHT RINGS NIGHTFORCE 30MM LOW .885 6 SCREW ULTRALIGHT RINGS. Denna produkt är designad för att ge en säker och pålitlig fästordning för ditt kikarsikte. För att säkerställa säker användning och långvarig prestanda, vänligen följ dessa säkerhetsinstruktioner noggrant.

## Allmänna säkerhetsriktlinjer

- Använd alltid produkten i enlighet med tillverkarens instruktioner.
- Kontrollera att produkten är i gott skick innan användning. Titta efter tecken på skador eller slitage.
- Håll produkten utom räckhåll för barn och sårbara grupper.
- Rapportera eventuella osäkra produkter eller olyckor till myndigheterna.
- Kontrollera regelbundet EU:s Safety Gateplattform för uppdateringar om återkallelser.

## Specifika säkerhetsåtgärder för användning

- Kontrollera att ringarna är korrekt installerade och åtdragna innan du använder kikarsiktet.
- Använd alltid lämpliga verktyg för installation och justering av ringarna.
- Undvik att överbelasta ringarna genom att följa de angivna specifikationerna för vikter och dimensioner.
- Var försiktig när du hanterar kikarsiktet för att undvika skador på både sikte och ringar.

## Instruktioner för installation och användning

### 1. Förberedelse:

- Samla alla nödvändiga verktyg och komponenter innan installationen.
- Rengör ytan på kikarsiktebasen för att säkerställa ett bra fäste.

### 2. Installation:

- Placera ringarna på kikarsiktebasen och justera dem så att de passar korrekt.
- Använd de medföljande skruvarna för att fästa ringarna på basen. Se till att skruvarna är åtdragna jämnt.
- Kontrollera att kikarsiktet sitter säkert i ringarna innan du använder det.

### 3. Användning:

- Justera kikarsiktet enligt dina behov för bästa sikt.
- Kontrollera regelbundet att ringarna och skruvarna är i gott skick och åtdragna.

## Avfallshanteringsinstruktioner

- När produkten har nått slutet av sin livslängd, se till att den avyttras på ett miljövänligt sätt.
- Följ lokala föreskrifter för avfallshantering och återvinning av metall och aluminium.

## **Kontaktinformation för ytterligare support**

För frågor eller support angående säkerheten eller användningen av ULTRALIGHT RINGS NIGHTFORCE 30MM LOW .885 6 SCREW ULTRALIGHT RINGS, vänligen kontakta tillverkaren. Se till att ha produktens modellnummer och inköpsinformation tillgänglig för snabbare hjälp.

Tack för att du följer dessa säkerhetsinstruktioner och för att du bidrar till en säkrare användning av våra produkter.