

ULTRALIGHT RINGS - 30MM LOW .885 6 SCREW ULTRALIGHT RINGS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Designed to fit Mil-Std. 1913 scope bases, Nightforce rings are precisely manufactured to match the machined recess of a Nightforce Mil-Std. 1913 base, providing perfect alignment and accuracy. Nightforce rings are designed and produced in-house to exacting specifications entirely out of steel or from 7075-T6 aluminum with beta series titanium crossbolts and jaws. All Nightforce rings are 100% micro-radiused and honed in pairs for perfect fit of 30mm scope tubes to prevent the possibility of the rings damaging your scope.



Attributes

- Name: [30MM LOW .885 6 SCREW ULTRALIGHT RINGS](#)
- Manufacturer: [NIGHTFORCE](#)
- Product no.: 100012589
- Mfr. No.: A264
- Finish: Black
- Height: Low
- Scope Tube Diameter: 30mm
- Size: Low
- Style: Picatinny Rings
- Delivery weight: 0.136kg
- Shipping height: 34mm
- Shipping width: 118mm
- Shipping length: 124mm
- UPC: 847362006406

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [ULTRALIGHT RINGS 30MM LOW .885 6 SCREW ULTRALIGHT RINGS Safety Instruction Guide](#)
- [About Us](#)

ULTRALIGHT RINGS 30MM LOW .885 6 SCREW

ULTRALIGHT RINGS Safety Instruction Guide

Introduction

Thank you for choosing the ULTRALIGHT RINGS 30MM LOW .885 6 SCREW ULTRALIGHT RINGS by Nightforce. This guide provides essential safety instructions to ensure the safe use and installation of your product. Please read this document carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for installation and usage.
- Regularly inspect the rings for any signs of wear or damage before each use.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- In case of any product malfunction or failure, cease use immediately and consult the manufacturer.

Specific Safety Precautions for Use

- Only use the ULTRALIGHT RINGS with compatible MilStd. 1913 scope bases.
- Ensure that the scope tube diameter is 30mm to guarantee a proper fit.
- Avoid overtightening the screws during installation to prevent damage to the scope or rings.
- Do not modify the rings in any way, as alterations can compromise safety and performance.
- If you notice any unusual sounds or movements while using the product, stop using it immediately.

Instructions for Installation and Usage

Installation

1. **Preparation:** Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
2. **Alignment:** Position the ULTRALIGHT RINGS on the MilStd. 1913 scope base, ensuring they are aligned correctly.
3. **Securing the Rings:**
 - Insert the screws into the rings and handtighten them.
 - Use a torque wrench to tighten the screws to the manufacturer's specified torque settings. Do not exceed the recommended torque.
4. **Scope Installation:**
 - Carefully place the 30mm scope tube into the rings.
 - Adjust the scope to your desired position and ensure it is level.
5. **Final Tightening:** Once the scope is positioned, tighten the screws securely, ensuring even pressure across the rings.

Usage

- Always check the tightness of the rings and scope before each use.
- Use the rings only in suitable environments that do not expose them to extreme temperatures or harsh conditions.
- If transporting your equipment, ensure the scope and rings are protected to prevent damage.

Disposal Instructions

- Dispose of the ULTRALIGHT RINGS according to local regulations for metal and aluminum products.
- Do not dispose of the product in household waste. Check for recycling programs in your area that accept

aluminum and steel materials.

Contact Information for Further Support

For questions or concerns regarding the ULTRALIGHT RINGS, please refer to the manufacturer's official website or contact customer support through the provided channels. Ensure you have your product details ready for assistance.

By adhering to these safety guidelines and instructions, you can ensure a safe and effective experience with your ULTRALIGHT RINGS 30MM LOW .885 6 SCREW ULTRALIGHT RINGS. Thank you for your attention to safety and for choosing Nightforce products.

About Us

Brownells Norge

Brownells Norge - Komplette utvalg av ladeutstyr, våpendeler, kuler, hylser, kikkerter, optikk og luftvåpen

Heiveien 882
4985 Vegårshei

www.brownells.no