

ULTRALIGHT RINGS - 34MM HIGH 1.125" 4 SCREW ULTRALIGHT RINGS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Designed to fit Mil-Std. 1913 scope bases, Nightforce rings are precisely manufactured to match the machined recess of a Nightforce Mil-Std. 1913 base, providing perfect alignment and accuracy. Nightforce rings are designed and produced in-house to exacting specifications entirely out of steel or from 7075-T6 aluminum with beta series titanium crossbolts and jaws. All Nightforce rings are 100% micro-radiused and honed in pairs for perfect fit of 30mm scope tubes to prevent the possibility of the rings damaging your scope.



Attributes

- Name: [34MM HIGH 1.125" 4 SCREW ULTRALIGHT RINGS](#)
- Manufacturer: [NIGHTFORCE](#)
- Product no.: 100012596
- Mfr. No.: A224
- Finish: Black
- Height: High
- Material: -
- Scope Tube Diameter: 34mm
- Size: High
- Style: Picatinny Rings
- Delivery weight: 0.204kg
- Shipping height: 24mm
- Shipping width: 118mm
- Shipping length: 120mm
- UPC: 847362005331

Item details

Made in USA

Table of Contents

- Startpage
- **ULTRALIGHT RINGS 34MM HIGH 1.125" 4 SCREW Safety Instruction Guide**
- About Us

ULTRALIGHT RINGS 34MM HIGH 1.125" 4 SCREW Safety Instruction Guide

Introduction

Thank you for choosing the ULTRALIGHT RINGS 34MM HIGH 1.125" 4 SCREW by NIGHTFORCE. This guide provides essential safety instructions to ensure the safe and effective use of your scope rings. Please read this document carefully before installation and use to maximize your safety and the performance of your equipment.

General Safety Guidelines

- Ensure that the product is suitable for your specific scope and firearm.
- Regularly inspect the rings for any signs of wear or damage before use.
- Always follow the manufacturer's guidelines for installation and usage.
- Keep the product out of reach of children and vulnerable individuals.
- Be aware of your surroundings when using firearms equipped with scopes.

Specific Safety Precautions for Use

- **Avoid OverTightening:** Do not overtighten screws during installation, as this can lead to damage to the rings or scope.
- **Check Compatibility:** Ensure that the rings are compatible with your scope's tube diameter (34mm) and the mounting base (MilStd. 1913).
- **Proper Alignment:** Ensure that the scope is properly aligned within the rings to maintain accuracy and prevent damage.
- **Use Protective Gear:** When handling firearms, always wear appropriate protective gear, including eye and ear protection.
- **Secure Storage:** Store the rings in a safe, dry place when not in use to prevent corrosion or damage.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure that the installation area is clean and free from debris.

2. Installation Steps:

- Place the base of the rings onto the MilStd. 1913 scope base.
- Align the rings so that they are evenly spaced and level.
- Insert the screws into the ring bases and handtighten them to secure the rings in place.
- Use a torque wrench to tighten the screws to the manufacturer's recommended torque specifications. Avoid overtightening.

3. Scope Mounting:

- Carefully place the scope into the rings.
- Adjust the position of the scope to achieve the desired eye relief and alignment.
- Once positioned correctly, handtighten the ring caps to secure the scope.

4. Final Checks:

- After installation, doublecheck that all screws are tightened securely.

- Inspect the alignment of the scope and ensure it is level.
- Test the setup at the range to confirm that the scope is functioning correctly and accurately.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the product is damaged or no longer needed, consider recycling materials where possible.
- Do not dispose of in general waste; check for local hazardous waste disposal guidelines if applicable.

Contact Information for Further Support

For any safety inquiries or concerns regarding the ULTRALIGHT RINGS 34MM HIGH 1.125" 4 SCREW, please contact your local NIGHTFORCE representative or authorized dealer.

Conclusion

Following these safety instructions will help ensure your safe and effective use of the ULTRALIGHT RINGS. Always prioritize safety when handling firearms and equipment. Thank you for your attention to these guidelines, and enjoy your shooting experience!

About Us

Brownells Norge

Brownells Norge - Komplett utvalg av ladeutstyr, våpendeler, kuler, hylser, kikkerter, optikk og luftvåpen

Heiveien 882
4985 Vegårshei

www.brownells.no