

ULTRALIGHT RINGS - 34MM X-HIGH 1.375" 4 SCREW ULTRALIGHT RINGS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Designed to fit Mil-Std. 1913 scope bases, Nightforce rings are precisely manufactured to match the machined recess of a Nightforce Mil-Std. 1913 base, providing perfect alignment and accuracy. Nightforce rings are designed and produced in-house to exacting specifications entirely out of steel or from 7075-T6 aluminum with beta series titanium crossbolts and jaws. All Nightforce rings are 100% micro-radiused and honed in pairs for perfect fit of 30mm scope tubes to prevent the possibility of the rings damaging your scope.



Attributes

- Name: [34MM X-HIGH 1.375" 4 SCREW ULTRALIGHT RINGS](#)
- Manufacturer: [NIGHTFORCE](#)
- Product no.: 100012597
- Mfr. No.: A226
- Finish: Black
- Height: Extra High
- Material: -
- Scope Tube Diameter: 34mm
- Size: Extra High
- Style: Picatinny Rings
- Delivery weight: 0.045kg
- Shipping height: 23mm
- Shipping width: 132mm
- Shipping length: 150mm
- UPC: 847362005348

Item details

Made in USA

Table of Contents

- Startpage
- [ULTRALIGHT RINGS 34MM XHIGH 1.375" 4 SCREW ULTRALIGHT RINGS Safety Instructions](#)
- About Us

ULTRALIGHT RINGS 34MM XHIGH 1.375" 4 SCREW ULTRALIGHT RINGS Safety Instructions

Introduction

Thank you for choosing the ULTRALIGHT RINGS 34MM XHIGH 1.375" 4 SCREW ULTRALIGHT RINGS by Nightforce. This guide contains essential safety instructions to ensure the safe use and installation of your product. Please read this manual carefully before using the rings to understand their features and potential hazards.

General Safety Guidelines

- Ensure that the product is suitable for your specific scope and rifle model.
- Always inspect the rings for any damage or defects before installation.
- Follow all installation instructions to prevent accidents or damage to your equipment.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or incidents to the relevant authorities.
- Check for recall updates on the EU Safety Gate platform.

Specific Safety Precautions for Use

• Potential Hazards:

- Improper installation may lead to scope misalignment or damage.
- Using the rings with incompatible scope tube diameters may cause failure.
- Overtightening screws can damage the rings or the scope.

• Avoiding Hazards:

- Always use the appropriate tools for installation.
- Do not exceed the recommended torque specifications when tightening screws.
- Ensure that the scope tube diameter matches the specifications of the rings (34mm).
- Regularly check the tightness of the screws after installation.

• Age and Audience Specific Warnings:

- This product is not intended for use by children. Ensure adult supervision during installation.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure that the work area is clean and welllit.

2. Installation Steps:

- Place the rings on the MilStd. 1913 scope base, ensuring they are positioned correctly.
- Align the rings with the scope tube to ensure proper fit and alignment.
- Gently tighten the screws on the rings using a torque wrench. Refer to the manufacturer's specifications for the correct torque settings.
- After installation, check the alignment of the scope and make any necessary adjustments.

3. Usage:

- Regularly inspect the rings for wear and tear, especially after heavy use.
- Ensure that the rings remain securely fastened during use.
- If you notice any issues, such as loosening or misalignment, stop using the product and address the problem.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling the materials where possible, as the rings are made from steel or 7075T6 aluminum.

Contact Information for Further Support

For any inquiries or additional support regarding the ULTRALIGHT RINGS, please refer to the manufacturer's contact information provided with your product packaging.

Thank you for your attention to these safety instructions. Enjoy your experience with the ULTRALIGHT RINGS 34MM XHIGH 1.375" 4 SCREW ULTRALIGHT RINGS.

About Us

Brownells Norge

Brownells Norge - Komplett utvalg av ladeutstyr, våpendeler, kuler, hylser, kikkerter, optikk og luftvåpen

Heiveien 882
4985 Vegårshei

www.brownells.no