

ULTRALIGHT RINGS - 34MM EXTREME 1.5" 4 SCREW ULTRALIGHT RINGS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Designed to fit Mil-Std. 1913 scope bases, Nightforce rings are precisely manufactured to match the machined recess of a Nightforce Mil-Std. 1913 base, providing perfect alignment and accuracy. Nightforce rings are designed and produced in-house to exacting specifications entirely out of steel or from 7075-T6 aluminum with beta series titanium crossbolts and jaws. All Nightforce rings are 100% micro-radiused and honed in pairs for perfect fit of 30mm scope tubes to prevent the possibility of the rings damaging your scope.



Attributes

- Name: [34MM EXTREME 1.5" 4 SCREW ULTRALIGHT RINGS](#)
- Manufacturer: [NIGHTFORCE](#)
- Product no.: 100012598
- Mfr. No.: A227
- Finish: Black
- Height: -
- Material: -
- Scope Tube Diameter: 34mm
- Size: -
- Style: Picatinny Rings
- Delivery weight: 0.113kg
- Shipping height: 36mm
- Shipping width: 109mm
- Shipping length: 79mm
- UPC: 847362005355

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [ULTRALIGHT RINGS 34MM EXTREME 1.5" 4 SCREW ULTRALIGHT RINGS Safety Instruction Guide](#)
- [About Us](#)

ULTRALIGHT RINGS 34MM EXTREME 1.5" 4 SCREW

ULTRALIGHT RINGS Safety Instruction Guide

Introduction

Thank you for choosing the ULTRALIGHT RINGS 34MM EXTREME 1.5" 4 SCREW ULTRALIGHT RINGS by Nightforce. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions to prevent accidents and injuries.
- Always inspect the product for any signs of damage or wear before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals to prevent any misuse or accidents.
- Report any unsafe products or accidents to the appropriate authorities as part of your responsibility as a consumer.
- Stay informed about recalls and safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Potential Hazards:**

- Improper installation may lead to scope misalignment, affecting accuracy.
- Use of damaged or worn rings may result in scope failure and potential injury.

- **Avoiding Hazards:**

- Always follow the installation instructions carefully to ensure proper alignment and fit.
- Regularly check the condition of the rings and replace them if any damage is detected.
- Do not exceed recommended torque settings during installation to avoid damaging the rings or the scope.

- **AudienceSpecific Warnings:**

- This product is not intended for use by individuals under the age of 18 without adult supervision.
- Ensure that all users are adequately trained in the safe handling and installation of scope rings.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools for installation, including a torque wrench and appropriate screwdrivers.
- Ensure that the work area is clean and free from distractions.

2. Installation Steps:

- **Step 1:** Align the ULTRALIGHT RINGS with the MilStd. 1913 scope base. Ensure that the rings are positioned correctly for optimal alignment.
- **Step 2:** Place the scope tube into the rings. Ensure that it is centered and aligned.
- **Step 3:** Secure the rings by tightening the screws. Follow the manufacturer's recommended torque settings to prevent overtightening.
- **Step 4:** Doublecheck the alignment of the scope. Make any necessary adjustments before

finalizing the installation.

3. Usage:

- After installation, perform a test to ensure that the scope is securely mounted and does not shift during use.
- Regularly check the tightness of the screws during use, especially after extensive shooting sessions.

Disposal Instructions

- Dispose of the ULTRALIGHT RINGS responsibly in accordance with local regulations.
- Do not dispose of the product in household waste. Check for local recycling programs that accept metal and aluminum products.
- If the product is damaged beyond repair, contact your local waste management facility for proper disposal guidance.

Contact Information for Further Support

For any questions or concerns regarding the ULTRALIGHT RINGS, please refer to the manufacturer's contact information provided on the product packaging or visit the Nightforce website for additional resources.

Thank you for prioritizing safety and ensuring the proper use of your ULTRALIGHT RINGS 34MM EXTREME 1.5" 4 SCREW ULTRALIGHT RINGS. Enjoy your shooting experience with confidence!

About Us

Brownells Norge

Brownells Norge - Komplette utvalg av ladeutstyr, våpendeler, kuler, hylser, kikkerter, optikk og luftvåpen

Heiveien 882
4985 Vegårshei

www.brownells.no