

AR-15/M16 MS3 MULTI-MISSION SLING - MS3-Multi Mission Sling Gen2-RNG - Antal 1st

For Split-Second, Cross-Shoulder Transitions In Rapidly Changing Tactical Environments

Versatile tactical sling switches instantly from traditional two-point configuration for hands-free carry to single-point setup for quick transitions in fast-changing tactical environments. Use with the Magpul ASAP™ rear adapter plate (sold separately) for 180° of unrestricted sling movement that lets you change shoulders to take full advantage of cover, address targets around corners or other barriers, and shift weapon position if one arm is injured. Built from ultra-thin, exceptionally strong nylon webbing, double stitched at stress points for added strength. MS3 QD sling replaces one Paraclip with a steel QD sling swivel that is compatible with QD sling cups commonly found on lower receivers, receiver end plates, and buttstocks. Compatible with Magpul RSA® and MSA™, and most loop-style sling adapters.



Attributes

- Name: MS3-Multi Mission Sling Gen2-RNG - Antal 1st
- Manufacturer: MAGPUL
- Product no.: 100013975L
- Mfr. No.: MAG514RGR
- Color: Ranger Green
- Material: Nylon
- Style: 2-point Sling, 1-point Sling
- Width: 1-1/4"
- Delivery weight: 0.255kg
- UPC: 873750010694

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for AR15/M16 MS3 MultiMission Sling](#)
- [Svenska: Säkerhetsinstruktioner för AR15/M16 MS3 MULTIMISSION SLING MS3Multi Mission Sling Gen2RNG](#)

Safety Instruction Guide for AR15/M16 MS3 MultiMission Sling

Introduction

Thank you for choosing the AR15/M16 MS3 MultiMission Sling. This versatile tactical sling is designed for both twopoint and singlepoint configurations, allowing for seamless transitions in various tactical environments. To ensure your safety and the optimal performance of this product, please read and follow the guidelines outlined in this document.

General Safety Guidelines

- Ensure the sling is properly installed and adjusted before use.
- Regularly inspect the sling for signs of wear, damage, or failure.
- Do not exceed the manufacturer's recommended weight limits.
- Always use the sling in a manner consistent with its intended purpose.
- Keep the sling away from heat sources, sharp objects, and chemicals that may degrade the materials.
- Store the sling in a cool, dry place when not in use.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Installation:** Ensure that the sling is securely attached to the firearm before use. Check that all components are functioning correctly.
- **Carrying:** When using the sling in a twopoint configuration, ensure that the sling is adjusted to a comfortable length to prevent accidental slips or falls.
- **Transitioning:** When switching from a twopoint to a singlepoint configuration, be aware of your surroundings and ensure that the sling does not become entangled in any objects.
- **Injury Awareness:** If one arm is injured, practice transitioning the sling to the opposite shoulder to maintain control of the firearm.
- **Compatibility:** Use only with compatible adapters and components, such as the Magpul ASAP™ rear adapter plate, to ensure safe operation.
- **Children and Vulnerable Groups:** Keep the sling out of reach of children and individuals who may not understand its use.

Instructions for Installation and Usage

1. Installation:

- Attach one end of the sling to the designated attachment point on the firearm.
- Secure the other end to the second attachment point, ensuring that all clips and swivels are properly engaged.
- If using the Magpul ASAP™ rear adapter plate, follow the manufacturer's instructions for installation.

2. Adjusting the Sling:

- To adjust the length of the sling, locate the adjustment mechanism (typically a slider or buckle).
- Pull the webbing to shorten or lengthen the sling as needed for your comfort and use.
- Ensure the adjustment is secure before proceeding.

3. Using the Sling:

- For twopoint configuration, position the sling across your body, allowing for handsfree carry.
- For singlepoint configuration, allow the sling to hang freely from one attachment point, providing quick access to the firearm.
- Practice transitioning between configurations in a safe environment to become familiar with the sling's functionality.

Disposal Instructions

When the sling reaches the end of its life or is no longer usable, dispose of it responsibly: * Check local regulations for proper disposal methods for nylon and plastic materials. * If applicable, recycle components made of metal or plastic. * Do not dispose of the sling in regular household waste if it poses a safety hazard.

Contact Information for Further Support

For any inquiries regarding safety, installation, or usage of the AR15/M16 MS3 MultiMission Sling, please reach out to the manufacturer or your point of purchase. Always ensure that you have the latest safety information and product updates.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities. Please use this product responsibly and in accordance with the instructions provided.

Säkerhetsinstruktioner för AR15/M16 MS3 MULTIMISSION SLING MS3Multi Mission Sling Gen2RNG

Introduktion

Tack för att du valt AR15/M16 MS3 MULTIMISSION SLING. Denna mångsidiga taktiska sele är designad för att ge säker och effektiv användning i olika miljöer. Det är viktigt att följa dessa säkerhetsinstruktioner för att säkerställa en trygg användning av produkten.

Allmänna säkerhetsriktlinjer

- Använd produkten endast enligt de avsedda syftena.
- Kontrollera produkten regelbundet för tecken på slitage eller skador.
- Förvara produkten utom räckhåll för barn och andra sårbara grupper.
- Rapportera alla osäkra produkter och incidenter till relevanta myndigheter.
- Håll dig informerad om eventuella återkallelser via EU:s Safety Gateplattform.

Specifika säkerhetsåtgärder för användning

- Se till att selen är korrekt justerad innan användning för att förhindra olyckor.
- Använd alltid selen i enlighet med tillverkarens instruktioner för att undvika skador.
- Undvik att använda selen om den är skadad eller sliten.
- Används selen med Magpul ASAP™ bakadapterplatta för optimal funktionalitet.
- Var medveten om din omgivning och undvik att använda selen i situationer där den kan fastna eller orsaka skada.

Instruktioner för installation och användning

1. Installation av selen:

- Fäst selen på det valda vapnet enligt tillverkarens anvisningar.
- Använd den stål QDselen swivel för att säkerställa en stabil och säker anslutning.
- Kontrollera att alla fästen är ordentligt säkrade innan du använder selen.

2. Justering av selen:

- Justera längden på selen genom att dra i justeringsremmarna.
- Se till att selen sitter bekvämt men säkert på din kropp.

3. Användning av selen:

- Växla mellan tvåpunktskonfiguration och enpunktsinställning efter behov.
- Använd selen för att byta axel och anpassa dig till din omgivning.
- Om en arm är skadad, justera selen för att ändra vapnets position utan att kompromissa med säkerheten.

Avfallshanteringsinstruktioner

- När selen inte längre används eller är skadad, bortskaffa den enligt lokala avfallsregler.
- Återvinn materialet om möjligt, särskilt nylonband och metallkomponenter.

Kontaktinformation för vidare support

För frågor eller ytterligare information, vänligen kontakta tillverkaren eller din återförsäljare. Se till att ha produktens modellnummer och inköpsinformation tillgänglig.

Genom att följa dessa säkerhetsinstruktioner kan du säkerställa en trygg och effektiv användning av din AR15/M16 MS3 MULTIMISSION SLING. Tack för att du prioriterar säkerheten!