

TRIJICON RMR QUICK DETACH MOUNT - MIDWEST INDUSTRIES

TRIJICON RMR LOWER 1/3 QD MOUNT, BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

QD Mount for Trijicon RMR Midwest Industries incorporates one of the smoothest functioning QD levers on the market. Extremely smooth in operation with a multi-facetted adjustment nut to get the exact tension required without damaging the rail surface. Fully adjustable with no tools. Trijicon RMR mount weight only 2.9 oz and is precision machined from 6061 aluminum and hard coat anodized for a lifetime of service.



Attributes

- Name: [MIDWEST INDUSTRIES TRIJICON RMR LOWER 1/3 QD MOUNT, BLACK](#)
- Manufacturer: [MIDWEST INDUSTRIES](#)
- Product no.: 100018503
- Mfr. No.: MI-QDRMR-1/3
- Colour: Matte Black
- Delivery weight: 0.091kg
- Shipping height: 36mm
- Shipping width: 119mm
- Shipping length: 102mm
- UPC: 816537017776

Item details

Made in USA

Table of Contents

- Startpage
- TRIJICON RMR QUICK DETACH MOUNT SAFETY INSTRUCTIONS
- About Us

TRIJICON RMR QUICK DETACH MOUNT SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the TRIJICON RMR Quick Detach Mount by Midwest Industries. This guide provides important safety instructions and usage guidelines to ensure your product is used safely and effectively. Please read this manual carefully before installation and use.

General Safety Guidelines

- Ensure that the mount is compatible with your Trijicon RMR sight before installation.
- Always inspect the mount for any signs of damage or wear before use.
- Use the mount only for its intended purpose as specified in this guide.
- Keep the mount out of reach of children and vulnerable individuals to prevent accidents.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- **Weight Limit:** The mount is designed to support the Trijicon RMR sight only. Do not exceed the specified weight limit.
- **Installation Surface:** Ensure that the mounting surface is clean and free from debris to avoid improper installation.
- **Adjustment:** Use the multifaceted adjustment nut to achieve the desired tension without overtightening, which may damage the rail surface.
- **Regular Checks:** Periodically check the mount to ensure it remains securely attached and that all components are functioning properly.

Instructions for Installation and Usage

1. Installation:

- Clean the mounting area on your firearm to ensure a secure fit.
- Align the TRIJICON RMR Quick Detach Mount with the mounting rail.
- Use the QD lever to attach the mount securely. Ensure it is locked in place.
- Adjust the tension using the multifaceted adjustment nut. Ensure it is snug but not overly tight.

2. Usage:

- Once installed, verify that the Trijicon RMR sight is securely attached to the mount.
- Always check the mounting before use, especially after transportation.
- Follow the manufacturer's instructions for operating the Trijicon RMR sight.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the mount in household waste. Check for designated recycling facilities for aluminum materials.

Contact Information for Further Support

For any inquiries regarding safety or product information, please refer to the official Midwest Industries website

or contact your local distributor.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.
Enjoy using your TRIJICON RMR Quick Detach Mount!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk