

TAPER CRIMP HANDGUN DIES - 40 S&W, 10MM CRIMP DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The Hornady Taper Crimp Die removes flare from the case mouth and crimps the case mouth around the bullet while maintaining a sharp edge for proper headspace. Improves feeding of reloaded cases in semiauto handguns.



Attributes

- Name: [40 S&W, 10MM CRIMP DIE](#)
- Manufacturer: [HORNADY](#)
- Product no.: 100031666
- Mfr. No.: 044171
- Die Style: Crimp Die
- Náboje: 40 S&W
- Delivery weight: 0.195kg
- Shipping height: 38mm
- Shipping width: 38mm
- Shipping length: 146mm
- UPC: 090255441710

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [TAPER CRIMP HANDGUN DIES 40 S&W, 10MM CRIMP DIE Safety Instruction Guide](#)
- [About Us](#)

TAPER CRIMP HANDGUN DIES 40 S&W, 10MM CRIMP DIE Safety Instruction Guide

Introduction

Thank you for choosing the Hornady Taper Crimp Die for your reloading needs. This product is designed to enhance the performance of your reloaded ammunition by ensuring a proper crimp on the bullet, which improves feeding in semiauto handguns. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always use the Hornady Taper Crimp Die in accordance with the manufacturer's instructions.
- Ensure that your workspace is clean and organized to prevent accidents.
- Keep the die and all reloading components out of reach of children and unauthorized users.
- Wear appropriate safety gear, including safety glasses and gloves, when handling reloading materials.
- Be cautious of potential hazards associated with reloading, including but not limited to:
 - Lead exposure from handling bullets.
 - The risk of injury from sharp tools and components.
 - The possibility of accidental discharge if firearms are improperly handled.

Specific Safety Precautions for Use

- Only use the Hornady Taper Crimp Die with compatible cartridges (40 S&W and 10MM).
- Inspect the die for any damage or wear before each use.
- Ensure that your reloading press is securely mounted and stable.
- Use the die in a wellventilated area to minimize exposure to any fumes or dust.
- Always follow proper procedures for handling and storing ammunition components.
- Do not modify the die or use it for purposes other than intended.

Instructions for Installation and Usage

1. Installation:

- Securely attach the Hornady Taper Crimp Die to your reloading press according to the manufacturer's instructions.
- Adjust the die to the desired height and lock it in place.

2. Usage:

- Ensure that the case is properly resized and flared before crimping.
- Insert the bullet into the case, ensuring it is seated correctly.
- Slowly lower the ram of the reloading press to bring the case into contact with the die.
- Apply a firm, steady pressure to crimp the case mouth around the bullet.
- Inspect the crimped case for consistency and quality.
- Repeat the process for each cartridge, ensuring that each one meets the required specifications.

Disposal Instructions

- Dispose of any unused or damaged reloading components in accordance with local regulations.
- Follow local guidelines for the disposal of lead and other hazardous materials.
- Ensure that all packaging materials are disposed of responsibly and in an environmentally friendly manner.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Hornady Taper Crimp Die, please contact the manufacturer directly through their official channels. Ensure you have the product details and any relevant information ready for assistance.

By following these safety instructions, you can ensure a safe and effective reloading experience with the Hornady Taper Crimp Die. Stay informed and updated on any recalls or safety alerts by checking the EU's Safety Gate platform regularly. Thank you for your commitment to safety and responsible reloading practices.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz