

TLR RM 1 RAIL MOUNTED TACTICAL LIGHTING SYSTEM BLACK

The low-profile TLR RM 1 features independently operating push-button and remote pressure switches to provide the security of knowing you'll always have light. Packaged as a kit offering everything you need to mount to your long gun. #69440 - TLR RM 1 - Includes rail locating keys, tail cap switch, remote pressure switch, mounting clips and lithium battery - Box



Attributes

- Name: TLR RM 1 RAIL MOUNTED TACTICAL LIGHTING SYSTEM BLACK
- Manufacturer: Streamlight
- Product no.: 100041920
- Mfr. No.: 69440
- Battery: CR-123A
- Lumens: 500
- Style: Weapon Mounted, Weaponlight
- Delivery weight: 0.181kg
- Shipping height: 38mm
- Shipping width: 102mm
- Shipping length: 165mm
- UPC: 080926694408

Item details

This product contains a battery.

Table of Contents

- [Startpage](#)
- [English: TLR RM 1 Rail Mounted Tactical Lighting System Safety Instructions](#)
- [Svenska: Säkerhetsinstruktioner för TLR RM 1 RAIL MOUNTED TACTICAL LIGHTING SYSTEM](#)

TLR RM 1 Rail Mounted Tactical Lighting System

Safety Instructions

Introduction

Thank you for choosing the TLR RM 1 Rail Mounted Tactical Lighting System. This guide provides essential safety instructions and information to ensure the safe and effective use of your lighting system. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the TLR RM 1 is used only for its intended purpose as a weapon-mounted tactical lighting system.
- Always check the product for any visible damage before use. If damaged, do not use the product.
- Keep the lighting system out of reach of children and unauthorized users.
- Ensure that the lighting system is securely mounted to avoid accidental dislodgement during use.
- Regularly inspect the battery and replace it as needed to maintain optimal performance.
- Follow all local laws and regulations regarding the use of tactical lighting systems.

Specific Safety Precautions for Use

- Do not expose the TLR RM 1 to extreme temperatures, moisture, or direct sunlight for extended periods.
- Avoid using the lighting system in environments where it may be exposed to hazardous materials or conditions.
- Do not modify or disassemble the TLR RM 1, as this may compromise its safety and functionality.
- Always ensure that the lighting system is turned off when not in use to conserve battery life and prevent accidental activation.
- When using the remote pressure switch, ensure that it is properly secured and positioned to prevent accidental activation.
- Use only the recommended CR123A lithium battery for optimal performance and safety.

Instructions for Installation and Usage

Installation

1. Prepare the Mounting Area:

- Ensure the mounting area on your long gun is clean and free from debris.
- Select the appropriate rail locating key that fits your weapon's rail system.

2. Attach the Lighting System:

- Align the TLR RM 1 with the selected rail key.
- Slide the lighting system onto the rail until it clicks into place.
- Secure the mounting clips to ensure the system is firmly attached.

3. Connect the Remote Pressure Switch:

- Locate the tail cap switch on the TLR RM 1.
- Connect the remote pressure switch to the tail cap switch following the manufacturer's instructions.
- Ensure the remote switch is positioned for easy access during use.

Usage

1. Operating the Lighting System:

- To turn on the TLR RM 1, press the pushbutton switch or the remote pressure switch.
- The system provides 500 lumens of bright illumination for tactical applications.

2. Turning Off the Lighting System:

- To turn off the light, press the pushbutton switch or release the remote pressure switch.

3. Battery Replacement:

- When the light dims or fails to turn on, replace the CR123A lithium battery.
- Unscrew the tail cap switch to access the battery compartment.
- Remove the old battery and insert a new one, ensuring proper polarity.
- Reattach the tail cap switch securely.

Disposal Instructions

- Dispose of the TLR RM 1 and its components in accordance with local regulations regarding electronic waste.
- Do not dispose of batteries in regular household waste. Follow local guidelines for battery disposal to prevent environmental harm.

Contact Information for Further Support

For safety inquiries or support regarding the TLR RM 1 Rail Mounted Tactical Lighting System, please refer to the manufacturer's website or contact their customer service department.

By following these safety instructions, you can ensure the safe and effective use of your TLR RM 1 Rail Mounted Tactical Lighting System. Thank you for your attention to safety.

Säkerhetsinstruktioner för TLR RM 1 RAIL MOUNTED TACTICAL LIGHTING SYSTEM

Introduktion

Tack för att du valt TLR RM 1 RAIL MOUNTED TACTICAL LIGHTING SYSTEM från Streamlight. Denna produkt är utformad för att ge pålitlig belysning för ditt långvapen. För att säkerställa säker användning och maximera produktens livslängd, vänligen läs och följ dessa säkerhetsinstruktioner noggrant.

Allmänna säkerhetsriktlinjer

- Använd produkten endast enligt tillverkarens anvisningar.
- Håll produkten utom räckhåll för barn och sårbara grupper.
- Kontrollera produkten regelbundet för skador eller slitage.
- Rapportera eventuella farliga produkter eller olyckor till relevanta myndigheter.
- Håll dig informerad om återkallelser via EU:s Safety Gateplattform.

Specifika säkerhetsåtgärder för användning

- Använd inte produkten om den är skadad eller inte fungerar korrekt.
- Undvik att rikta ljuset mot ögonen på människor eller djur.
- Förvara produkten på en säker plats när den inte används.
- Använd endast rekommenderade litiumbatterier (CR123A) för att undvika risker med överhettning eller läckage.
- Använd fjärrtryckknappen med försiktighet för att undvika oavsiktlig aktivering.

Instruktioner för installation och användning

Installation

1. Montering av ljuset:

- Se till att ditt långvapen är avstängt och säkert.
- Använd de medföljande skenorna för att montera TLR RM 1 på ditt långvapen.
- Fäst monteringsklippet ordentligt för att säkerställa stabilitet.

2. Anslutning av fjärrtryckknappen:

- Anslut fjärrtryckknappen till ljuset enligt anvisningarna i förpackningen.
- Kontrollera att alla anslutningar är säkra innan användning.

3. Batteribyte:

- Ta bort det gamla batteriet och sätt i ett nytt CR123A litiumbatteri.
- Se till att batteriet är korrekt installerat med rätt polaritet.

Användning

- För att aktivera ljuset, tryck på knappen eller använd fjärrtryckknappen.
- Justera ljusets riktning för att optimera belysningen av ditt mål.
- Stäng av ljuset efter användning för att spara batteri.

Avfallsanvisningar

- Kasta använda batterier enligt lokala föreskrifter för farligt avfall.
- Återvinn förpackningsmaterial där det är möjligt.
- TLR RM 1 bör kasseras enligt lokala riktlinjer för elektronikavfall.

Kontaktinformation för vidare support

För frågor eller ytterligare information om säkerhet och användning av TLR RM 1, vänligen kontakta din lokala återförsäljare eller besök tillverkarens officiella webbplats.

Genom att följa dessa instruktioner kan du säkerställa en säker och effektiv användning av TLR RM 1 RAIL MOUNTED TACTICAL LIGHTING SYSTEM. Tack för att du är en ansvarsfull användare!