

TLR RM 2 RAIL MOUNTED TACTICAL LIGHTING SYSTEM - TLR RM 2 RAIL MOUNTED TACTICAL LIGHT ONLY BLACK

The low-profile TLR RM 2 features independently operating push-button and remote pressure switches to provide the security of knowing you'll always have light. Packaged as a kit offering everything you need to mount to your long gun. #69450 - TLR RM 2 - Includes rail locating keys, tail cap switch, remote pressure switch, mounting clips & two lithium batteries - Box



Attributes

- Name: TLR RM 2 RAIL MOUNTED TACTICAL LIGHT ONLY BLACK
- Manufacturer: Streamlight
- Product no.: 100041923
- Mfr. No.: 69451
- Battery: CR-123A
- Lumens: 1000
- Style: Weapon Mounted, Weaponlight
- Delivery weight: 0.213kg
- Shipping height: 38mm
- Shipping width: 102mm
- Shipping length: 191mm
- UPC: 080926694514

Item details

Made in USA

This product contains a battery.

Table of Contents

- [Startpage](#)
- [English: TLR RM 2 Rail Mounted Tactical Lighting System Safety Instructions](#)
- [Svenska: Säkerhetsinstruktioner för TLR RM 2 RAIL MOUNTED TACTICAL LIGHTING SYSTEM](#)

TLR RM 2 Rail Mounted Tactical Lighting System

Safety Instructions

Introduction

Thank you for choosing the TLR RM 2 Rail Mounted Tactical Lighting System. This guide provides essential safety instructions and information to ensure safe and effective use of your new tactical lighting system. Please read this manual carefully before installation and use.

General Safety Guidelines

- Ensure that the TLR RM 2 is used only as intended and in accordance with the instructions provided in this manual.
- Always keep the lighting system out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of damage or wear.
- Do not modify or tamper with the TLR RM 2 or its components.
- If you notice any unusual behavior or performance issues, discontinue use immediately and seek assistance.
- Follow all local laws and regulations regarding the use of weaponmounted lights.

Specific Safety Precautions for Use

- **Risk of Injury:** The TLR RM 2 is a powerful lighting device. Avoid shining the light directly into anyone's eyes, as this may cause temporary blindness or discomfort.
- **Battery Safety:** Use only the recommended CR123A lithium batteries. Improper battery use can lead to leakage, overheating, or explosion.
- **Heat Generation:** The TLR RM 2 may become hot during prolonged use. Allow the unit to cool down before handling.
- **Water Resistance:** While the TLR RM 2 is designed to be waterresistant, avoid submerging it in water. Ensure all seals are intact before exposure to moisture.
- **Proper Mounting:** Ensure that the mounting clips are securely attached to prevent the light from detaching during use.

Instructions for Installation and Usage

Installation

1. **Gather Required Tools:** Ensure you have the necessary tools for installation, including the provided rail locating keys and mounting clips.
2. **Select Mounting Location:** Choose a suitable location on your long gun where the TLR RM 2 can be easily accessed and operated.
3. **Attach the Mounting Clips:**
 - Align the mounting clips with the rail system of your firearm.
 - Securely fasten the clips using the provided hardware.
4. **Install the Tail Cap Switch:**
 - Remove the tail cap from the TLR RM 2.
 - Connect the tail cap switch to the TLR RM 2.
 - Replace the tail cap, ensuring a tight fit.
5. **Connect the Remote Pressure Switch:**
 - Attach the remote pressure switch to the designated area on your firearm.
 - Ensure it is positioned for easy access during operation.
6. **Insert Batteries:**
 - Open the battery compartment.

- Insert two CR123A lithium batteries, ensuring the correct polarity is observed.
- Close the battery compartment securely.

Usage

1. **Turning On/Off:**
 - Press the pushbutton switch to turn the light on or off.
 - Use the remote pressure switch for momentary activation while maintaining control of your firearm.
2. **Adjusting Light Output:** The TLR RM 2 provides a maximum output of 1000 lumens. Use the switch to select the desired brightness level.
3. **Maintenance:** Regularly clean the exterior of the TLR RM 2 with a soft, dry cloth. Avoid using harsh chemicals or solvents.

Disposal Instructions

- Dispose of the TLR RM 2 and its components in accordance with local regulations regarding electronic waste.
- Properly recycle batteries at designated recycling centers to prevent environmental harm.

Contact Information for Further Support

For any questions or concerns regarding the TLR RM 2 Rail Mounted Tactical Lighting System, please consult the manufacturer's website or customer service for assistance.

Thank you for prioritizing safety and responsible usage. Enjoy your TLR RM 2 lighting system!

Säkerhetsinstruktioner för TLR RM 2 RAIL MOUNTED TACTICAL LIGHTING SYSTEM

Introduktion

Tack för att du har valt Streamlight TLR RM 2 RAIL MOUNTED TACTICAL LIGHTING SYSTEM. Denna produkt är utformad för att ge en pålitlig ljuskälla för ditt långvapen. För att säkerställa säker användning och lång livslängd för din produkt, vänligen läs och följ dessa säkerhetsinstruktioner noggrant.

Allmänna säkerhetsriktlinjer

- Produkten är avsedd för säker användning och är utformad för att minimera risker.
- Kontrollera alltid att produkten är i gott skick innan användning.
- Använd endast tillbehör och delar som rekommenderas av tillverkaren.
- Förvara produkten på en säker plats, utom räckhåll för barn.
- Rapportera eventuella skador eller defekter till återförsäljaren.

Specifika säkerhetsåtgärder vid användning

- Använd alltid skyddsglasögon när du installerar eller hanterar produkten.
- Undvik att rikta ljuset mot ögonen hos människor eller djur.
- Kontrollera att produkten är korrekt monterad innan användning.
- Använd inte produkten i miljöer där den kan utsättas för extrema temperaturer eller fuktighet.
- Om produkten börjar uppvisa tecken på överhettning eller skador, sluta använda den omedelbart.

Instruktioner för installation och användning

Installation

1. Se till att vapnet är avstängt och säkert.
2. Använd de medföljande skenmonteringsnycklarna för att fästa lampan på vapnet.
3. Montera svansknappen och fjärrtryckknappen på önskad plats för enkel åtkomst.
4. Kontrollera att monteringsklämmorna är ordentligt fästa och att lampan sitter stabilt.

Användning

- För att aktivera ljuset, tryck på tryckknappen eller fjärrtryckknappen.
- Justera ljusstyrkan vid behov genom att hålla knappen nedtryckt.
- Byt batterier när ljusstyrkan minskar. Använd endast CR123A batterier.

Avfallshantering

- Kasta inte produkten tillsammans med hushållsavfall.
- Följ lokala föreskrifter för avfallshantering av elektriska och elektroniska produkter.
- Återvinn batterier enligt lokala riktlinjer för batteriåtervinning.

Kontaktinformation för vidare stöd

För frågor om säkerhet och användning av produkten, vänligen kontakta din lokala återförsäljare eller besök tillverkarens webbplats för mer information.

Slutord

Din säkerhet är viktig. Genom att följa dessa instruktioner kan du njuta av din TLR RM 2 RAIL MOUNTED TACTICAL LIGHTING SYSTEM på ett säkert och effektivt sätt. Tack för att du valde Streamlight.