

DUAL REMOTE PRESSURE SWITCH W/ MOUNTING KIT

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

The low-profile TLR RM 2 features independently operating push-button and remote pressure switch. TLR Dual Remote Switch - Accessory switch allows for simultaneous or individual activation of the Streamlight TLR-1 & 2 Series weapon lights (sold separately) and accompanying external aiming devices to provide the security of knowing you'll always have light. Packaged as a kit offering everything you need to mount to your long gun. #69450 - TLR RM 2 - Includes rail locating keys, tail cap switch, remote pressure switch, mounting clips & two lithium batteries - Box



Attributes

- Name: [DUAL REMOTE PRESSURE SWITCH W/ MOUNTING KIT](#)
- Manufacturer: [Streamlight](#)
- Product no.: 100041924
- Mfr. No.: 69138
- Delivery weight: 0.038kg
- Shipping height: 6mm
- Shipping width: 127mm
- Shipping length: 229mm
- UPC: 080926691384

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [DUAL REMOTE PRESSURE SWITCH Safety Instruction Guide](#)
- [About Us](#)

DUAL REMOTE PRESSURE SWITCH Safety Instruction Guide

Introduction

Thank you for choosing the DUAL REMOTE PRESSURE SWITCH with MOUNTING KIT. This product is designed to enhance the functionality of your Streamlight TLR1 & 2 Series weapon lights. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly check the product for signs of wear or damage.
- Follow all local laws and regulations regarding the use of weapon lights.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not expose the remote pressure switch to moisture or extreme temperatures.
- Ensure the device is securely mounted to prevent accidental dislodgment.
- Avoid using the device while it is in a compromised state (e.g., damaged or malfunctioning).
- Always test the functionality of the remote pressure switch before use.
- Use only the provided lithium batteries to ensure optimal performance.
- Do not attempt to disassemble or modify the product.

Instructions for Installation and Usage

1. Installation:

- Ensure that your long gun is unloaded and safe before installation.
- Locate the rail on your long gun where the TLR RM 2 will be mounted.
- Use the included rail locating keys to position the remote pressure switch securely.
- Attach the mounting clips to secure the switch in place.
- Connect the tail cap switch to the weapon light if not already done.

2. Usage:

- To activate the weapon light, press the pushbutton switch or the remote pressure switch.
- For continuous operation, press and hold the remote pressure switch.
- Release the switch to turn off the light.
- For individual activation of the TLR1 & 2 Series lights, use the respective switches as needed.

Disposal Instructions

- Dispose of the remote pressure switch and its components in accordance with local waste disposal regulations.
- Remove batteries before disposal and recycle them at designated battery recycling points.
- Do not dispose of the product in household waste to minimize environmental impact.

Contact Information for Further Support

For any inquiries or support regarding the DUAL REMOTE PRESSURE SWITCH, please refer to the manufacturer's contact details provided with your product packaging.

Thank you for your attention to these safety instructions. Enjoy the enhanced functionality and safety provided by your DUAL REMOTE PRESSURE SWITCH.

About Us

Brownells Sverige

Brownells Sverige - Världens största leverantör av Vapendelar, Vapensmide Verktyg & Skyttetillbehör

Brownells Sverige AB
Box 99
793 22 Leksand
Sverige

www.brownells.se