

SIGHT, FRONT, HIGH PROFILE, W/O DOT - Sight, Front - Antal 1st

FITS: 1911 Government Models; 1991 A1 Commander, Compact, .45

Wide tenon, .180 & .175 high, .125 wide, rear face slightly undercut, requires gunsmith staking.

NO IMAGE
AVAILABLE

Attributes

- Name: [Sight, Front - Antal 1st](#)
- Manufacturer: [COLT](#)
- Product no.: 160111021L
- Mfr. No.: SP54715B
- Application Type: Law Enforcement,Tactical,Competition
- Consumable Commodity: Commodity
- Expertise Required: Advanced
- Make: 1911
- Market Tier: Mid
- Sight Color: Black
- Size: .180
- Style: Wide Tenon
- Delivery weight: 0.005kg

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for SIGHT, FRONT, HIGH PROFILE, W/O DOT](#)
- [About Us](#)

Safety Instruction Guide for SIGHT, FRONT, HIGH PROFILE, W/O DOT

Introduction

Thank you for choosing the SIGHT, FRONT, HIGH PROFILE, W/O DOT. This product is designed for use with firearms and requires careful handling and installation. The following safety guidelines and instructions are provided to ensure your safety and the proper use of this product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always handle firearms and related components with care and in accordance with all applicable laws and regulations.
- Ensure that the product is suitable for your firearm model (1911) before installation.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the sight for any signs of wear or damage. Do not use if damaged.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Requirements:** This sight requires gunsmith staking for proper installation. Do not attempt to install without professional assistance.
- **Expertise Level:** This product is intended for users with advanced expertise. If you are not experienced, seek help from a qualified gunsmith.
- **Application Types:** This sight is designed for law enforcement, tactical, and competitive applications. Ensure you are trained for the intended use.
- **Potential Hazards:** Improper installation or use may result in misalignment, which can lead to inaccurate shooting or firearm malfunction.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a staking tool, and ensure you have a clean workspace.

2. Installation:

- Remove the existing front sight from your firearm, if applicable.
- Align the new sight (SIGHT, FRONT, HIGH PROFILE, W/O DOT) in the sight dovetail.
- Use the staking tool to secure the sight in place. Follow the manufacturer's instructions for staking.
- Check alignment carefully before finalizing the installation.

3. Usage:

- Once installed, conduct a test fire in a safe environment to ensure proper alignment and functionality.
- Adjust your shooting technique as necessary to accommodate the new sight.

4. Maintenance:

- Regularly check the sight for tightness and alignment.
- Clean the sight as needed to maintain visibility and performance.

Disposal Instructions

- Dispose of this product in accordance with local regulations regarding firearms accessories.
- Do not dispose of this product in household waste. Instead, consult local authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety or product information, please consult your local dealer or a qualified gunsmith. Always prioritize safety and compliance with local laws when handling firearms and related accessories.

Thank you for your attention to these safety instructions. Your safety and the safety of others depend on the responsible use of this product.

About Us

Brownells Sverige

Brownells Sverige - Världens största leverantör av Vapendelar, Vapensmide Verktyg & Skyttetillbehör

Brownells Sverige AB
Box 99
793 22 Leksand
Sverige

www.brownells.se