


PLACARD 5.56X45 - SPIRITUS SYSTEMS PLACARD 5.56 X .45, RANGER GREEN

[Home](#)

The LV Placard was designed to give users superior retention of magazines and other mission critical equipment. The usage of elastic creates form fitting cells that can hold a variety different items. The stretchy nature of elastic allows it to expand to accommodate large or oddly shaped pieces of equipment. Unlike other elastic pouches on the market, we utilize webbing at the base of the system instead of sewing it completely shut. This allows for maximum flex and articulation and assists in eliminating the "birthing" effect (this is where items begin to be pushed out of the pouch because the elastic tapers at the bottom). We have also added laminate loops on the outside of each cell to allow for the attachment of retention loops or to allow you to pull the pouch open to insert items more easily. The back of the placard is fully lined with hard loop velcro for a secure fitment to your plate carrier. The LV Placard is more than just a placard. Each corner has a small loop of 1" webbing. This webbing is used to attach the included ITW Nexus hardware, turning your placard into a Nano sized chest rig. The LVP is compatible with many other accessories listed below: Bungee Retention Kit Sub Abdominal Carry Kit (SACK) Lunch Box Pouch Expander Wings Fat Straps Back Strap Skinny Straps The Hook



Attributes

- Name: [SPIRITUS SYSTEMS PLACARD 5.56 X .45, RANGER GREEN](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430100622
- Mfr. No.: PL-556-PV-RG
- Colour: Ranger Green
- Delivery weight: 0.156kg
- Shipping height: 13mm
- Shipping width: 133mm
- Shipping length: 248mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for PLACARD 5.56X45 SPIRITUS SYSTEMS
- About Us

Safety Instruction Guide for PLACARD 5.56X45 SPIRITUS SYSTEMS

Introduction

Thank you for choosing the PLACARD 5.56X45 by SPIRITUS SYSTEMS. This guide provides essential safety information to ensure the safe and effective use of this product. Please read this guide carefully before using the placard.

General Safety Guidelines

- **Product Safety:** This product is designed for safe use with magazines and missioncritical equipment. Ensure that all components are functioning properly before use.
- **Enhanced Recalls:** Stay informed about any product recalls. If you receive a notice regarding this product, follow the instructions provided for returns or replacements.
- **Online Shopping:** If purchased online, ensure that the retailer complies with EU safety requirements.
- **Special Consumer Focus:** This product is not intended for children. Keep out of reach of minors to prevent accidents.
- **EU Contact Point:** For any safety inquiries, please refer to the contact information provided by your retailer.
- **Rapid Alerts:** Check the EU's Safety Gate platform for updates on product safety and recalls.

Specific Safety Precautions for Use

- **Inspect Before Use:** Always inspect the placard and its components for any signs of wear or damage before use.
- **Proper Fit:** Ensure that the placard is securely attached to your plate carrier to avoid accidental detachment during use.
- **Avoid Overloading:** Do not exceed the recommended load capacity of the placard. Overloading may compromise safety and functionality.
- **Elastic Limitations:** Be mindful of the elastic's stretching capabilities. Avoid placing items that are excessively large or heavy, which may cause the elastic to fail.
- **Use as Intended:** This product is designed for specific uses. Avoid using it for unintended purposes, which may lead to injury or damage.

Instructions for Installation and Usage

1. Installation:

- Attach the placard to your plate carrier using the hard loop velcro on the back. Ensure it is firmly secured.
- Utilize the included ITW Nexus hardware to convert the placard into a Nano sized chest rig if desired.

2. Loading the Placard:

- Place magazines and equipment into the elastic cells. Ensure that items are properly seated and that the elastic is not overstretched.
- Use the laminate loops on the outside of each cell to attach retention loops for additional security.

3. Adjusting for Comfort:

- Adjust the webbing loops at each corner to ensure a comfortable fit.

- Test the fit by moving around to ensure that the placard remains secure and does not shift unexpectedly.

4. Maintenance:

- Regularly check the condition of the elastic and webbing for signs of wear.
- Clean the placard with a damp cloth as needed. Avoid harsh chemicals that may damage the material.

Disposal Instructions

- Dispose of the placard in accordance with local regulations for textile waste.
- If the product is damaged beyond use, consider recycling the materials if possible.

Contact Information for Further Support

For any further support or inquiries regarding the PLACARD 5.56X45, please refer to the contact information provided by your retailer. They will assist you with any issues or questions you may have.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk