

ULTRAMOUNT SCOPE MOUNTS - 34MM 1.540" 0 MOA

ULTRAMOUNT DARK EARTH

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

The Nightforce UltraMount was originally designed and chosen to meet the needs of USSOCOM's S-VPS, R-VPS, and P-VPS riflescope programs. The UltraMount's engineered combination of aluminum, steel, and titanium balances weight, strength, and stiffness to ensure a reliable and repeatable mounting solution for both bolt guns and gas guns. The UltraMount is available in many commercial configurations*: Dark Earth or Black anodizing, 1.54in or 1.93in height, and 0MOA or 20MOA bias options. Weights: 1.54in Height: 5.9oz 1.93in Height: 6.1oz



Attributes

- Name: [34MM 1.540" 0 MOA ULTRAMOUNT DARK EARTH](#)
- Manufacturer: [NIGHTFORCE](#)
- Product no.: 430101184
- Mfr. No.:
- Elevation: 0 MOA
- Finish: Dark Earth
- Height: 1.54"
- Scope Tube Diameter: 34mm
- Style: Picatinny
- Delivery weight: 0.099kg
- Shipping height: 89mm
- Shipping width: 133mm
- Shipping length: 235mm
- UPC: 847362023939

Item details

Made in USA

Table of Contents

- Startpage
- ULTRAMOUNT SCOPE MOUNTS Safety Instruction Guide
- About Us

ULTRAMOUNT SCOPE MOUNTS Safety Instruction Guide

Introduction

Thank you for choosing the ULTRAMOUNT SCOPE MOUNTS. This guide provides essential safety information and instructions for the proper use and maintenance of your product, ensuring a safe and reliable experience. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure the product is intended for use with compatible riflescope systems.
- Always inspect the mount for any signs of damage or wear before installation.
- Keep the product out of reach of children and vulnerable individuals.
- Use the product only as instructed.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not exceed the manufacturer's specified weight limits for scopes mounted on the ULTRAMOUNT.
- Ensure the mount is securely fastened to avoid any movement during use.
- Avoid exposing the mount to extreme temperatures or harsh chemicals that may affect its integrity.
- Use appropriate tools for installation to prevent damage to the mount or the firearm.
- Always wear eye protection when handling firearms and mounted scopes.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools: a torque wrench, appropriate screwdrivers, and any other required items.
- Ensure the firearm is unloaded and pointed in a safe direction.

2. Installation:

- Locate the mounting points on your firearm.
- Align the ULTRAMOUNT with the mounting points, ensuring the correct orientation.
- Secure the mount using the provided screws. Do not overtighten; follow the manufacturer's torque specifications.

3. Scope Attachment:

- Once the mount is installed, carefully attach your scope to the ULTRAMOUNT.
- Follow the scope manufacturer's instructions for secure mounting.

4. Final Checks:

- Inspect the installation for any loose screws or misalignments.
- Ensure that the scope is correctly leveled and securely attached.

5. Usage:

- Always check the mount and scope before each use.

- Maintain a safe shooting environment, following all local laws and regulations.

Disposal Instructions

- Dispose of the ULTRAMOUNT SCOPE MOUNTS in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling options where available.

Contact Information for Further Support

For further support, please refer to the manufacturer's website or contact their customer service department for assistance with safety inquiries or product issues.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at