

MOUNT FOR AIMPOINT ACRO P-1 AND P-2 OPTIC - ARISAKA

DEFENSE MOUNT FOR AIMPOINT ACRO P-1 AND P-2 OPTICS, 1.7" HEIGHT, TAN

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

The Patent Pending Arisaka Aimpoint Acro Mount is designed for the Aimpoint Acro P-1 and P-2 optics. The low profile, minimalist design and 7075-T651 aluminum construction with MIL-A-8625 Type III hard coat anodizing ensures strength and durability. The Arisaka Aimpoint Acro Mount is available in 1.70" and 1.93" heights, and with black or clear (tan) hard coat anodizing. Why does Arisaka offer 1.70"? Many people find this height provides the perfect balance between heads up orientation and enough cheekweld to be consistent, which is evident in the rising popularity of 1.70" scope mounts. Weight: 1.70" - 3.0 oz 1.93" - 3.1 oz Each mount is CNC machined from 7075-T651 aluminum and MIL-A-8625 Type III hard coat black or clear anodized (clear hard coat with 7075 provides the tan color). Anodizing colors may slightly vary from part to part and batch to batch, and is completely normal. Includes all necessary screws and tools to attach optic to mount. Recommended torque values: Picatinny clamp - 50 inch lbs (5.7 Nm) Optic to mount - 27 inch lbs (3.0 Nm) Hardware: One 10-32x1.25" torx socket cap screw. Made in the USA.

NO IMAGE
AVAILABLE

Attributes

- Name: [ARISAKA DEFENSE MOUNT FOR AIMPOINT ACRO P-1 AND P-2 OPTICS, 1.7" HEIGHT, TAN](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 430104518
- Mfr. No.: OM-ACRO-17-TN
- Colour: Tan
- Fits / Used For: Aimpoint ACRO P2,Aimpoint Acro P-1
- Height: 1.7"
- Weight: 0.19 lbs
- Delivery weight: 0.181kg
- Shipping height: 51mm
- Shipping width: 114mm
- Shipping length: 140mm
- UPC: 601557940315

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Arisaka Aimpoint Acro Mount](#)
- [About Us](#)

Safety Instruction Guide for Arisaka Aimpoint Acro Mount

Introduction

Thank you for choosing the Arisaka Aimpoint Acro Mount for your Aimpoint Acro P1 and P2 optics. This guide provides essential safety instructions and general usage guidelines to ensure optimal performance and safety while using this product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the mount is compatible with your specific Aimpoint Acro optic model.
- Always inspect the mount for any visible damage or defects before use.
- Use the product only for its intended purpose as described in the product specifications.
- Keep the product out of reach of children and pets to prevent accidents or misuse.
- If you notice any unusual behavior during use, discontinue use immediately and contact a professional for assistance.
- Regularly check the mount for tightness and stability, especially after heavy use or exposure to harsh conditions.

Specific Safety Precautions for Use

- Do not exceed the recommended torque values when attaching the optic to the mount:
 - Picatinny clamp: 50 inch lbs (5.7 Nm)
 - Optic to mount: 27 inch lbs (3.0 Nm)
- Ensure that all screws and tools provided are used as specified in the installation instructions.
- Avoid using the mount in extreme temperatures or environmental conditions that may affect its integrity.
- Be cautious when handling the mount and optic to prevent dropping or damaging either component.
- If using in conjunction with firearms, ensure that all firearm safety protocols are followed at all times.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and components, including the mount, screws, and tools provided in the package.
- Ensure that the surface where the mount will be installed is clean and free from debris.

2. Installation:

- Align the mount with the Picatinny rail or the appropriate mounting surface on your firearm.
- Insert the 1032x1.25" torx socket cap screw into the designated hole.
- Tighten the screw to the recommended torque value (50 inch lbs / 5.7 Nm) using the appropriate tool.
- Attach the optic to the mount, ensuring it is properly aligned.
- Tighten the optic to mount screw to the recommended torque value (27 inch lbs / 3.0 Nm).

3. Usage:

- After installation, check the stability of the mount and optic before use.
- Make any necessary adjustments to ensure optimal sight alignment and comfort.
- Regularly inspect the mount and optic during use to confirm they remain secure.

Disposal Instructions

- Dispose of the product in accordance with local regulations and guidelines for aluminum and electronic waste.
- Do not dispose of the product in regular household waste.
- Consider recycling the mount and packaging materials where possible.

Contact Information for Further Support

For any inquiries regarding safety or product performance, please refer to the manufacturer's contact information provided with your product packaging. It is important to reach out to the manufacturer for any concerns or questions you may have about the safe use of this product.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities. Enjoy your Arisaka Aimpoint Acro Mount!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk