

LITE SLIDE FOR GLOCK® GEN 3 19 & 17 - STRIKE INDUSTRIES LITE SLIDE FOR GLOCK 17 IN BLACK

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

The Strike Industries LITESLIDE for GLOCK™ G17 or G19 GEN3 was created with optimal accuracy and performance in mind, perfect for any upgrade or new custom build. Made in the USA from machined billet 17-4 Stainless Steel using clockwork precision to ensure increased consistency in barrel lockup that results in levels of match-grade accuracy. The SI LITESLIDE weighs significantly less than the factory production model, reducing the recoil momentum which allows faster and more efficient follow-up placement. The SI LITESLIDE was proudly designed with durability and function in mind along with the Strike Industries stylings. Large enhanced aggressive front and rear serration areas aid in manipulating the slide to check the chamber or clear a jam. Combined with the SI Universal Optics Mount cut, you are able to mount most of your favorite optics securely with ease without needing to send your slide out to get machined. Additionally, a removable cover plate is included for your customization preferences. The SI LITESLIDE comes with all necessary screws and posts needed for most optics. The Strike Industries LITESLIDE for GLOCK™ G17 or G19 GEN3 is truly an performance and aesthetic upgrade or a great choice for a new custom build. NOTE: Channel liner is needed to complete slide RED DOT COMPATIBILITY: Trijicon RMR, Burris FastFire, C-More RTS/STS, Doctor Red Dot Sight, EOTech MRDS, Holosun 407c/507c, Leupold DeltaPoint, SIG SAUER ROMEO 01, Swampfox Optics Kingslayer/Liberty/Justice, Sightmark Mini Shot M-Spec FMS, Vortex Viper/Venom NOT COMPATIBLE: Leupold DeltaPoint Pro, SIG SAUER ROMEO1PRO/03 Package Contents: x1 LITESLIDE (G17 or G19) x1 Cover plate x2 Large post x4 Small post x2 M3-5mm screws for cover plate x2 M3-6mm screws for Doctor Red Dot Sight x2 M3-6mm screws for Vortex Venom x2 M3-8mm screws for FastFire/MRDS/Viper x2 M3-10mm screws for Holosun 407c/507c, Leupold DeltaPoint x2 M3-10.2mm screws for RMR Product Features: Large aggressive front and rear serration areas Pre-cut multi-optic sight mount w/ screws and posts included Cover plate and screws included Lightweight design Uses standard front & rear GLOCK™ compatible sights Machined billet 17-4 Stainless Steel Heat treated to H900, 40-42 HRC MADE IN USA DISCLAIMER: - This product is not manufactured, authorized, endorsed, or warranted by GLOCK. GLOCK does not warrant or represent that this product is compatible with GLOCK pistols. --"GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. and GLOCK Ges.m.b.H. Neither Strike Industries Inc. nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. -CALIFORNIA PROPOSITION 65 WARNING:- WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov



Attributes

- Name: [STRIKE INDUSTRIES LITE SLIDE FOR GLOCK 17 IN BLACK](#)
- Manufacturer: [STRIKE INDUSTRIES](#)
- Product no.: 430105335

- Mfr. No.: SI-G-LITESLIDE-17-BK
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 17
- Weapon type: Glock
- Delivery weight: 0.335kg
- Shipping height: 38mm
- Shipping width: 44mm
- Shipping length: 191mm
- UPC: 793811763997

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for LITE SLIDE FOR GLOCK® GEN 3 19 & 17](#)
- [About Us](#)

Safety Instruction Guide for LITE SLIDE FOR GLOCK® GEN 3 19 & 17

Introduction

Thank you for choosing the Strike Industries LITE SLIDE for GLOCK® GEN 3 19 & 17. This guide provides important safety instructions and guidelines to ensure the safe use of this product. Please read this guide thoroughly before installation and usage.

General Safety Guidelines

- Ensure that the product is compatible with your GLOCK® GEN 3 model before installation.
- Always handle firearms and firearm components with care and in a safe manner.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the LITE SLIDE for signs of wear or damage before use.
- Follow all local laws and regulations regarding firearm modifications.

Specific Safety Precautions for Use

- Do not use the LITE SLIDE if it shows signs of damage or wear.
- Ensure that your firearm is unloaded before attempting any installation or modification.
- Always wear safety glasses when handling firearm components to protect against potential debris or injury.
- Be aware of your surroundings and ensure that you are in a safe environment when using your firearm.
- Do not modify the LITE SLIDE or use it in a manner not specified in this guide.

Instructions for Installation and Usage

1. Preparation

- Ensure your GLOCK® is unloaded and the magazine is removed.
- Gather all necessary tools and components before starting the installation.

2. Installation Steps

- Remove the factory slide from your GLOCK® following the manufacturer's instructions.
- Align the LITE SLIDE with the frame of your GLOCK®.
- Secure the LITE SLIDE using the included screws and posts as follows:
 - Use M35mm screws for the cover plate.
 - Use M36mm screws for Doctor Red Dot Sight.
 - Use M38mm screws for FastFire/MRDS/Viper.
 - Use M310mm screws for Holosun 407c/507c and Leupold DeltaPoint.
 - Use M310.2mm screws for Trijicon RMR.
- Ensure all screws are tightened properly but do not overtighten to avoid damage.
- Attach the cover plate if desired for customization.

3. PostInstallation Check

- Inspect the installation to ensure that everything is secure and properly aligned.
- Perform a function check to ensure that the slide operates smoothly.

4. Usage

- After installation, test the firearm in a safe and controlled environment.
- Monitor the performance of the LITE SLIDE during use and be alert for any irregularities.

Disposal Instructions

- Dispose of any packaging materials according to local regulations.
- If the LITE SLIDE becomes damaged beyond repair, dispose of it in a manner that prevents any potential misuse.

Contact Information for Further Support

For any questions or concerns regarding the LITE SLIDE for GLOCK® GEN 3 19 & 17, please refer to the manufacturer's website or customer service for assistance.

Regulatory Compliance

This product complies with the EU General Product Safety Regulation (GPSR). Please report any unsafe products or incidents to the relevant authorities. For updates on recalls or safety alerts, check the EU's Safety Gate platform.

Thank you for prioritizing safety and compliance while using the Strike Industries LITE SLIDE for GLOCK® GEN 3 19 & 17. Enjoy your upgraded firearm experience responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk