

ATACR 7-35X56MM F1 RIFLE SCOPE - ATACR 7-35X56MM FFP ILLUMINATED MOAR RETICLE DARK EARTH

Helps You Attain the Full Potential of Your Rifle / Cartridge Combo

Think of the Nightforce ATACR 7-35x56mm F1 as the long-range riflescope that doesn't give you tunnel vision. This powerful version of the Advanced TACTical Riflescope offers an unusually wide field of view across its extensive magnification range, so the target is both easy to find and easy to hit, even when you need to dial up the magnification. The ATACR 7-35x56mm F1 scope has a first focal plane (F1) reticle that ensures pin-point ranging calculations and fast hold-off adjustments. Nightforce's fully multicoated, low-dispersion ED glass delivers more than 90% light transmission, crisp images, excellent contrast, and outstanding color. Parallax adjustment down to 10 meters ZeroStop™ elevation adjustment for quick return-to-zero without counting clicks or looking at the turret DigIllum Illuminated reticle Built-in Power Throw Lever (PTL) for fast magnification changes 34mm tube gives you 20% more elevation travel than a 30mm tube With its industry-leading ATACR optics and an easy-to-operate suite of controls, the Nightforce ATACR 7-35x56mm F1 enables you to address close-in targets as well as those at the limits of your rifle and cartridge. Whether your game is extreme long-range shooting or PRS (Precision Rifle Series) - ATACR 7-35x56mm F1 set you up to win at both.

NO IMAGE
AVAILABLE

Attributes

- Name: ATACR 7-35X56MM FFP ILLUMINATED MOAR RETICLE DARK EARTH
- Manufacturer: NIGHTFORCE
- Product no.: 430105747
- Mfr. No.: C689
- Battery: CR-2032
- Click Value: 1/4 MOA
- Click Value: 1/4 MOA
- Eye Relief: 3.60"
- Finish: Flat Dark Earth
- Focal Plane: First
- Illumination: Yes
- Length: 16"
- Max Magnification: 35x
- Min. Magnification: 7x
- Model Number: ATACR 7
- Objective Size: 56mm
- Reticle: MOAR
- Tube Size: 34mm
- Weight: 2.456 lbs
- Delivery weight: 1.814kg
- Shipping height: 152mm
- Shipping width: 133mm
- Shipping length: 584mm
- UPC: 847362024530

Item details

This product contains a battery.

US export classification: 0A504.a

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Nightforce ATACR 735X56MM F1 Rifle Scope](#)
- [Norsk: Bruksanvisning for sikkerhet: ATACR 735X56MM F1 Kikkertsikte](#)
- [Svenska: Säkerhetsinstruktioner för Nightforce ATACR 735X56MM F1 Kikarsikte](#)

Safety Instruction Guide for Nightforce ATACR 735X56MM F1 Rifle Scope

Introduction

Thank you for choosing the Nightforce ATACR 735X56MM F1 Rifle Scope. This guide provides essential safety information and instructions to ensure the safe and effective use of your product. Please read this guide carefully before use to familiarize yourself with the safety precautions and operational guidelines.

General Safety Guidelines

- **Product Safety:** This rifle scope is designed for safe use in accordance with EU safety regulations. Ensure that you follow all instructions provided in this guide.
- **Enhanced Recalls:** Be aware that in the event of a product recall, standardized notices will be issued, and remedies will be provided free of charge.
- **Online Shopping:** If you purchased this product online, you are entitled to the same safety protections as if you had purchased it in a physical store.
- **Special Consumer Focus:** Extra precautions should be taken to protect vulnerable groups, such as children. Ensure that the rifle scope is stored securely and out of reach.
- **EU Contact Point:** For any safety inquiries, refer to the contact information provided on the product packaging or retailer's website.
- **Rapid Alerts:** Stay informed about product safety updates through the EU's Safety Gate platform, which provides alerts on unsafe products.

Specific Safety Precautions for Use

- **Age Restriction:** This product is intended for use by individuals aged 18 and older. Ensure that it is not used by children or individuals untrained in firearms handling.
- **Proper Handling:** Always handle the rifle scope with care. Avoid dropping or subjecting it to impacts that could damage the unit.
- **Eye Protection:** When using the rifle scope, wear appropriate eye protection to prevent injury from potential ricochets or debris.
- **Environmental Conditions:** Do not use the rifle scope in extreme weather conditions (e.g., heavy rain, snow, or high humidity) that may impair its performance.
- **Maintenance:** Regularly inspect the scope for any signs of damage or wear. If any issues are detected, discontinue use and seek professional assistance.

Instructions for Installation and Usage

1. Installation:

- Ensure that the rifle is unloaded and pointed in a safe direction before installation.
- Mount the rifle scope securely to the rifle using the appropriate mounting rings or bases.
- Follow the manufacturer's instructions for torque specifications to ensure a secure fit.

2. Adjusting the Scope:

- Familiarize yourself with the adjustment controls, including the parallax adjustment and ZeroStop™ elevation adjustment.
- Make adjustments slowly and carefully to avoid overadjusting.

3. Using the Reticle:

- The F1 reticle allows for precise ranging calculations. Ensure you understand how to use the MOAR reticle effectively.
- Practice using the reticle at various distances to become proficient in holdoff adjustments.

4. **Illumination:**

- The DigIllum illuminated reticle provides enhanced visibility in lowlight conditions. Turn on the illumination as needed, but be mindful of battery life.
- Replace the battery (CR2032) as necessary, ensuring that the scope is powered off during replacement.

5. **Magnification Changes:**

- Use the builtin Power Throw Lever (PTL) for quick and easy magnification adjustments. Practice adjusting the magnification to improve efficiency during use.

Disposal Instructions

- **Environmental Considerations:** Dispose of the rifle scope and its components in accordance with local regulations. Do not dispose of electronic components in regular household waste.
- **Battery Disposal:** Dispose of the CR2032 battery in accordance with local regulations for battery recycling.

Contact Information for Further Support

For any questions or concerns regarding the Nightforce ATACR 735X56MM F1 Rifle Scope, please refer to the contact information provided on the product packaging or the retailer's website.

By following these safety instructions and guidelines, you can ensure a safe and enjoyable experience with your Nightforce ATACR 735X56MM F1 Rifle Scope. Thank you for your attention to safety, and happy shooting!

Bruksanvisning for sikkerhet: ATACR 735X56MM F1 Kikkertsikte

Introduksjon

Gratulerer med kjøpet av Nightforce ATACR 735X56MM F1 Kikkertsikte. Dette produktet er designet for å gi deg presisjon og ytelse på langdistanse. For å sikre en trygg og effektiv bruk av kikkertsiktet, vennligst les og følg retningslinjene i denne bruksanvisningen nøye.

Generelle sikkerhetsretningslinjer

- Sørg for at kikkertsiktet er installert og brukt i samsvar med produsentens instruksjoner.
- Hold kikkertsiktet utilgjengelig for barn og andre sårbare grupper.
- Unngå å se direkte inn i sollys gjennom kikkertsiktet, da dette kan skade øynene.
- Kontroller at kikkertsiktet er sikkert festet før bruk for å unngå ulykker.
- Vær oppmerksom på at kikkertsiktet er et presisjonsverktøy; feil bruk kan føre til skader.

Spesifikke sikkerhetstiltak ved bruk

- Bruk alltid kikkertsiktet med passende beskyttelsesutstyr, inkludert øyevern.
- Juster forstørrelsen forsiktig for å unngå uventede bevegelser av våpenet.
- Unngå å bruke kikkertsiktet i ekstremt kalde eller varme forhold uten passende beskyttelse.
- Vær oppmerksom på omgivelsene dine når du bruker kikkertsiktet, spesielt når du sikter mot mål.
- Kontroller alltid at våpenet er i sikker tilstand før og etter bruk av kikkertsiktet.

Instruksjoner for installasjon og bruk

1. Montering av kikkertsiktet

- Velg en passende montasje for kikkertsiktet som passer til din rifle.
- Følg produsentens instruksjoner for montering nøye.
- Stram festene til anbefalt moment for å sikre stabilitet.

2. Juster kikkertsiktet

- Juster øyeavstanden (Eye Relief) til 3.60" for optimal sikt.
- Bruk Power Throw Lever (PTL) for å endre forstørrelse raskt og enkelt.
- Sørg for at parallaxjusteringen er korrekt for avstanden til målet.

3. Bruk av retikkel og belysning

- Aktiver Digillum for belyst retikkel ved behov, spesielt i svake lysforhold.
- Vær oppmerksom på at belysningen kan påvirke batterilevetiden (CR2032).

4. Etter bruk

- Rengjør kikkertsiktet med en myk klut for å fjerne smuss og støv.
- Oppbevar kikkertsiktet på et tørt og trygt sted når det ikke er i bruk.

Avfallsinstruksjoner

- Kikkertsiktet og eventuelle tilbehør må kastes i samsvar med lokale forskrifter for elektronisk avfall.
- Batterier (CR2032) må også kastes i henhold til lokale retningslinjer for batteriavfall.

- Unngå å kaste produktet i vanlig husholdningsavfall.

Kontaktinformasjon for videre støtte

For spørsmål eller bekymringer angående sikkerhet eller bruk av Nightforce ATACR 735X56MM F1 Kikkertsikte, vennligst kontakt produsenten eller en autorisert forhandler.

Konklusjon

Ved å følge disse retningslinjene kan du sikre en trygg og effektiv bruk av ditt Nightforce ATACR 735X56MM F1 Kikkertsikte. Takk for at du valgte Nightforce, og lykke til med dine skyteopplevelser!

Säkerhetsinstruktioner för Nightforce ATACR 735X56MM F1 Kikarsikte

Introduktion

Tack för att du valt Nightforce ATACR 735X56MM F1 kikarsikte. För att säkerställa en säker och effektiv användning av produkten, vänligen läs och följ dessa säkerhetsinstruktioner noggrant. Denna guide är utformad för att hjälpa dig att förstå hur du använder kikarsiktet på ett säkert sätt samt hur du tar hand om det.

Allmänna säkerhetsriktlinjer

- Använd alltid kikarsiktet enligt tillverkarens anvisningar.
- Kontrollera att kikarsiktet är korrekt installerat innan användning.
- Håll kikarsiktet och alla tillbehör utom räckhåll för barn.
- Rapportera alla skador eller defekter på kikarsiktet till återförsäljaren.
- Kontrollera regelbundet för eventuella uppdateringar eller återkallelser av produkten via EU:s Safety Gateplattform.

Specifika säkerhetsåtgärder för användning

- Använd kikarsiktet endast för det avsedda syftet, vilket är långdistansskytte.
- Undvik att rikta kikarsiktet mot starka ljuskällor, vilket kan skada optiken.
- Använd skyddsglasögon vid skytte för att skydda ögonen.
- Justera alltid förstoringen långsamt för att undvika plötsliga förändringar i synfältet.
- Kontrollera att kikarsiktet är korrekt nollat innan du börjar skjuta.

Instruktioner för installation och användning

1. Installation av kikarsikte

- Följ dessa steg för att installera ditt kikarsikte:
 - Montera kikarsiktet på vapnets picatinny eller weaverskena.
 - Använd rätt verktyg för att säkerställa att fästena är ordentligt åtdragna.
 - Kontrollera att kikarsiktet är i linje med pipan innan du fäster det helt.

2. Användning av kikarsikte

- För att använda kikarsiktet:
 - Justera ögonreliefen så att du har en bekväm och säker siktlinje.
 - Använd parallaxjusteringen för att ställa in avståndet till målet.
 - Justera förstoringen med Power Throw Lever (PTL) för att snabbt växla mellan olika förstoringar.
 - Kontrollera att retikeln är korrekt belyst om du använder den i svagt ljus.

Avfallshanteringsinstruktioner

- När kikarsiktet inte längre är användbart, vänligen följ lokala riktlinjer för avfallshantering.
- Återvinn alla delar som kan återvinnas, inklusive metall och plast.
- Kasta batterier på ett säkert sätt enligt lokala föreskrifter för batterihantering.

Kontaktinformation för ytterligare support

För frågor eller mer information om säkerhet och användning av ditt Nightforce ATACR 735X56MM F1 kikarsikte, vänligen kontakta din återförsäljare eller besök tillverkarens webbplats för mer information.

Tack för din uppmärksamhet. Genom att följa dessa säkerhetsinstruktioner kan du säkerställa en trygg och effektiv användning av ditt kikarsikte.