

NX8 4-32X50MM F1 RIFLE SCOPES - NX8 4-32X50MM F1 FFP ILLUMINATED MOA-XT RETICLE BLACK

The NX8 4-32x50 F1 riflescope is a compact and capable long range riflescope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 adds first focal plane performance with an 8x zoom range in a small package. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range. Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. An integrated PTL (Power Throw Lever) makes power changes fast and easy. The compact size and incredible capability of the NX8 4-32x50 F1 makes it an instant favorite for nearly any rifle and intended use. 8x zoom range Red and Green Illumination 26 MRAD/90 MOA total Elevation 20 MRAD/70 MOA total Windage ED Glass Parallax from 11 yards to infinity ZeroStop for elevation Capped Windage

NO IMAGE
AVAILABLE

Attributes

- Name: NX8 4-32X50MM F1 FFP ILLUMINATED MOA-XT RETICLE BLACK
- Manufacturer: NIGHTFORCE
- Product no.: 430105751
- Mfr. No.: C652
- Battery: CR-2032
- Click Value: 1/4 MOA
- Click Value: 1/4 MOA
- Eye Relief: 3.50"
- Finish: Black
- Focal Plane: First
- Illumination: Yes
- Length: 13.4"
- Max Magnification: 32x
- Min. Magnification: 4x
- Model Number: NX8
- Objective Size: 50mm
- Reticle: MOA-XT
- Tube Size: 30mm
- Weight: 1.788 lbs
- Delivery weight: 1.451kg
- Shipping height: 152mm
- Shipping width: 133mm
- Shipping length: 432mm
- UPC: 847362020600

Item details

This product contains a battery.
US export classification: 0A504.a

Table of Contents

- [Startpage](#)
- [English: NX8 432X50MM F1 Rifle Scope Safety Instruction Guide](#)
- [Svenska: Säkerhetsanvisningar för NX8 432X50MM F1 Kikarsikte](#)

NX8 432X50MM F1 Rifle Scope Safety Instruction Guide

Introduction

Thank you for choosing the NX8 432X50MM F1 Rifle Scope. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your riflescope. Please read this manual carefully before use to understand the safety precautions and operational instructions.

General Safety Guidelines

- Ensure safe handling of the riflescope at all times.
- Store the riflescope in a secure location, away from children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear.
- Use the riflescope only for its intended purpose.
- Follow all local laws and regulations regarding the use of firearms and optics.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about product recalls via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always treat the riflescope as if it is loaded.
- Do not point the riflescope at anything you do not intend to shoot.
- Ensure the riflescope is securely mounted to the rifle before use.
- Avoid using the riflescope in adverse weather conditions that may impair visibility.
- Do not attempt to disassemble or modify the riflescope.
- Use only compatible batteries (CR2032) for the illumination feature.
- Be cautious of the eye relief distance to prevent injury from recoil.

Instructions for Installation and Usage

1. Installation:

- Mount the NX8 432X50MM F1 riflescope on your rifle using appropriate mounting rings and bases.
- Ensure that the riflescope is level and securely tightened to prevent movement during use.

2. Adjusting the Focus:

- Adjust the parallax setting according to your shooting distance (minimum 11 yards to infinity).
- Use the Power Throw Lever (PTL) for quick magnification adjustments.

3. Zeroing the Scope:

- Follow the manufacturer's instructions to zero the scope at your preferred distance.
- Utilize the ZeroStop feature for quick return to zero after adjustments.

4. Using the Illumination:

- Activate the red or green illumination by following the instructions provided in the product manual.
- Adjust the brightness level according to your shooting conditions.

5. Routine Maintenance:

- Clean the lenses with a soft, lintfree cloth to maintain clarity.

- Store the riflescope in a protective case when not in use.

Disposal Instructions

- Dispose of the NX8 432X50MM F1 riflescope in accordance with local regulations.
- Remove batteries and dispose of them separately in designated battery recycling bins.
- Do not dispose of the riflescope in regular household waste.

Contact Information for Further Support

For any inquiries or support regarding the NX8 432X50MM F1 riflescope, please contact the manufacturer or your retailer. Ensure you have the model number (NX8) ready for reference.

By following these guidelines, you can ensure a safe and enjoyable experience with your NX8 432X50MM F1 Rifle Scope. Thank you for your attention to safety.

Säkerhetsanvisningar för NX8 432X50MM F1 Kikarsikte

Introduktion

Tack för att du valt NX8 432X50MM F1 kikarsikte från Nightforce. För att säkerställa en säker och effektiv användning av din produkt, vänligen läs och följ dessa säkerhetsanvisningar noggrant. Dessa riktlinjer är utformade för att skydda dig och andra, och att säkerställa att produkten används på rätt sätt.

Allmänna säkerhetsriktlinjer

- Använd alltid kikarsiktet i enlighet med tillverkarens instruktioner.
- Kontrollera att kikarsiktet är korrekt installerat och säkert fäst vid ditt gevär innan användning.
- Håll kikarsiktet och geväret utom räckhåll för barn och andra obehöriga.
- Rapportera eventuella farliga produkter eller olyckor till myndigheterna.
- Kontrollera regelbundet för återkallelseuppdateringar på EU:s Safety Gateplattform.

Specifika säkerhetsåtgärder för användning

- Använd kikarsiktet endast för det avsedda syftet, dvs. för långdistansskytte.
- Undvik att rikta kikarsiktet mot starka ljuskällor för att förhindra skador på linserna.
- Använd skyddsglasögon och hörselskydd när du skjuter.
- Kontrollera att objektivlinsen är ren och fri från skräp innan användning.
- Undvik att använda kikarsiktet om det har skadats eller om det finns synliga tecken på slitage.

Instruktioner för installation och användning

1. Installation av kikarsikte:

- Fäst kikarsiktet på gevärets picatinny eller weaverskena.
- Se till att kikarsiktet är korrekt justerat och att det sitter stadigt.
- Använd en momentnyckel för att säkerställa att skruvarna är åtdragna enligt tillverkarens specifikationer.

2. Användning av kikarsikte:

- Justera ögonavståndet så att du får en klar bild utan att ögonen är för nära objektivet.
- Ställ in den önskade förstoringseffekten genom att vrida på zoomringen.
- Använd ZeroStopfunktionen för att snabbt återgå till nollinställningen efter justering av höjd.
- Justera parallaxen för att passa avståndet till målet, med en minimiinställning på 11 yards.

Avfallshanteringsanvisningar

- När kikarsiktet inte längre är i bruk, ska det kasseras på ett miljövänligt sätt.
- Följ lokala föreskrifter för avfallshandling av elektroniska produkter och batterier.
- Lämna in kikarsiktet och batterierna till en godkänd återvinningsstation.

Kontaktinformation för vidare support

För frågor eller mer information om säkerhetsanvisningarna, vänligen kontakta tillverkaren eller en auktoriserad återförsäljare.

Tack för att du tar del av dessa säkerhetsanvisningar. Genom att följa dem bidrar du till en säker och effektiv

användning av NX8 432X50MM F1 kikarsikte.