AR-15 TAKEDOWN PIN TOOL - BRN AR-15 TAKEDOWN PIN TOOL, BLACK

Remove Those Finicky Pins Quickly Without Marring Your Gun's Finish Every AR shooter should have this handy tool! The Brownells AR-15 / AR-308 Takedown Pin Removal Tool makes it easy to coax the takedown and pivot pins out of your rifle so you can separate the upper and lower receiver assemblies for cleaning or maintenance. Unlike a traditional steel pin punch, the polymer tip of this tool will not scratch or damage the ends of the pivot and takedown pins or the receiver itself, if you should slip. Yes, it does work on both pins - we called it the "Takedown Pin Removal Tool" to keep the name manageable! This little tool is actually multiple tools in one. Remove the punch tip and flip it around, and you have a second tool for depressing the magazine release button to aid in magazine catch installation. Remove the tip completely to reveal a stainless steel pin punch for pushing out your AR's hammer and trigger pins or even for Glock® pistol disassembly. Since the entire tool is about the size of a house key, we put a keyring loop on it, so you can put it on your key ring and always have it with you when you need it. Removes AR-15 pivot and takedown pins guickly & easily Includes tool for removing magazine release button Plus a stainless steel hammer & trigger pin punch Rugged, polymer construction won't mar gun or pin finishes Easily fits on a key ring, in your pocket, or in a range bag To eliminate one of the problems with two-piece tools, the removable tip is held in place by a powerful magnet, so you won't reach for your AR-15 / AR-308 takedown pin removal tool and suddenly discover part of it is missing. The oversized contact surface on the ergonomically shaped handle gives you extra leverage for budging out a stubborn pivot or takedown pin. Get one today, and never worry about having trouble disassembling your AR again!



Attributes

Name: BRN AR-15 TAKEDOWN PIN TOOL, BLACK

Manufacturer: BROWNELLSProduct no.: 430106940

Mfr. No.: OEM-TAKEDOWNPIN-TOOL

Make: AR-15

Delivery weight: 0.018kg
Shipping height: 152mm
Shipping width: 13mm
Shipping length: 108mm
UPC: 050806000704

Table of Contents

- StartpageEnglish: AR15 Takedown Pin Tool Safety Instructions

AR15 Takedown Pin Tool Safety Instructions

Introduction

Thank you for choosing the AR15 Takedown Pin Tool by Brownells. This tool is designed to assist you in safely and efficiently removing the takedown and pivot pins from your AR15 or AR308 rifle. Please read this safety instruction guide carefully to ensure proper use and maintenance of the tool.

General Safety Guidelines

- Ensure the tool is used only for its intended purpose: removing takedown and pivot pins from AR15 and AR308 rifles.
- Always handle firearms with care and follow all safety protocols related to firearm handling.
- Keep the tool out of reach of children and unauthorized users.
- Inspect the tool before each use for any signs of damage or wear. Do not use if damaged.
- Store the tool in a secure place when not in use to prevent accidents.

Specific Safety Precautions for Use

- Always ensure your firearm is unloaded before using the takedown pin tool.
- Use the tool only on the specified pins; do not attempt to use it on other components not intended for this tool.
- Avoid excessive force when using the tool; if resistance is encountered, check for obstructions or misalignment.
- Do not modify the tool in any way, as this may compromise its safety and effectiveness.
- When using the removable punch tip, ensure it is securely attached to prevent it from coming loose during use.

Instructions for Installation and Usage

1. Preparation:

- Ensure your AR15 or AR308 rifle is unloaded and pointed in a safe direction.
- Gather the necessary tools, including the AR15 Takedown Pin Tool.

2. Removing Takedown and Pivot Pins:

- Insert the polymer tip of the AR15 Takedown Pin Tool into the slot of the takedown or pivot pin.
- Gently apply pressure to coax the pin out. If the pin does not move, do not force it. Check for any obstructions.
- Once the pin is loosened, continue to apply gentle pressure until the pin is fully removed.

3. Using the Magazine Release Tool:

- Remove the punch tip from the tool and flip it around to access the magazine release tool.
- Insert the tool into the magazine release button and depress it to assist in magazine catch installation.

4. Using the Stainless Steel Pin Punch:

- Remove the punch tip completely to reveal the stainless steel pin punch.
- Use this punch to push out the hammer and trigger pins, if necessary.

5. Storing the Tool:

- After use, clean the tool if necessary and store it in a safe location.
- Consider attaching it to a keyring or placing it in your range bag for easy access.

Disposal Instructions

- Dispose of the AR15 Takedown Pin Tool responsibly.
- If the tool is damaged beyond repair, contact your local waste management service to determine the appropriate disposal method.
- Do not dispose of the tool in regular household waste if it can be recycled.

Contact Information for Further Support

For any inquiries related to safety, usage, or product support, please refer to the contact information provided with your product packaging or visit the manufacturer's website.

By following these safety instructions, you can ensure the safe and effective use of your AR15 Takedown Pin Tool. Thank you for prioritizing safety and responsible firearm handling.