

AR-308 LOWER PARTS KIT - LUTH-AR AR-308 LOWER PARTS KIT - COMPLETE

[Home](#)

308 LOWER PARTS KITS No MIM here. Luth-AR produces only the best quality, American made parts for the AR platform. All of the parts included in our lower parts kits are investment cast or otherwise machined to Mil-Spec drawings, materials and heat treat. Springs are a combination of 17-4 SST and various Mil-Spec steel wire are used in all of our springs with certification. Luth-AR's .308 AR complete lower parts kit includes everything you need to fully assemble a stripped AR lower receiver. It includes a trigger, hammer, trigger guard, magazine catch, bolt catch, selector switch, and all necessary pins and springs. Made with high-quality materials for durability and longevity.

COMPLETE KIT INCLUDES: LR-01 Buffer Retainer 1-ea. LR-02 Buffer Retainer Spring 1-ea. LR-03 Trigger Guard 1-ea. LR-04 Trigger Guard Pin 1-ea. LR-08 Selector/Safety 1-ea. LR-09 Bolt Catch Spring 1-ea. LR-10 Bolt Catch Buffer (Plunger) 1-ea. 308-LR-11 Bolt Catch 1-ea. 308-LR-12 Bolt Catch Screw 1-ea. LR-13 Magazine catch 1-ea. LR-14 Detent Spring 2-ea. LR-15 Takedown Detent 2-ea. LR-16 Mag Catch/Buttstock Plunger Spring 1-ea. LR-17 Magazine Catch Button, Aluminum 1-ea. 308-LR-18 Front Pivot Pin 1-ea. LR-19 Disconnector, AR15 1-ea. LR-20 Trigger AR15 1-ea. LR-22 Trigger Spring 1-ea. LR-23 Pistol Grip Bolt 1-ea. LR-24 Pistol Grip Lock Washer 1-ea. LR-25 A2 Pistol Grip, Black Plastic 1-ea. LR-26 Selector/Ejector Spring 1-ea. LR-27 Detent (Selector) 1-ea. LR-28 Hammer/Trigger pin 2-ea. 308-LR-30 Pin, Rear Takedown 1-ea. LR-31 Disconnector Spring 1-ea. LR-32 Hammer Spring 1-ea. LR-33K Hammer AR15, w/J Spring 1-ea. BUILDER KIT INCLUDES: LR-01 Buffer Retainer 1-ea. LR-02 Buffer Retainer Spring 1-ea. LR-08 Selector/Safety 1-ea. LR-09 Bolt Catch Spring 1-ea. LR-10 Bolt Catch Buffer (Plunger) 1-ea. 308-LR-11 Bolt Catch 1-ea. 308-LR-12 Bolt Catch Screw 1-ea. LR-13 Magazine catch 1-ea. LR-14 Detent Spring 2-ea. LR-15 Takedown Detent 2-ea. LR-16 Mag Catch/Buttstock Plunger Spring 1-ea. LR-17 Magazine Catch Button, Aluminum 1-ea. 308-LR-18 Front Pivot Pin 1-ea. LR-26 Selector/Ejector Spring 1-ea. LR-27 Detent (Selector) 1-ea. LR-28 Hammer/Trigger pin 2-ea. 308-LR-30 Pin, Rear Takedown 1-ea.



Attributes

- Name: [LUTH-AR AR-308 LOWER PARTS KIT - COMPLETE](#)
- Manufacturer: [LUTH-AR](#)
- Product no.: 430107611
- Mfr. No.: LRPK-308
- Weapon type: AR .308
- Delivery weight: 0.907kg
- Shipping height: 76mm
- Shipping width: 178mm
- Shipping length: 178mm
- UPC: 812058030089

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for AR308 Lower Parts Kit
- About Us

Safety Instruction Guide for AR308 Lower Parts Kit

Introduction

Thank you for choosing the AR308 Lower Parts Kit by LuthAR. This guide provides essential safety instructions to ensure the safe use and handling of your product. Please read this guide thoroughly before installation and use.

General Safety Guidelines

- Always handle firearms and firearm parts with care and responsibility.
- Ensure that all components are installed correctly to prevent malfunctions.
- Keep all parts out of reach of children and unauthorized users.
- Use only compatible parts and accessories with your AR308 platform.
- Regularly inspect all components for wear or damage.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed on product recalls and safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Before handling the kit, ensure that the firearm is unloaded and pointed in a safe direction.
- Wear appropriate safety gear, including eye protection, when working with firearm components.
- Do not modify any parts unless you are qualified to do so.
- Ensure that all springs and pins are handled carefully to avoid injury.
- Follow the manufacturer's guidelines for installation to avoid potential hazards.

Instructions for Installation and Usage

1. Prepare Your Workspace

- Use a clean, welllit area for assembly.
- Have all necessary tools readily available.

2. Assemble the Lower Parts Kit

- Begin by laying out all components to ensure nothing is missing.
- Follow these steps for installation:
 - Install the buffer retainer (LR01) and buffer retainer spring (LR02).
 - Attach the trigger guard (LR03) using the trigger guard pin (LR04).
 - Install the selector/safety (LR08) and ensure it functions correctly.
 - Insert the bolt catch spring (LR09) and bolt catch buffer (LR10) before securing the bolt catch (308LR11).
 - Attach the magazine catch (LR13) and ensure the detent spring (LR14) and takedown detent (LR15) are correctly placed.
 - Install the trigger (LR20) and disconnector (LR19) according to MilSpec standards.
 - Ensure all pins (e.g., hammer/trigger pin LR28) are secured properly.
 - Finally, check all components for proper function and fit.

3. PostInstallation Check

- After assembly, conduct a thorough inspection of the lower receiver to ensure everything is secured and functioning.
- Test the trigger and safety mechanisms without ammunition present.

Disposal Instructions

- Dispose of any damaged or unused parts in accordance with local regulations.
- Do not throw away parts in regular household waste. Instead, consult local waste management guidelines for proper disposal of firearm components.

Contact Information for Further Support

For any inquiries or concerns regarding your AR308 Lower Parts Kit, please refer to the manufacturer's website or customer service for assistance.

By following these guidelines, you can ensure the safe and effective use of your AR308 Lower Parts Kit. Thank you for your attention to safety and responsible firearm ownership.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk