

MOE TR MIL-SPEC CARBINE STOCK - MOE TR CARBINE STOCK MILSPEC BLACK

MOE TR MIL-SPEC CARBINE STOCK At only eight ounces, the MOE® Trigger Release (TR) is one of Magpul's lightest stocks. Thanks to its ambidextrous, textured Trigger Release adjustment mechanism, it's also one of the easiest for making LOP adjustments, as well as installing or removing the stock. The Trigger Release combines with a newly developed takedown lever that also makes the MOE TR stock Magpul's easiest stock to install and remove on your firearm. That means no more leveraging a high-tension spring to mount and remove your stock; the innovative, one-handed toolless takedown lever allows quick and easy installation and removal. It includes a "padlock" icon to indicate whether the stock is locked or unlocked. Once the lever is positioned in the "locked" position, it can't be removed from the receiver extension, ensuring it won't slide off when making LOP adjustments. The takedown lever is also partially recessed to minimize snagging while still permitting easy access to select it when necessary. For sling attachment, the TR includes ambidextrous M-LOK® slots on each side of rear of the stock that function as a footman's loop or a space to attach M-LOK QD Sling Mounts. NEW TRIGGER RELEASE SLIDER MECHANISM Ambidextrous sliding, textured, low-profile control trigger pulls double duty as a simple one-handed LOP adjustment lever, as well as allows for toolless installation and removal. EASY INSTALLATION A takedown lever on the bottom of the stock permits full retraction of the trigger so the stock can slide on and off the receiver extension with minimal effort. The takedown lever's position is indicated with a padlock icon showing the trigger's status for installation or LOP adjustment. MINIMALIST, LIGHTWEIGHT DESIGN One of the lightest MOE stocks created at only 8.0 ounces. CUSTOMIZABLE Compatible with Magpul ASAP®, ASAP® QD and other receiver-mount sling attachments. Rear ambidextrous M-LOK® slots function as a footman's loop for direct sling attachment, and can also accept optional M-LOK QD Sling Mounts for push-button swivels. Compatible with MOE SL® Enhanced Rubber Butt-Pad, 0.70" for additional LOP. SPECIFICATIONS: Platform - AR10, AR15, M4, M16, M110, SR25 Compatibility - Mil-Spec sized carbine receiver extension tube (not included) from manufacturers such as Colt, LMT, Ruger, S&W, SIG, and others* LOP, M4 Collapsed - ~10.5 in. LOP, M4 Extended - ~13.8 in. LOP Adjustment Range - 3.3 in. Length, max - 7.0 in. Height, max - 5.3 in. Weight - 8.0 oz. Weight, w/ receiver extension - ~11.8 oz. Width, max - 1.6 in.



Attributes

- Name: MOE TR CARBINE STOCK MILSPEC BLACK
- Manufacturer: MAGPUL
- Product no.: 430110111
- Mfr. No.: MAG1444-BLK
- Color: Black
- Material: Polymer
- Delivery weight: 0.329kg
- UPC: 840815148258

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den MOE TR MILSPEC CARBINE STOCK](#)
- [English: MOE TR MILSPEC CARBINE STOCK Safety Instruction Guide](#)
- [Svenska: Säkerhetsinstruktioner för MOE TR MILSPEC CARBINE STOCK](#)

Sicherheitshinweise für den MOE TR MILSPEC CARBINE STOCK

Einleitung

Herzlichen Glückwunsch zu Ihrem Kauf des MOE TR MILSPEC CARBINE STOCK von Magpul. Dieses Produkt wurde entwickelt, um Ihnen eine sichere und benutzerfreundliche Erfahrung beim Einsatz Ihrer Feuerwaffe zu bieten. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um sicherzustellen, dass Sie den Stock korrekt verwenden und potenzielle Risiken vermeiden.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass der Stock immer in einem sicheren Zustand aufbewahrt wird, wenn er nicht verwendet wird.
- Überprüfen Sie den Stock regelmäßig auf Beschädigungen oder Abnutzung.
- Verwenden Sie den Stock nur in Übereinstimmung mit den Anweisungen des Herstellers.
- Halten Sie den Stock von Kindern und unbefugten Personen fern.
- Melden Sie unsichere Produkte oder Vorfälle den zuständigen Behörden.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Verwenden Sie den Stock nur mit kompatiblen EmpfängerExtensions, wie im Produkttext angegeben.
- Überprüfen Sie vor jeder Verwendung, ob der TakedownHebel korrekt verriegelt ist.
- Achten Sie darauf, dass der Trigger Release Mechanismus nicht blockiert ist, bevor Sie Anpassungen vornehmen.
- Verwenden Sie keine übermäßige Kraft beim Installieren oder Entfernen des Stocks.
- Stellen Sie sicher, dass alle Teile ordnungsgemäß montiert sind, bevor Sie die Feuerwaffe verwenden.

Anweisungen für Installation und Nutzung

1. Installation des Stocks:

- Überprüfen Sie, ob der TakedownHebel in der „entsperrten“ Position ist.
- Schieben Sie den Stock auf die EmpfängerExtension, bis er vollständig sitzt.
- Betätigen Sie den TakedownHebel, um den Stock zu verriegeln. Achten Sie darauf, dass das VorhängeschlossSymbol anzeigt, dass der Stock verriegelt ist.

2. Anpassung der Länge des Stocks:

- Halten Sie den Trigger Release Mechanismus mit einer Hand fest.
- Ziehen Sie den Stock nach hinten oder drücken Sie ihn nach vorne, um die gewünschte Länge einzustellen.
- Lassen Sie den Trigger Release Mechanismus los, um die Einstellung zu sichern.

3. Entfernen des Stocks:

- Stellen Sie sicher, dass die Feuerwaffe entladen ist.
- Betätigen Sie den TakedownHebel und ziehen Sie den Stock vorsichtig von der EmpfängerExtension ab.

Entsorgungsanweisungen

- Entsorgen Sie alle Teile des Stocks gemäß den örtlichen Vorschriften für die Entsorgung von Kunststoff und Metall.
- Stellen Sie sicher, dass alle Teile unbrauchbar gemacht werden, bevor Sie sie entsorgen, um Missbrauch zu verhindern.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung zu Ihrem Produkt wenden Sie sich bitte an den Kundenservice von Magpul oder besuchen Sie die offizielle Website. Dort finden Sie auch Informationen zu Rückrufen und Sicherheitswarnungen.

Vielen Dank, dass Sie sich für den MOE TR MILSPEC CARBINE STOCK entschieden haben. Ihre Sicherheit ist uns wichtig, und wir hoffen, dass Sie mit Ihrem neuen Produkt zufrieden sind.

MOE TR MILSPEC CARBINE STOCK Safety Instruction Guide

Introduction

Thank you for choosing the MOE TR MILSPEC CARBINE STOCK. This guide provides essential safety instructions and information to ensure the safe and effective use of the product. It is important to read and follow these guidelines to minimize risks and enhance your experience with this firearm accessory.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the MOE TR Carbine Stock by following all instructions and warnings provided in this guide.
- **Enhanced Recalls:** Stay informed about any recalls or safety notices related to this product. Check the EU's Safety Gate platform for updates.
- **Online Shopping:** If purchased online, ensure the retailer complies with safety requirements and offers the same protections as physical stores.
- **Special Consumer Focus:** Use this product responsibly. Keep it out of reach of children and vulnerable individuals who may not understand its proper use.
- **EU Contact Point:** For any safety inquiries, refer to the contact information provided by the retailer or manufacturer.
- **Rapid Alerts:** Be aware of the Safety Gate system for quick notifications about unsafe products.

Specific Safety Precautions for Use

- **Read All Instructions:** Before using the stock, read all instructions and warnings carefully.
- **Check Compatibility:** Ensure the stock is compatible with your firearm's receiver extension. This product is designed for MilSpec sized carbine receiver extension tubes.
- **Inspect Before Use:** Regularly inspect the stock for any signs of damage or wear. Do not use if damaged.
- **Proper Handling:** Always handle your firearm with care. Ensure it is unloaded when installing or adjusting the stock.
- **Secure Installation:** Make sure the stock is securely attached to the receiver extension before use. The takedown lever should be in the locked position to prevent accidental removal.
- **Avoid Modifications:** Do not modify the stock in any way. Alterations can compromise safety and functionality.
- **Proper Adjustment:** Adjust the Length of Pull (LOP) only when the firearm is pointed in a safe direction and unloaded.
- **Use Appropriate Sling Attachments:** When attaching slings, ensure they are compatible with the ambidextrous MLOK slots provided.

Instructions for Installation and Usage

Installation Steps

1. **Prepare Your Firearm:** Ensure your firearm is unloaded and pointed in a safe direction.
2. **Locate the Receiver Extension:** Identify the MilSpec receiver extension tube on your firearm.
3. **Position the Stock:** Align the MOE TR Carbine Stock with the receiver extension.
4. **Engage the Takedown Lever:** Push the takedown lever to the unlocked position to allow the stock to slide onto the receiver extension.
5. **Slide the Stock On:** Gently slide the stock onto the receiver extension until it is fully seated.
6. **Lock the Stock:** Move the takedown lever to the locked position. Ensure the padlock icon indicates that the stock is secure.
7. **Adjust Length of Pull (LOP):** Use the ambidextrous sliding trigger to adjust the LOP as needed. Always ensure the firearm is unloaded during adjustments.

Usage Instructions

- **Adjusting LOP:** To adjust the LOP, pull the textured trigger while holding the stock. Release the trigger to lock the adjustment in place.
- **Sling Attachment:** Attach slings using the MLOK slots or footman's loop as needed. Ensure attachments are secure before use.
- **Regular Maintenance:** Clean the stock regularly to ensure optimal performance. Use a soft cloth and mild cleaning solution.

Disposal Instructions

- **Responsible Disposal:** Dispose of the product in accordance with local regulations. If the stock is damaged or no longer usable, consider recycling materials where possible.
- **Environmental Considerations:** Do not dispose of the product in regular household waste. Follow local guidelines for disposal of polymer materials.

Contact Information for Further Support

For any questions or concerns regarding the MOE TR MILSPEC CARBINE STOCK, please refer to the contact information provided by your retailer or manufacturer. Always ensure you have the most current information regarding safety and product support.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your MOE TR MILSPEC CARBINE STOCK. Thank you for your attention to safety and for choosing this product.

Säkerhetsinstruktioner för MOE TR MILSPEC CARBINE STOCK

Introduktion

Tack för att du har valt MOE TR MILSPEC CARBINE STOCK från Magpul. Denna produkt är designad för att ge en säker och effektiv användning i samband med ditt vapen. Vänligen läs igenom dessa säkerhetsinstruktioner noggrant för att säkerställa korrekt och säker användning.

Allmänna säkerhetsriktlinjer

- Kontrollera alltid att vapnet är avstängt och tomt innan du monterar eller justerar stocken.
- Använd produkten endast i enlighet med tillverkarens instruktioner.
- Förvara produkten utom räckhåll för barn och andra obehöriga.
- Inspektera stocken regelbundet för skador eller slitage. Använd inte produkten om den är skadad.
- Rapportera eventuella farliga produkter eller olyckor till myndigheterna.

Specifika säkerhetsåtgärder för användning

- Använd alltid skyddsglasögon och hörselskydd vid hantering av vapen.
- Se till att justeringsmekanismen är korrekt inställd innan du använder vapnet.
- Undvik att justera LOP (Length of Pull) under användning; gör detta endast när vapnet är säkert.
- Använd inte stocken med vapen som inte är kompatibla med MilSpec storlek karbin mottagarens förlängning.

Instruktioner för installation och användning

Installation

1. **Förberedelse:** Kontrollera att vapnet är avstängt och tomt.
2. **Nedtagningstång:** Tryck på nedtagningstången (Trigger Release) för att låsa upp stocken.
3. **Montering:**
 - Sätt stocken på mottagarens förlängning.
 - Släpp nedtagningstången för att låsa stocken på plats.
4. **Kontroll:** Kontrollera att stocken sitter ordentligt fast genom att dra i den lätt.

Justering av LOP

1. **Låsning:** Kontrollera att spaken är i "låst" läge för att förhindra oavsiktlig borttagning.
2. **Justering:** Använd den ambidextrösa, texturerade kontrollspaken för att justera LOP till önskad längd.
3. **Verifiering:** Kontrollera att justeringen är korrekt innan användning.

Avfallshantering

- När produkten når slutet av sin livslängd, vänligen återvinn den enligt lokala riktlinjer.
- Kasta inte produkten i vanligt hushållsavfall. Kontakta din lokala avfallshantering för korrekt avfallshantering.

Kontaktinformation för vidare support

För frågor angående säkerhet eller produktinformation, vänligen kontakta tillverkaren eller besök deras officiella webbplats.

Genom att följa dessa säkerhetsinstruktioner kan du säkerställa en trygg och effektiv användning av din MOE TR MILSPEC CARBINE STOCK. Tack för att du bidrar till en säker användning av produkter.