

# COMPLETE SLIDE ASSEMBLIES FOR GLOCK 19® - BROWNELLS

## COMPLETE SLIDE ASSEMBLY WITH BARREL FOR GLOCK 19

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Complete, Fully Assembled Feature-Rich "Top Half" With Threaded & Ported Barrel Options Top off your next custom pistol build or upgrade with our Complete RMR Slide Assembly for Glock® 19 Gen3, available in three configurations. You can get your slide with a premium match-quality barrel, a ½"-28 tpi threaded barrel to accept a sound suppressor, or with a ported barrel that vents through a window in the top of the slide to counteract muzzle rise and help you keep the sights on the target for subsequent shots. This eliminates the need to install a bulky compensator on the muzzle, which means your new comped pistol will still fit standard holsters for the Glock® 19. These slides come fully assembled with the barrel and all the internal small parts installed, making this RMR Slide the ideal upgrade for your factory Glock® 19 Gen3 pistol or the perfect "top half" for a brand-new custom gun built on a compatible frame from another manufacturer. It features a pre-cut slot for easy, secure, low-profile mounting of a reflex red dot sight that fits the Trijicon RMR footprint. If you're not mounting a red dot at the moment, we've included a lightweight reinforced polymer cover plate to neatly fill the slot. Our RMR Slide comes with standard-height front and rear sights, which can serve as your primaries or a backup "iron" sights when paired with a red dot sight. Fits Gen3 Glock® 19 pistols & clones Comes COMPLETE with barrel, front & rear sights, and small parts installed Built-in mounting slot for reflex sights with the Trijicon RMR footprint Optic slot cover plate & recoil spring assembly also included Slide machined from 416 stainless steel billet, with a Black Nitride finish Choice of Solid top slide with standard barrel or ½"-28 tpi threaded barrel, OR distinctive top Window slide with ported/compensated barrel Each RMR Slide for Glock® starts life as a billet of 416 stainless steel that is machined to Glock® factory specifications inside, with a tough, extremely wear-resistant black Nitride finish. This slide fits standard Glock® factory G19 frames and compatible aftermarket frames. The match-quality barrel is machined from premium 416R stainless steel alloy. The muzzle of the threaded barrel has standard ½"-28 tpi threads. The ported barrel has eight ports angled to provide just the right counterforce to muzzle rise. On the sides at the rear, you'll find distinctive wide, shallow cocking serrations that give excellent "purchase" to rack the slide, plus a mirrored set of serrations up front that aid in manipulating the slide to press-check the chamber. Both sets of serrations make it easy to manipulate your pistol's slide from any angle and in any position. We'll admit it: these serrations just look cool, too! Whether you're assembling a custom pistol to meet specific needs, or you're upgrading a factory Glock 19 for enhanced performance and versatility, a Brownells complete slide assembly is helps you complete your project quickly and easily! Brownells Gun Tech™ Note: Channel liner required for these slides. Channel liner is a press fit and requires a tool to install. We recommend #777-100-017.



### Attributes

- Name: [BROWNELLS COMPLETE SLIDE ASSEMBLY WITH BARREL FOR GLOCK 19](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 430111296
- Mfr. No.: G19-SAB

- Cartridge: 9 mm Luger
- Finish: Black
- Model: 19
- Sights: RMR
- Style: Assembled
- Weapon type: Glock
- Delivery weight: 0.454kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 25mm
- UPC: 050806001503

## **Item details**

Made in USA

US export classification: 0A501.c

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for COMPLETE SLIDE ASSEMBLIES FOR GLOCK 19®](#)
- [About Us](#)

# Safety Instruction Guide for COMPLETE SLIDE ASSEMBLIES FOR GLOCK 19®

## Introduction

Thank you for choosing the COMPLETE SLIDE ASSEMBLIES FOR GLOCK 19®. This product is designed to enhance your shooting experience while ensuring safety and reliability. Please read this safety instruction guide carefully before use to ensure proper handling and maintenance of the slide assembly.

## General Safety Guidelines

- Always treat all firearms and firearm components as if they are loaded.
- Ensure that the firearm is pointed in a safe direction at all times.
- Keep your finger off the trigger until you are ready to shoot.
- Store the slide assembly and all firearm components securely, out of reach of children and unauthorized users.
- Regularly inspect the slide assembly for any signs of wear or damage before use.
- Follow all local laws and regulations regarding the use and ownership of firearms and firearm accessories.
- Be mindful of your surroundings and ensure a safe shooting environment.

## Specific Safety Precautions for Use

- Use only with Glock® 19 Gen3 pistols or compatible aftermarket frames.
- Ensure the slide assembly is properly installed before attempting to fire the firearm.
- Do not modify the slide assembly in any way, as this may compromise safety and performance.
- Always use ammunition that is compatible with the Glock® 19, specifically 9 mm Luger.
- Be aware of the potential for muzzle rise when firing, especially with the ported barrel option.
- If using a threaded barrel, ensure that any suppressors or muzzle devices are properly installed and secured.
- If you experience any malfunctions while using the slide assembly, cease use immediately and consult a qualified gunsmith.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing slide from your Glock® 19 Gen3 pistol by following the manufacturer's instructions.
- Carefully align the new COMPLETE SLIDE ASSEMBLY with the frame of the pistol.
- Slide the assembly onto the frame until it is securely in place.
- Ensure that all internal small parts are properly seated and that the slide functions smoothly.
- Install the channel liner as required, using the recommended tool for installation.

### 2. Usage:

- Before shooting, check that the slide is properly secured and that all components are functioning correctly.
- Load the firearm using compatible 9 mm Luger ammunition.
- Engage the safety features of your firearm and prepare for shooting.
- Maintain a proper grip and stance while aiming and firing.
- After shooting, always check the chamber for any remaining rounds before handling the firearm.

## **Disposal Instructions**

- Dispose of any damaged or worn components in accordance with local regulations.
- If you no longer need the slide assembly, consider recycling or disposing of it at a designated facility for hazardous materials.
- Always ensure that the slide assembly is rendered inoperable before disposal.

## **Contact Information for Further Support**

For any questions or concerns regarding the COMPLETE SLIDE ASSEMBLIES FOR GLOCK 19®, please consult the manufacturer's website or contact customer support directly.

By following these safety instructions, you can ensure a safe and enjoyable experience with your new slide assembly. Always prioritize safety and responsible firearm handling.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)