

# TYPE 3 ACTION ENHANCEMENT KIT FOR SLIM FRAME GLOCK - APEX TACTICAL SPECIALTIES INC. TYPE 3 ACTION ENHANCEMENT KIT FOR SLIM FRAME GLOCK BLUE

[Handgun Parts](#) > [Trigger Group Parts](#) > [Trigger Parts](#) > [Triggers](#)

The Action Enhancement Kit for Slim Frame Glock pistols features the Apex Action Enhancement Trigger with Type 3 Aesthetics, with an Apex Trigger Bar, and Apex Performance Connector. The kit is a direct drop-in replacement of the factory polymer trigger, trigger bar, and connector, it provides for a smoother trigger pull with reduced travel, reduced reset length and a crisp break between 4.5 and 5.0 lbs. Type 3 Aesthetics: The Type 3 Trigger for Glocks feature a visually distinct design that sets it apart while maintaining the same excellent performance as our classic triggers for Glocks. Features of the Type 3 triggers include: Chamfers at the front corners (classic trigger has a radius on the front corners) Additional decorative face cuts on the visible sides of the trigger. Same performance as the classic line, just a different look. Features: Direct drop-in replacement of factory polymer trigger, trigger bar, and connector. Smooths uptake and reset. Reduces trigger pre-travel, overall travel and reset distance. Crisp trigger break with a 4.5 to 5 lb. Trigger Pull Weight. Center mounted pivoting safety maintains factory safety values. 100% Manufactured in the USA, right here in Phoenix. Applicable to What Guns: Glock Models: G43, G43X, and G48 Not for use with: Not for use in the G42 (The trigger bar in the G42 is shorter) Non-Glock brand frames - If your frame is not made by Glock, do not use this kit in your pistol. Clones do not count as a Glock frame.



## Attributes

- Name: [APEX TACTICAL SPECIALTIES INC. TYPE 3 ACTION ENHANCEMENT KIT FOR SLIM FRAME GLOCK BLUE](#)
- Manufacturer: [APEX TACTICAL SPECIALTIES INC.](#)
- Product no.: 430111630
- Mfr. No.: 102-173-BLU
- Finish: Black
- Model: 43X,48,43
- Style: Factory Replacement
- Weapon type: Glock
- Delivery weight: 0.057kg
- Shipping height: 142mm
- Shipping width: 23mm
- Shipping length: 81mm
- UPC: 850053063367

## Item details

Made in USA  
US export classification: 0A501.c

# Table of Contents

- Startpage
- Safety Instruction Guide for TYPE 3 ACTION ENHANCEMENT KIT FOR SLIM FRAME GLOCK
- About Us

# Safety Instruction Guide for TYPE 3 ACTION ENHANCEMENT KIT FOR SLIM FRAME GLOCK

## Introduction

Thank you for choosing the TYPE 3 ACTION ENHANCEMENT KIT FOR SLIM FRAME GLOCK from APEX TACTICAL SPECIALTIES INC. This guide provides important safety information and instructions for the proper use and installation of this product. Please read this guide carefully to ensure safe and effective use.

## General Safety Guidelines

- Ensure that the product is suitable for your specific Glock model (G43, G43X, G48).
- Do not use this kit with Glock model G42 or any nonGlock brand frames.
- Always follow local laws and regulations regarding firearm modifications.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before use.
- Report any unsafe products or accidents to the relevant authorities.

## Specific Safety Precautions for Use

- Always ensure that your firearm is unloaded before beginning installation.
- Avoid handling the trigger or any internal components while the firearm is loaded.
- Use appropriate personal protective equipment (PPE) such as safety glasses when installing the kit.
- Be aware of the potential hazards associated with modifying firearm components, including unintentional discharge.
- Only perform installation in a safe and controlled environment.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure that the firearm is completely unloaded.
- Gather necessary tools for installation, such as a punch tool and a small hammer.

### 2. Installation Steps

- Remove the factory polymer trigger, trigger bar, and connector from your Glock.
- Carefully install the Apex Action Enhancement Trigger and Apex Trigger Bar into the firearm.
- Replace the factory connector with the Apex Performance Connector.
- Ensure all components are securely in place and function correctly.

### 3. PostInstallation Checks

- Conduct a function check to ensure the trigger operates smoothly.
- Verify that the trigger pull weight is between 4.5 and 5.0 lbs.
- Confirm that the center mounted pivoting safety is functioning properly.

### 4. Usage

- Practice safe firearm handling at all times.
- Familiarize yourself with the new trigger pull characteristics before using the firearm in a live environment.

## **Disposal Instructions**

- Dispose of any old components in compliance with local regulations.
- Ensure that all disposed materials are handled safely and responsibly to prevent environmental harm.

## **Contact Information for Further Support**

For safety inquiries or further assistance, please refer to the manufacturer's website or customer service. Always ensure that you have the latest information regarding product recalls and safety updates.

Thank you for prioritizing safety and responsible firearm use. Your compliance with these guidelines helps ensure a safe experience with your TYPE 3 ACTION ENHANCEMENT KIT FOR SLIM FRAME GLOCK.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)