

FRC 223 CALIBER TWO-PORT COMPENSATOR - FRC TAPERED 2-PORT 223 CALIBER 1/2"-28 THREADS COMPENSATOR

Elevate your shooting experience with the cutting-edge PWS 3-Port FRC compensator specifically designed to serve as a suppressor host for the Rearden Atlas suppressor mounting system—compatible with popular suppressors like the BDE 556. Crafted with precision and innovation, this compensator stands as a premier selection for a diverse range of shooting scenarios. The PWS FRC compensator sets itself apart by prioritizing recoil reduction as its primary function while simultaneously excelling at flash suppression. Its distinctive 2-port design skillfully redirects flash away from optics and the line of sight, ensuring an unobstructed view and minimizing overpressure. When paired with suppressors, the FRC boasts a tight lockup and maintains it through hard shooting cycles, ensuring reliability in any situation. Mounted precisely, the FRC becomes a crucial component in your rifle's comprehensive recoil management system. By effectively mitigating recoil and muzzle rise, this compensator enables swift follow-up shots, ultimately delivering improved shooter control and accuracy, even in rapid-fire scenarios. Choosing the PWS FRC provides the best of both worlds—superior recoil management and effective flash suppression—making it an indispensable asset for any shooter looking to enhance their shooting prowess and overall experience on the range or in the field. Select between flat shouldered option, for traditional rifle barrels, or tapered shoulder, for barrels with a tapered shoulder behind the muzzle threads.



Attributes

- Name: FRC TAPERED 2-PORT 223 CALIBER 1/2"-28 THREADS COMPENSATOR
- Manufacturer: PRIMARY WEAPONS
- Product no.: 430113214
- Mfr. No.: FRC-T-2P-1/2X28
- Caliber: 22 Caliber (.223-.224)
- Finish: Black
- Make: Primary Weapons System,AR-15
- Material: Steel
- Model: UXR
- Threads: 1/2-28
- Delivery weight: 0.073kg
- UPC: 811154033888

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: FRC 223 Caliber TwoPort Compensator Safety Instruction Guide](#)

FRC 223 Caliber TwoPort Compensator Safety Instruction Guide

Introduction

Thank you for choosing the FRC 223 Caliber TwoPort Compensator. This product is designed to enhance your shooting experience while ensuring safety and performance. Please read this safety instruction guide carefully to ensure proper use and maintenance of the compensator.

General Safety Guidelines

- Ensure that the compensator is installed correctly on your firearm before use.
- Always handle firearms with care and follow all safety protocols.
- Use appropriate eye and ear protection when shooting.
- Regularly inspect the compensator for any signs of wear or damage.
- Store the compensator and your firearm in a secure location, away from children and unauthorized users.
- Do not modify the compensator or your firearm in any way that could compromise safety.

Specific Safety Precautions for Use

- Only use the compensator with firearms that are compatible with 1/2"28 threads.
- Ensure that the caliber of the ammunition used is suitable for the compensator (22 Caliber .223.224).
- Avoid using the compensator with any suppressors that are not compatible with the PWS 3Port FRC system.
- Be aware of your surroundings when shooting, and ensure that the area is clear of bystanders.
- Do not shoot at hard surfaces or water to prevent ricochets.
- In case of any malfunction or unusual behavior during shooting, cease use immediately and inspect the compensator and firearm.

Instructions for Installation and Usage

Installation

1. Ensure the firearm is unloaded and pointed in a safe direction.
2. Remove the existing muzzle device, if applicable.
3. Clean the muzzle threads on the firearm to ensure a proper fit.
4. Screw the FRC 223 Caliber Compensator onto the muzzle threads, ensuring it is tightened securely.
5. Verify that the compensator is aligned correctly and does not obstruct the line of sight.
6. Check that the compensator is properly mounted before firing.

Usage

- Before each shooting session, inspect the compensator for any damage or signs of wear.
- When firing, maintain a firm grip on the firearm to manage recoil effectively.
- After shooting, allow the compensator to cool before handling, as it may become hot.

Disposal Instructions

- Dispose of the compensator in accordance with local regulations regarding metal products.
- If the compensator is damaged or no longer usable, do not attempt to repair it. Dispose of it responsibly to prevent environmental harm.

Contact Information for Further Support

For any inquiries related to safety, usage, or product support, please contact the manufacturer directly through their official communication channels.

By following these guidelines, you can ensure a safe and enjoyable shooting experience with your FRC 223 Caliber TwoPort Compensator. Always prioritize safety and proper handling to protect yourself and those around you.