

MOE QUICK DETACH BIPOD FOR M-LOK FLAT DARK EARTH

MAGPUL MOE QUICK DETACH BIPOD FOR M-LOK Magpul offered a variety of bipods for quite some time, but none have attached as simply and quickly as the MOE QD Bipod for M-LOK. This new bipod provides shooters a quick-attach and detach function when using guns with an M-LOK hand guard or forend; by speeding up the attachment process via the integral attachment knob, you can get support when firing faster than ever before. To attach the bipod, simply insert the M-LOK stud into the M-LOK slot, rotate the bipod 45° counterclockwise so the stud is perpendicular to the M-LOK slot, and tighten the adjustment knob to securely fasten against the forend. No tools required. Aside from the quick, simple attachment method, the bipod is almost 40% lighter than some of their existing bipods. The injection-molded construction won't deform or break under pressure, and it provides a consistent, stable platform from which to shoot. The bipod plate – made from the same injection-molded material as the bipod itself – provides a solid mounting surface and features two (2) additional M-LOK lugs to promote proper alignment after installation, as well as increased stability and durability during recoil. The bipod is also equipped with a low-profile sling stud on the rear to allow sling attachment for easy carry and transportation of the firearm. The MOE QD bipod has a low stack height of 1.7" when folded, giving it a streamlined profile when the legs are stowed. When the legs are needed, they deploy and stow with the push of a button, snapping and locking into position. The legs extend from 7" to 10" and are adjusted easily and independently via a button located at the top of each leg. Within this adjustment range, there are seven (7) ½" spaced locking detents to fine tune the bipod's deployed height. Additionally, the bipod's soft, stepped, non-slip rubber feet grip a wide array of shooting surfaces; the feet are also easily removed with a roll-pin punch should shooters want to change them to something different (the bipod accepts most Atlas-pattern bipod feet). **FEATURES:** QUICK, SIMPLE INSTALLATION: The MOE QD Bipod installs via an adjustment knob Minimizes installation requirements since no other hardware is required **COMPACT,** **LIGHTWEIGHT:** 40% lighter than some other Magpul bipods Stack height of 1.7"; when extended legs measure 7"-10" in 0.5" increments **VERSATILE LEGS AND FEET:** Soft, stepped, non-slip rubber feet grip a wide array of shooting surfaces; the feet are also easily removed with a roll-pin punch Legs accept most Atlas-pattern bipod replaceable feet to best match the needs of your environment **SPECIFICATIONS:** Attachment: M-LOK Slots Materials: Polymer, steel Height, max: 10 in. Pan and Tilt: No Weight: 9 oz. Made in the USA.



Attributes

- Name: MOE QUICK DETACH BIPOD FOR M-LOK FLAT DARK EARTH
- Manufacturer: MAGPUL
- Product no.: 430113837
- Mfr. No.: MAG1511-FDE
- Attachment: Quick Detach
- Color: Flat Dark Earth
- Feet Material: -
- Weight: 0.563 lbs
- UPC: 840815149163

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: MOE Quick Detach Bipod for MLOK Safety Instruction Guide](#)

MOE Quick Detach Bipod for MLOK Safety Instruction Guide

Introduction

Thank you for choosing the MOE Quick Detach Bipod for MLOK. This product is designed to enhance your shooting experience by providing a stable and lightweight support system. It is essential to read and follow these safety instructions to ensure safe use and optimal performance.

General Safety Guidelines

- Ensure that you are familiar with the operation of your firearm before using the bipod.
- Always handle firearms with care and treat every firearm as if it is loaded.
- Use the bipod only with firearms that are compatible with MLOK attachments.
- Inspect the bipod regularly for any signs of damage or wear before each use.
- Keep the bipod and your firearm out of reach of children and unauthorized users.
- Report any unsafe conditions or accidents to the appropriate authorities immediately.

Specific Safety Precautions for Use

- Always ensure the bipod is securely attached to the firearm before use.
- Do not exceed the maximum height adjustment of 10 inches when deploying the bipod.
- Use the bipod on stable surfaces to avoid slipping or tipping during use.
- Be aware of your surroundings and ensure a clear shooting area before firing.
- Avoid using the bipod in adverse weather conditions that may affect stability or performance.
- If you notice any unusual sounds or instability while using the bipod, cease use immediately and inspect for issues.

Instructions for Installation and Usage

Installation

1. **Prepare the Bipod:** Ensure the adjustment knob is in the unlocked position.
2. **Insert the MLOK Stud:** Align the MLOK stud with the MLOK slot on your handguard or forend.
3. **Rotate the Bipod:** Turn the bipod 45 degrees counterclockwise until the stud is perpendicular to the MLOK slot.
4. **Tighten the Adjustment Knob:** Securely tighten the adjustment knob to fasten the bipod against the forend. No tools are required for this step.

Usage

- To deploy the legs, press the button located at the top of each leg.
- The legs will extend from 7 inches to 10 inches in 0.5inch increments.
- Adjust the legs independently to achieve the desired height and stability.
- Ensure the legs snap and lock into position before using the bipod.
- When finished, fold the legs back by pressing the button and stowing them against the bipod.

Disposal Instructions

- Dispose of the bipod in accordance with local regulations.
- If the bipod is damaged and no longer usable, consider recycling materials where possible.
- Do not dispose of the bipod in regular household waste if it contains hazardous materials.

Contact Information for Further Support

For any inquiries regarding safety or product support, please refer to the manufacturer's contact information available on the product packaging or the official website.

By following these safety instructions, you can ensure a safe and enjoyable experience with your MOE Quick Detach Bipod for MLOK. Thank you for your attention to safety.