

MK2 SCOPE MOUNTS - MIDWEST INDUSTRIES, INC. MK2 30MM SCOPE MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

Engineered for precision and built to last, the MK2 series elevates your shooting experience with unmatched reliability and style. These MK2 Scope Mounts are designed for shooters seeking a robust and refined scope mounting solution. Featuring a next-generation design, these mounts combine enhanced functionality with a premium aesthetic. Next-generation design enhancing functionality and aesthetics for the MK2 Series Torx hardware is integrated into clamps and scope caps for secure assembly 4140 heat-treated steel clamps for exceptional strength and durability Precision engraving for a premium aesthetic across the mount Optic-specific replacement scope ring caps are available for purchase Hard Coat Anodized 6061 Aluminum for a lifetime of service Includes Midwest Industries Optic Mount Tool for easy scope adjustment and fitting Made in the USA Lifetime Warranty Works with scopes with up to a 56mm objective 30mm Standard Height Specs Weight: 7.9 oz Overall length: 5.875" Width of rings: .850" Distance between rings: 2.800" Offset from base to first ring: 1.400" Distance from top of rail to center line of ring: 1.550" 30mm High Height Specs Weight: 8.6oz Overall length: 5.875" Width of rings: 0.850" Distance between rings: 2.800" Offset from the first ring: 1.500" Distance from top of rail to center line of ring: 1.930" 34mm Standard Height Specs Weight: 8.4oz Overall length: 5.875" Width of rings: .850" Distance between rings: 2.800" Offset from base to first ring: 1.400" Distance from top of rail to center line of ring: 1.550" 34mm High Height Specs Overall length: 5.875" Width of rings: 0.850" Distance between rings: 2.800" Offset from base to first ring: 1.500" Distance from top of rail to center line of ring: 1.930"

NO IMAGE
AVAILABLE

Attributes

- Name: [MIDWEST INDUSTRIES, INC. MK2 30MM SCOPE MOUNT](#)
- Manufacturer: [MIDWEST INDUSTRIES, INC.](#)
- Product no.: 430115973
- Mfr. No.: MI-MK2-30SM
- Finish: Black
- Height: 3"
- Length: 6"
- Material: Aluminum
- Scope Tube Diameter: 30mm
- Style: Direct Mount
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 812102035893

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [MK2 Scope Mounts Safety Instruction Guide](#)
- [About Us](#)

MK2 Scope Mounts Safety Instruction Guide

Introduction

Thank you for choosing the MK2 Scope Mounts by Midwest Industries, Inc. This guide provides essential safety information to ensure the safe use and installation of your scope mounts. Please read this guide carefully before using the product.

General Safety Guidelines

- Always ensure that the scope mount is compatible with your scope and firearm.
- Inspect the product for any visible damage before use. Do not use if damaged.
- Follow all local laws and regulations regarding firearm and accessory usage.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the scope mount is securely attached before firing the firearm.
- Do not exceed the recommended weight limit for the scope mount.
- Avoid using the scope mount in extreme weather conditions unless specified.
- Be cautious of sharp edges during installation and handling.
- Do not modify the scope mount in any way, as this may compromise safety.
- Use the provided Midwest Industries Optic Mount Tool for adjustments to avoid damage.

Instructions for Installation and Usage

Installation

1. Preparation:

- Gather all necessary tools, including the Midwest Industries Optic Mount Tool and a Torx screwdriver.
- Ensure the firearm is unloaded and pointed in a safe direction.

2. Mounting the Scope:

- Align the MK2 Scope Mount with the rail on your firearm.
- Use the Torx hardware to secure the clamps tightly, ensuring no movement occurs.
- Place the scope into the rings and adjust as necessary.

3. Final Adjustments:

- Check the alignment of the scope and make any necessary adjustments using the Optic Mount Tool.
- Ensure that the scope is level and properly positioned for your shooting needs.

Usage

- After installation, perform a function check to ensure the scope is securely mounted.
- Always check the scope mount and scope for any signs of wear or looseness before each use.
- If you experience any issues with the scope mount during use, cease operation immediately and inspect the mount.

Disposal Instructions

- Dispose of the MK2 Scope Mounts in accordance with local regulations regarding metal and aluminum waste.
- Do not dispose of the product in regular household waste.
- Consider recycling the product if possible.

Contact Information for Further Support

For any questions or concerns regarding the MK2 Scope Mounts, please refer to the Midwest Industries, Inc. website or contact their customer support for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk