

MK2 SCOPE MOUNTS - MIDWEST INDUSTRIES, INC. MK2 30MM SCOPE MOUNT HIGH

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

Engineered for precision and built to last, the MK2 series elevates your shooting experience with unmatched reliability and style. These MK2 Scope Mounts are designed for shooters seeking a robust and refined scope mounting solution. Featuring a next-generation design, these mounts combine enhanced functionality with a premium aesthetic. Next-generation design enhancing functionality and aesthetics for the MK2 Series Torx hardware is integrated into clamps and scope caps for secure assembly 4140 heat-treated steel clamps for exceptional strength and durability Precision engraving for a premium aesthetic across the mount Optic-specific replacement scope ring caps are available for purchase Hard Coat Anodized 6061 Aluminum for a lifetime of service Includes Midwest Industries Optic Mount Tool for easy scope adjustment and fitting Made in the USA Lifetime Warranty Works with scopes with up to a 56mm objective 30mm Standard Height Specs Weight: 7.9 oz Overall length: 5.875" Width of rings: .850" Distance between rings: 2.800" Offset from base to first ring: 1.400" Distance from top of rail to center line of ring: 1.550" 30mm High Height Specs Weight: 8.6oz Overall length: 5.875" Width of rings: 0.850" Distance between rings: 2.800" Offset from the first ring: 1.500" Distance from top of rail to center line of ring: 1.930" 34mm Standard Height Specs Weight: 8.4oz Overall length: 5.875" Width of rings: .850" Distance between rings: 2.800" Offset from base to first ring: 1.400" Distance from top of rail to center line of ring: 1.550" 34mm High Height Specs Overall length: 5.875" Width of rings: 0.850" Distance between rings: 2.800" Offset from base to first ring: 1.500" Distance from top of rail to center line of ring: 1.930"

NO IMAGE
AVAILABLE

Attributes

- Name: [MIDWEST INDUSTRIES, INC. MK2 30MM SCOPE MOUNT HIGH](#)
- Manufacturer: [MIDWEST INDUSTRIES, INC.](#)
- Product no.: 430115974
- Mfr. No.: MI-MK2-30SMH
- Finish: Black
- Height: 3"
- Length: 6"
- Material: Aluminum
- Scope Tube Diameter: 30mm
- Style: Direct Mount
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 812102035909

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [MK2 Scope Mounts Safety Instruction Guide](#)
- [About Us](#)

MK2 Scope Mounts Safety Instruction Guide

Introduction

Thank you for choosing the MK2 Scope Mounts from Midwest Industries, Inc. This guide provides essential safety instructions and information for the safe use, installation, and disposal of your scope mounts. Please read this document thoroughly to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the product is used according to the manufacturer's instructions to avoid accidents.
- Always inspect the scope mounts for any visible damage before use. If damage is found, do not use the product.
- Keep the scope mounts out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the relevant authorities.
- Stay informed about recall updates by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Weight Capacity:** Ensure that the scope and accessories do not exceed the weight limit of the MK2 Scope Mounts.
- **Installation Surface:** Use the scope mounts on a stable and secure surface to prevent any movement during installation.
- **Secure Assembly:** Use the integrated Torx hardware to ensure that all components are securely fastened. Loose components may lead to scope misalignment or accidents.
- **Avoid Excessive Force:** Do not overtighten the screws, as this may damage the scope mount or the scope itself.
- **Environmental Considerations:** Avoid exposing the scope mounts to extreme temperatures, moisture, or corrosive substances, as this may affect their performance and durability.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including the Midwest Industries Optic Mount Tool.
- Ensure you have a clean, spacious area to work in.

2. Installation Steps

- Place the base of the scope mount onto the rail of your firearm.
- Align the mount to ensure it is positioned correctly.
- Use the Torx hardware to secure the mount to the rail. Ensure that it is tightened adequately but not excessively.
- Attach the scope to the mount by placing it in the rings and securing it using the provided scope ring caps.
- Adjust the scope to the desired position and tighten the scope ring caps securely.

3. Usage Tips

- Regularly check the tightness of the scope mount and rings, especially after heavy use or transportation.
- Make any necessary adjustments using the Midwest Industries Optic Mount Tool for optimal performance.

Disposal Instructions

- Dispose of the MK2 Scope Mounts in accordance with local regulations.
- If the product is damaged or no longer usable, consider recycling the aluminum components where facilities are available.
- Do not dispose of the product in regular household waste if it can be recycled.

Contact Information for Further Support

For any questions or concerns regarding the MK2 Scope Mounts, please refer to the manufacturer's contact information provided in the product packaging or documentation.

By following these guidelines, you can ensure a safe and enjoyable experience with your MK2 Scope Mounts. Thank you for your attention to safety and for choosing Midwest Industries, Inc.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk