

MK2 SCOPE MOUNTS - MIDWEST INDUSTRIES, INC. MK2 34MM SCOPE MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

Engineered for precision and built to last, the MK2 series elevates your shooting experience with unmatched reliability and style. These MK2 Scope Mounts are designed for shooters seeking a robust and refined scope mounting solution. Featuring a next-generation design, these mounts combine enhanced functionality with a premium aesthetic. Next-generation design enhancing functionality and aesthetics for the MK2 Series Torx hardware is integrated into clamps and scope caps for secure assembly 4140 heat-treated steel clamps for exceptional strength and durability Precision engraving for a premium aesthetic across the mount Optic-specific replacement scope ring caps are available for purchase Hard Coat Anodized 6061 Aluminum for a lifetime of service Includes Midwest Industries Optic Mount Tool for easy scope adjustment and fitting Made in the USA Lifetime Warranty Works with scopes with up to a 56mm objective 30mm Standard Height Specs Weight: 7.9 oz Overall length: 5.875" Width of rings: .850" Distance between rings: 2.800" Offset from base to first ring: 1.400" Distance from top of rail to center line of ring: 1.550" 30mm High Height Specs Weight: 8.6oz Overall length: 5.875" Width of rings: 0.850" Distance between rings: 2.800" Offset from the first ring: 1.500" Distance from top of rail to center line of ring: 1.930" 34mm Standard Height Specs Weight: 8.4oz Overall length: 5.875" Width of rings: .850" Distance between rings: 2.800" Offset from base to first ring: 1.400" Distance from top of rail to center line of ring: 1.550" 34mm High Height Specs Overall length: 5.875" Width of rings: 0.850" Distance between rings: 2.800" Offset from base to first ring: 1.500" Distance from top of rail to center line of ring: 1.930"

NO IMAGE
AVAILABLE

Attributes

- Name: [MIDWEST INDUSTRIES, INC. MK2 34MM SCOPE MOUNT](#)
- Manufacturer: [MIDWEST INDUSTRIES, INC.](#)
- Product no.: 430115975
- Mfr. No.: MI-MK2-34SM
- Finish: Black
- Height: 3"
- Length: 6"
- Material: Aluminum
- Scope Tube Diameter: 34mm
- Style: Direct Mount
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 812102035916

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [MK2 SCOPE MOUNTS SAFETY INSTRUCTIONS](#)
- [About Us](#)

MK2 SCOPE MOUNTS SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the MK2 Scope Mounts by Midwest Industries, Inc. These mounts are engineered for precision and designed to enhance your shooting experience. This safety instruction guide is intended to provide you with essential information to ensure safe use and proper installation of your scope mounts in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the scope mounts for any signs of wear or damage.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Stay informed about any recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always check that the scope mount is securely attached before use.
- Use only the recommended Torx hardware for assembly to ensure proper installation.
- Avoid overtightening the clamps as this may cause damage to the scope or mount.
- Ensure that the mount is compatible with your scope's specifications, especially the objective diameter.
- Do not exceed the weight limit specified for the scope mount to prevent failure during use.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including the Midwest Industries Optic Mount Tool.
- Ensure that your workspace is clean and free from distractions.

2. Installation:

- Place the scope mount on the rail of your firearm.
- Align the mount with the desired position for optimal sighting.
- Using the Torx hardware provided, secure the clamps to the rail.
- Ensure that the clamps are tightened evenly to avoid misalignment.
- Attach the scope to the mount, ensuring it is level and aligned with your shooting position.

3. Adjustment:

- Use the Midwest Industries Optic Mount Tool for any adjustments to the scope position.
- Check the alignment and make adjustments as necessary to ensure accuracy.

4. Final Check:

- After installation, doublecheck all screws and clamps for tightness.
- Ensure that the scope is securely mounted and does not wobble.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.

- Consider recycling the aluminum components where facilities are available.

Contact Information for Further Support

For any questions or concerns regarding the MK2 Scope Mounts, please refer to the manufacturer's contact information provided with the product packaging or visit the official website.

This safety instruction guide has been developed to ensure that you have a safe and enjoyable experience with your MK2 Scope Mounts. Always prioritize safety and follow the guidelines provided. Thank you for choosing Midwest Industries, Inc.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk