

MK2 SCOPE MOUNTS - MIDWEST INDUSTRIES, INC. MK2 34MM SCOPE MOUNT HIGH

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

Engineered for precision and built to last, the MK2 series elevates your shooting experience with unmatched reliability and style. These MK2 Scope Mounts are designed for shooters seeking a robust and refined scope mounting solution. Featuring a next-generation design, these mounts combine enhanced functionality with a premium aesthetic. Next-generation design enhancing functionality and aesthetics for the MK2 Series Torx hardware is integrated into clamps and scope caps for secure assembly 4140 heat-treated steel clamps for exceptional strength and durability Precision engraving for a premium aesthetic across the mount Optic-specific replacement scope ring caps are available for purchase Hard Coat Anodized 6061 Aluminum for a lifetime of service Includes Midwest Industries Optic Mount Tool for easy scope adjustment and fitting Made in the USA Lifetime Warranty Works with scopes with up to a 56mm objective 30mm Standard Height Specs Weight: 7.9 oz Overall length: 5.875" Width of rings: .850" Distance between rings: 2.800" Offset from base to first ring: 1.400" Distance from top of rail to center line of ring: 1.550" 30mm High Height Specs Weight: 8.6oz Overall length: 5.875" Width of rings: 0.850" Distance between rings: 2.800" Offset from the first ring: 1.500" Distance from top of rail to center line of ring: 1.930" 34mm Standard Height Specs Weight: 8.4oz Overall length: 5.875" Width of rings: .850" Distance between rings: 2.800" Offset from base to first ring: 1.400" Distance from top of rail to center line of ring: 1.550" 34mm High Height Specs Overall length: 5.875" Width of rings: 0.850" Distance between rings: 2.800" Offset from base to first ring: 1.500" Distance from top of rail to center line of ring: 1.930"

NO IMAGE
AVAILABLE

Attributes

- Name: [MIDWEST INDUSTRIES, INC. MK2 34MM SCOPE MOUNT HIGH](#)
- Manufacturer: [MIDWEST INDUSTRIES, INC.](#)
- Product no.: 430115976
- Mfr. No.: MI-MK2-34SMH
- Finish: Black
- Height: 3"
- Length: 6"
- Material: Aluminum
- Scope Tube Diameter: 34mm
- Style: Direct Mount
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 812102035923

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [MK2 Scope Mounts Safety Instruction Guide](#)
- [About Us](#)

MK2 Scope Mounts Safety Instruction Guide

Introduction

Thank you for choosing the MK2 Scope Mounts by Midwest Industries, Inc. These mounts are engineered for precision and offer a reliable solution for your shooting needs. Please read this safety instruction guide carefully to ensure proper use and maintenance of the product.

General Safety Guidelines

- Ensure safe use of the MK2 Scope Mounts by following all safety instructions.
- Be aware of potential risks associated with improper installation or usage.
- Always inspect the mount before each use to ensure it is in good condition.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe product incidents or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform to stay informed about product safety.

Specific Safety Precautions for Use

- Always use the scope mount in accordance with the manufacturer's instructions.
- Ensure that the scope mount is compatible with your specific optical device.
- Do not exceed the recommended weight limit for the scope mount.
- Avoid using the mount in extreme conditions that may affect its performance.
- Regularly check for signs of wear or damage to the mount, including clamps and rings.
- Use appropriate tools when adjusting the scope mount to prevent injury.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including the Midwest Industries Optic Mount Tool.
- Ensure the workspace is clean and free from distractions.

2. Installation:

- Place the scope mount on the rifle's rail, aligning it with the desired position.
- Use the Torx hardware provided to secure the mount to the rail.
- Tighten the clamps evenly to ensure a secure fit without overtightening.

3. Scope Attachment:

- Carefully attach your scope to the mount, ensuring it is aligned correctly.
- Use the opticspecific replacement scope ring caps if needed.
- Adjust the scope to the desired height and alignment using the Midwest Industries Optic Mount Tool.

4. Final Checks:

- Inspect the installation to ensure everything is secure.
- Test the mount and scope for stability before use.

Disposal Instructions

- Dispose of the product in accordance with local regulations.

- Do not dispose of the product in regular household waste.
- Consider recycling options for metal and aluminum components.

Contact Information for Further Support

For any inquiries or support regarding the MK2 Scope Mounts, please reach out to the manufacturer's customer service.

Thank you for your attention to these safety instructions. We wish you a safe and enjoyable shooting experience with your MK2 Scope Mounts.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk