

ATACR 5-25X56MM F1 FFP RIFLE SCOPES - ATACR 5-25X56MM F1 FFP ILLUMINATED MOAR RETICLE BLACK

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

Without a doubt, this could be called the perfect all-around long range riflescope. The ATACR 5-25x56 F1 is packed full of features that might make some grown men cry. The ED optics are beautiful, the mechanics sound. The adjustments are standard with the patented Nightforce Hi-Speed ZeroStop, and available in .1 Mrad (12 Mils per revolution) or .25 MOA (30 MOA per revolution) increments. A capped windage adjustment helps prevent accidental adjustment in the field. The parallax adjustment is marked with approximate numbered distances and is coupled with DigIllum digital reticle illumination. The eyepiece features enhanced engraving, an integrated Power Throw Lever (PTL) and an XtremeSpeed thread for making a fast diopter adjustment. All of these features are paired with intelligent, Nightforce F1 reticles to set a new standard in long range shooting. If there's something this riflescope can't do, we have yet to find it.



Attributes

- Name: [ATACR 5-25X56MM F1 FFP ILLUMINATED MOAR RETICLE BLACK](#)
- Manufacturer: [NIGHTFORCE](#)
- Product no.: 524000214
- Mfr. No.: C545
- Battery: CR-2032
- Click Value: 1/4 MOA
- Click Value: 1/4 MOA
- Eye Relief: 3.40", 3.50"
- Finish: Matte Black
- Focal Plane: First
- Illumination: Yes
- Length: 15.4"
- Max Magnification: 25x
- Min. Magnification: 5x
- Model Number: ATACR
- Objective Size: 56mm
- Reticle: MOAR
- Tube Size: 34mm
- Weight: 38.0 oz
- Delivery weight: 0.023kg
- Shipping height: 20mm
- Shipping width: 79mm
- Shipping length: 584mm
- UPC: 847362007960

Item details

Made in USA

This product contains a battery.

US export classification: 0A504.a

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for ATACR 525X56MM F1 FFP Rifle Scope](#)
- [About Us](#)

Safety Instruction Guide for ATACR 525X56MM F1 FFP Rifle Scope

Introduction

Thank you for choosing the ATACR 525X56MM F1 FFP Rifle Scope. This guide provides essential safety information to ensure the safe use of your riflescope. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that the riflescope is used only for its intended purpose.
- Always handle the riflescope with care to avoid damage.
- Keep the riflescope out of reach of children and vulnerable individuals.
- Regularly inspect the riflescope for any signs of damage or wear.
- Avoid using the riflescope in extreme weather conditions unless specified by the manufacturer.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection when using firearms equipped with this riflescope.
- **Mounting:** Ensure that the riflescope is mounted securely to prevent it from loosening during use.
- **Adjustment:** Make adjustments to the riflescope only when it is pointed in a safe direction.
- **Illumination:** Be aware that the illuminated reticle may cause temporary vision impairment in lowlight conditions. Use caution when adjusting the illumination settings.
- **Parallax Adjustment:** Always ensure the parallax adjustment is set correctly to avoid misalignment and ensure accurate shooting.
- **Battery Safety:** Use the specified CR2032 battery only. Follow all battery safety guidelines to prevent leaks or damage.

Instructions for Installation and Usage

Installation

1. Mounting the Riflescope:

- Choose a suitable mounting base compatible with the riflescope.
- Securely attach the riflescope to the base, ensuring it is level and properly aligned.
- Tighten all mounting screws to the manufacturer's specifications.

2. Battery Installation:

- Locate the battery compartment on the riflescope.
- Insert the CR2032 battery, ensuring correct polarity.
- Close the battery compartment securely.

Usage

1. Adjusting the Eyepiece:

- Use the integrated Power Throw Lever (PTL) to quickly adjust the eyepiece for a clear sight picture.
- Make adjustments as needed based on your vision.

2. Setting the Magnification:

- Rotate the magnification ring to select the desired level of magnification (5x to 25x).

3. Focusing the Reticle:

- Use the parallax adjustment to set the correct distance for optimal focus.
- Refer to the marked distances on the parallax adjustment for guidance.

4. Using the Illumination:

- Activate the DigIllum digital reticle illumination as needed.
- Adjust the brightness to suit your shooting environment.

5. Making Adjustments:

- Use the patented Nightforce HiSpeed ZeroStop for windage and elevation adjustments.
- Make adjustments in .1 Mrad or .25 MOA increments as per your preference.

Disposal Instructions

- Dispose of the riflescope and any electronic components in accordance with local regulations.
- Do not dispose of batteries in regular household waste. Follow local guidelines for battery recycling or disposal.

Contact Information for Further Support

For any safety inquiries or further support regarding the ATACR 525X56MM F1 FFP Rifle Scope, please refer to the manufacturer's contact information provided with the product packaging.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the ATACR 525X56MM F1 FFP Rifle Scope.

About Us

Brownells Norge

Brownells Norge - Komplette utvalg av ladeutstyr, våpendeler, kuler, hylser, kikkerter, optikk og luftvåpen

Heiveien 882
4985 Vegårshei

www.brownells.no