

ATACR 5-25X56MM SFP ENHANCED RIFLESCOPES - ATACR 5-25X56MM SFP ILLUMINATED MOAR-T RETICLE BLACK

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The enhanced ATACR™ 5-25x56 incorporates the new ATACR™ 5-25x56 F1 First Focal Plane enhanced feature set, in a second focal plane configuration. The ATACR™ 5-25x56 "Enhanced" Riflescope includes the Nightforce Hi-Speed adjustments with patented ZeroStop, and is available in .1 Mrad (12 Mils per revolution) or .25 MOA (30 MOA per revolution) increments. A capped windage adjustment helps prevent accidental adjustment in the field. The parallax adjustment is marked with approximate numbered distances and is coupled with DigIllum digital reticle illumination. The eyepiece features enhanced engraving, an integrated Power Throw Lever (PTL) and an XtremeSpeed thread for making a fast diopter adjustment. The 34mm tube allows 120 MOA/34.9 Mils of elevation adjustment. Fully multi-coated ED glass results in light transmission values of over 90%, brilliant images and exceptional color contrast. A magnification range of 5x to 25x, and a wider field of view as a result of its unique optical prescription (17.96 feet at 5x) will cover virtually any situation a shooter could encounter. Tenebraex Flip Covers are now included.



Attributes

- Name: [ATACR 5-25X56MM SFP ILLUMINATED MOAR-T RETICLE BLACK](#)
- Manufacturer: [NIGHTFORCE](#)
- Product no.: 524000221
- Mfr. No.: C555
- Battery: CR-2032
- Click Value: 1/4 MOA
- Click Value: 1/4 MOA
- Eye Relief: 3.50"
- Finish: Matte Black
- Focal Plane: Second
- Illumination: Yes
- Length: 14.3"
- Max Magnification: 25x
- Min. Magnification: 5x
- Model Number: ATACR
- Objective Size: 56mm
- Reticle: MOAR-T
- Tube Size: 34mm
- Weight: 39.0 oz
- Delivery weight: 1.814kg
- Shipping height: 119mm
- Shipping width: 137mm
- Shipping length: 587mm
- UPC: 847362008066

Item details

Made in USA

This product contains a battery.

US export classification: 0A504.a

Table of Contents

- Startpage
- Safety Instruction Guide for ATACR 525X56MM SFP Enhanced Riflescopes
- About Us

Safety Instruction Guide for ATACR 525X56MM SFP Enhanced Riflescopes

Introduction

Thank you for choosing the ATACR 525X56MM SFP Enhanced Riflescope. This guide provides essential safety instructions to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the product to understand the safety measures and proper handling.

General Safety Guidelines

- Product Safety:** This product is designed for safe use. Ensure you follow all instructions to minimize risks.
- Enhanced Recalls:** In the event of a safety issue, recall notices will be provided. Please stay informed about any updates.
- Online Shopping:** If purchased online, know that you have the same safety protections as in physical stores.
- Special Consumer Focus:** Extra care should be taken when this product is used by or around vulnerable groups, such as children.
- EU Contact Point:** For any safety inquiries, ensure you have access to the appropriate EU-based contact.
- Rapid Alerts:** Stay updated on any unsafe products through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Hazard Identification:**
 - Always check for any visible damage to the riflescope before use.
 - Be aware of the potential for eye strain or fatigue during prolonged use.
- Avoiding Hazards:**
 - Do not point the riflescope at any person or animal.
 - Ensure that the riflescope is securely mounted to avoid accidents during use.
 - Use the riflescope only as intended and avoid modifications that could impair safety.
- Age Restrictions:**
 - This product is intended for adult users. Keep out of reach of children.

Instructions for Installation and Usage

- Installation:**
 - Ensure the mounting surface is clean and free of debris.
 - Align the riflescope with the mounting base before tightening screws.
 - Use the appropriate tools to secure the riflescope without overtightening.
- Usage:**
 - Adjust the eyepiece for a clear view before aiming.
 - Use the Power Throw Lever (PTL) to make quick adjustments to the magnification.
 - Familiarize yourself with the reticle and adjustment features before engaging in shooting activities.
- Adjustment Settings:**
 - Elevation and windage adjustments can be made using the HiSpeed adjustments. Make sure to reset to zero as necessary.
 - Use the parallax adjustment to ensure accuracy based on the distance of the target.
- Illumination:**
 - Turn on the DigIllum digital reticle illumination for lowlight conditions.
 - Ensure the battery (CR2032) is correctly installed and functional.

Disposal Instructions

- **Environmental Considerations:**
 - Dispose of the product in accordance with local regulations regarding electronic waste.
 - Remove the battery before disposal and recycle it according to local guidelines.
- **Product Disposal:**
 - If the product is no longer usable, ensure it is disposed of safely to prevent harm to the environment.

Contact Information for Further Support

For any questions or concerns regarding the ATACR 525X56MM SFP Enhanced Riflescope, please refer to your retailer or the manufacturer's customer service for assistance.

Thank you for your attention to these safety instructions. Your safety and the safety of others are our top priority. Enjoy your ATACR riflescope responsibly.

About Us

Brownells Norge

Brownells Norge - Komplett utvalg av ladeutstyr, våpendeler, kuler, hylser, kikkerter, optikk og luftvåpen

Heiveien 882
4985 Vegårshei

www.brownells.no