

NX8 4-32X50MM F1 RIFLE SCOPES - NX8 4-32X50MM F1 FFP ILLUMINATED MIL-C RETICLE BLACK

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The NX8 4-32x50 F1 riflescope is a compact and capable long range riflescope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 adds first focal plane performance with an 8x zoom range in a small package. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range. Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. An integrated PTL (Power Throw Lever) makes power changes fast and easy. The compact size and incredible capability of the NX8 4-32x50 F1 makes it an instant favorite for nearly any rifle and intended use. 8x zoom range Red and Green Illumination 26 MRAD/90 MOA total Elevation 20 MRAD/70 MOA total Windage ED Glass Parallax from 11 yards to infinity ZeroStop for elevation Capped Windage



Attributes

- Name: [NX8 4-32X50MM F1 FFP ILLUMINATED MIL-C RETICLE BLACK](#)
- Manufacturer: [NIGHTFORCE](#)
- Product no.: 524000268
- Mfr. No.: C625
- Battery: CR-2032
- Click Value: 0.1 MRAD
- Click Value: 0.1 MRAD
- Eye Relief: 3.40"
- Finish: Black
- Focal Plane: First
- Illumination: Yes
- Length: 13.4"
- Max Magnification: 32x
- Min. Magnification: 4x
- Model Number: NX8
- Objective Size: 50mm
- Reticle: Mil-C
- Tube Size: 30mm
- Weight: 29 oz
- Delivery weight: 1.438kg
- Shipping height: 152mm
- Shipping width: 140mm
- Shipping length: 584mm
- UPC: 847362016733

Item details

This product contains a battery.
US export classification: 0A504.a

Table of Contents

- [Startpage](#)
- [NX8 432X50MM F1 Rifle Scope Safety Instruction Guide](#)
- [About Us](#)

NX8 432X50MM F1 Rifle Scope Safety Instruction Guide

Introduction

Thank you for choosing the NX8 432X50MM F1 Rifle Scope. This guide provides essential safety information to ensure the safe use and handling of your riflescope. Please read it carefully before use.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the NX8 432X50MM F1 riflescope by adhering to all safety instructions.
- **Enhanced Recalls:** Stay informed about any potential recalls. Follow the instructions provided in recall notices.
- **Online Shopping Safety:** If purchased online, ensure that the retailer complies with safety regulations.
- **Vulnerable Groups:** Keep the product out of reach of children and ensure it is used by individuals who are knowledgeable about firearms and optics.
- **EU Contact Point:** For any safety inquiries, contact your local EU-based authority.
- **Rapid Alerts:** Monitor updates on unsafe products through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Handling:** Always handle the riflescope with care. Avoid dropping or striking it against hard surfaces.
- **Installation:** Ensure that the riflescope is mounted securely on the rifle before use.
- **Use:** Only use the riflescope with compatible firearms. Ensure that all users are trained in the safe handling of firearms.
- **Illumination:** Be cautious when using the illuminated reticle. Avoid looking directly at bright light sources through the scope.
- **Parallax Adjustment:** Adjust the parallax correctly to avoid misjudgment of target distance.
- **Environmental Conditions:** Avoid using the riflescope in extreme weather conditions unless it is rated for such use.
- **Maintenance:** Regularly inspect the riflescope for any signs of damage or wear. Do not use if damaged.

Instructions for Installation and Usage

1. Installation:

- Select a suitable mounting base compatible with your firearm.
- Securely attach the NX8 432X50MM F1 riflescope to the mount using appropriate tools.
- Ensure the scope is level and aligned with the rifle barrel.
- Tighten all mounting screws to the manufacturer's specifications.

2. Usage:

- Before use, check that the riflescope is correctly zeroed.
- Adjust the magnification according to your shooting needs using the Power Throw Lever (PTL).
- Utilize the ZeroStop feature to return to your preferred elevation setting quickly.
- Use the parallax adjustment to ensure clarity of the target at various distances.

3. Illumination:

- Turn on the illumination feature and select red or green settings as preferred.
- Adjust brightness levels for optimal visibility depending on lighting conditions.

4. Cleaning and Maintenance:

- Use a soft, dry cloth to clean the lenses. Avoid using abrasive materials.
- Store the riflescope in a protective case when not in use to prevent dust and scratches.

Disposal Instructions

- Dispose of the NX8 432X50MM F1 riflescope in accordance with local waste disposal regulations.
- If the product is damaged beyond repair, ensure that it is disposed of in a manner that prevents any potential hazards to others.

Contact Information for Further Support

For any further assistance, please refer to the manufacturer's website or contact your local retailer. They will provide you with the necessary support and information regarding your NX8 432X50MM F1 riflescope.

By following these safety instructions, you can ensure a safe and enjoyable experience with your NX8 432X50MM F1 riflescope. Thank you for your attention to these important guidelines.

About Us

Brownells Norge

Brownells Norge - Komplette utvalg av ladeutstyr, våpendeler, kuler, hylser, kikkerter, optikk og luftvåpen

Heiveien 882
4985 Vegårshei

www.brownells.no