

ATACR 5-25X56MM F1 FFP RIFLE SCOPES - ATACR 5-25X56MM F1 FFP ILLUMINATED H-59 RETICLE BLACK

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

Without a doubt, this could be called the perfect all-around long range riflescope. The ATACR 5-25x56 F1 is packed full of features that might make some grown men cry. The ED optics are beautiful, the mechanics sound. The adjustments are standard with the patented Nightforce Hi-Speed ZeroStop, and available in .1 Mrad (12 Mils per revolution) or .25 MOA (30 MOA per revolution) increments. A capped windage adjustment helps prevent accidental adjustment in the field. The parallax adjustment is marked with approximate numbered distances and is coupled with DigIllum digital reticle illumination. The eyepiece features enhanced engraving, an integrated Power Throw Lever (PTL) and an XtremeSpeed thread for making a fast diopter adjustment. All of these features are paired with intelligent, Nightforce F1 reticles to set a new standard in long range shooting. If there's something this riflescope can't do, we have yet to find it.



Attributes

- Name: [ATACR 5-25X56MM F1 FFP ILLUMINATED H-59 RETICLE BLACK](#)
- Manufacturer: [NIGHTFORCE](#)
- Product no.: 524000303
- Mfr. No.: C577
- Battery: CR-2032
- Click Value: 0.1 MRAD
- Click Value: 0.1 MRAD
- Eye Relief: 3.50", 3.40"
- Finish: Matte Black
- Focal Plane: First
- Illumination: Yes
- Length: 12.6"
- Max Magnification: 25x
- Min. Magnification: 5x
- Model Number: ATACR
- Objective Size: 56mm
- Reticle: H59
- Tube Size: 34mm
- Weight: 38.0 oz
- Delivery weight: 1.837kg
- Shipping height: 150mm
- Shipping width: 140mm
- Shipping length: 587mm
- UPC: 847362014678

Item details

Made in USA

This product contains a battery.

US export classification: 0A504.a

Table of Contents

- Startpage
- ATACR 525X56MM F1 FFP RIFLE SCOPES Safety Instruction Guide
- About Us

ATACR 525X56MM F1 FFP RIFLE SCOPES Safety Instruction Guide

Introduction

Thank you for choosing the ATACR 525X56MM F1 FFP Rifle Scope. This guide provides essential safety instructions and guidelines to ensure the safe use of this product. Please read this document carefully before using the scope to maximize safety and performance.

General Safety Guidelines

- Ensure that the rifle scope is used only for its intended purpose, which is longrange shooting.
- Always handle firearms with care and follow all local laws and regulations regarding firearm safety.
- Inspect the scope regularly for any signs of damage or wear that may affect its performance.
- Keep the scope and all firearm accessories out of reach of children and unauthorized users.
- Use the scope in appropriate environments, avoiding extreme temperatures and moisture that may damage the optics.
- Report any unsafe products or incidents to the relevant authorities and check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure that the rifle is pointed in a safe direction when adjusting or handling the scope.
- Be aware of your surroundings and ensure that there are no people or animals in the line of fire.
- Use the scope with a stable shooting platform to prevent accidents.
- Avoid looking directly at the sun through the scope, as this can cause serious eye damage.
- When using the illuminated reticle, ensure that the brightness level is appropriate for the lighting conditions to avoid eye strain.
- Follow all manufacturer instructions regarding adjustments and settings to avoid accidental misalignment.

Instructions for Installation and Usage

Installation

1. Mounting the Scope:

- Select a suitable mounting base compatible with the 34mm tube size of the scope.
- Securely attach the scope to the rifle using the appropriate mounting rings.
- Ensure the scope is level and aligned with the rifle barrel.

2. Adjusting the Diopter:

- Use the integrated Power Throw Lever (PTL) to quickly adjust the diopter for your eyesight.
- Look through the scope and adjust until the reticle is sharp and clear.

3. Setting the Parallax:

- Adjust the parallax setting using the marked distances on the parallax adjustment knob.
- Ensure that the parallax is set correctly for the distance at which you are shooting.

Usage

1. Adjusting the Magnification:

- Rotate the magnification ring to set the desired level of magnification between 5x and 25x.

2. Using the Reticle:

- Familiarize yourself with the H59 reticle. Practice using it at various distances to understand its capabilities.

3. Illumination Settings:

- Turn on the illumination feature using the designated control.
- Adjust the brightness level according to the lighting conditions.

4. Zeroing the Scope:

- Follow the manufacturer's instructions for zeroing the rifle scope to ensure accurate shooting.

Disposal Instructions

- Dispose of the scope and any associated components in accordance with local regulations for electronic waste.
- Remove batteries before disposal and recycle them according to local guidelines.

Contact Information for Further Support

For any questions or concerns regarding the ATACR 525X56MM F1 FFP Rifle Scope, please refer to the manufacturer's support resources or contact your local retailer for assistance.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the ATACR 525X56MM F1 FFP Rifle Scope while prioritizing safety and compliance with all regulations.

About Us

Brownells Norge

Brownells Norge - Komplett utvalg av ladeutstyr, våpendeler, kuler, hylser, kikkerter, optikk og luftvåpen

Heiveien 882
4985 Vegårshei

www.brownells.no