

ATACR 4-16X42MM F1 FFP RIFLE SCOPES - NIGHTFORCE ATACR 4-16X42MM FFP ILLUMINATED MIL-C RETICLE BLACK

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

If you need something compact yet powerful, the ATACR 4-16x42 F1 delivers. The fully multi-coated ED glass lenses within are stunning. Adjustments are standard with the Nightforce low profile ZeroHold feature, and available in .1 Mrad increments (12 Mils per revolution). A capped windage adjustment helps prevent accidental adjustment in the field. The parallax adjustment is marked with approximate numbered distances. The eyepiece features enhanced engraving, an integrated Power Throw Lever (PTL) and an XtremeSpeed thread for making a fast diopter adjustment. All of these features are paired with intelligent, Nightforce F1, first focal plane, reticles that provide for fast hold-off adjustments and precise ranging calculations. The ATACR 4-16x42 F1 sets a new standard in mid-powered optics.



Attributes

- Name: [NIGHTFORCE ATACR 4-16X42MM FFP ILLUMINATED MIL-C RETICLE BLACK](#)
- Manufacturer: [NIGHTFORCE](#)
- Product no.: 524000320
- Mfr. No.: C588
- Battery: CR-2032
- Click Value: 0.1 MRAD
- Click Value: 0.1 MRAD
- Eye Relief: 3.40", 3.50"
- Finish: Matte Black
- Focal Plane: First
- Illumination: Yes
- Length: 12.6"
- Max Magnification: 16x
- Min. Magnification: 4x
- Model Number: ATACR
- Objective Size: 42mm
- Reticle: Mil-C
- Tube Size: 34mm
- Weight: 30.0 oz
- Delivery weight: 1.501kg
- Shipping height: 152mm
- Shipping width: 140mm
- Shipping length: 584mm
- UPC: 847362015323

Item details

Made in USA

This product contains a battery.

US export classification: 0A504.a

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for ATACR 416X42MM F1 FFP Rifle Scope](#)
- [About Us](#)

Safety Instruction Guide for ATACR 416X42MM F1 FFP Rifle Scope

Introduction

Thank you for choosing the ATACR 416X42MM F1 FFP Rifle Scope by Nightforce. This guide provides essential safety instructions and usage guidelines to ensure safe operation and maintenance of your rifle scope. Please read this document carefully before using the product.

General Safety Guidelines

- Always handle the rifle scope with care to avoid damage.
- Ensure that the rifle scope is mounted securely to the firearm before use.
- Do not use the rifle scope for purposes other than intended.
- Keep the rifle scope out of reach of children and vulnerable individuals.
- Regularly inspect the rifle scope for any signs of wear or damage.
- In case of any malfunction, discontinue use immediately and seek professional assistance.
- Follow all local laws and regulations regarding the use of firearms and optics.

Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection when using firearms equipped with the rifle scope.
- **Environmental Conditions:** Avoid using the rifle scope in extreme weather conditions that may affect functionality, such as heavy rain or snow.
- **Storage:** Store the rifle scope in a cool, dry place when not in use to prevent moisture damage.
- **Cleaning:** Use a soft, lintfree cloth for cleaning the lenses. Avoid using harsh chemicals that may damage the coating.
- **Adjustment Caution:** Be cautious when making adjustments to the scope. Ensure the firearm is pointed in a safe direction at all times.
- **Battery Handling:** If your scope requires a battery, handle it according to the manufacturer's instructions. Dispose of batteries properly.

Instructions for Installation and Usage

1. Mounting the Scope:

- Choose a suitable mounting base that is compatible with your firearm.
- Securely attach the scope rings to the base.
- Place the rifle scope into the rings and tighten the screws to ensure it is stable.

2. Adjusting the Scope:

- Set the magnification to the desired level using the magnification ring.
- Adjust the parallax according to the distance you will be shooting, using the marked distances on the adjustment dial.
- Use the windage and elevation adjustments to zero the scope.

3. Using the Scope:

- Position your eye at the designated eye relief distance (3.50" to 3.40") for optimal viewing.
- Look through the scope and adjust the focus if necessary using the eyepiece.
- Utilize the illuminated reticle for improved visibility in lowlight conditions.

4. Final Checks:

- Before firing, doublecheck that the scope is securely mounted and all adjustments are correctly set.
- Ensure the firearm is in a safe condition before taking aim.

Disposal Instructions

- Dispose of the rifle scope and any accessories in accordance with local regulations.
- Do not dispose of batteries in regular household waste; follow local guidelines for battery disposal.

Contact Information for Further Support

For any questions or concerns regarding the ATACR 416X42MM F1 FFP Rifle Scope, please refer to your local Nightforce dealer or authorized service center for assistance. Ensure you have your product details ready for a more efficient inquiry.

By following these safety instructions, you can ensure a safe and enjoyable experience with your ATACR 416X42MM F1 FFP Rifle Scope. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk