

# **NX8 1-8X24MM FFP RIFLE SCOPE - NX8 1-8X24MM FFP ILLUMINATED FC-MIL RETICLE BLACK**

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

## **Offers Owners a Leading Rifle Optic**

The NX8 1-8X24 F1 is a class leading, compact and lightweight riflescope optimized for short to mid-range shooting. At only 8.75" in length and 17 ounces, this riflescope adds minimal size and weight but delivers superior optics and trusted Nightforce performance to any rifle. With the daylight visible center red dot users can engage targets with speed like a red-dot sight, but as targets increase in distance the intelligent first focal plane reticle provides precise hold points. For those preferring to dial for long shots, the ZeroStop elevation adjustment allows for a rapid and positive return to zero. To aid in fast magnification adjustments, a built-in Power Throw Lever (PTL) is included. First Focal Plane Reticle Weighs 17 ounces Built on a 30mm tube 0.2 MRAD or 0.50 MOA adjustments 100 MOA/30 MRAD of total internal adjustment



## **Attributes**

- Name: [NX8 1-8X24MM FFP ILLUMINATED FC-MIL RETICLE BLACK](#)
- Manufacturer: [NIGHTFORCE](#)
- Product no.: 524000391
- Mfr. No.: C598
- Battery: CR-2032
- Click Value: 0.2 MRAD
- Click Value: 0.2 MRAD
- Eye Relief: 3.75"
- Finish: Matte Black
- Focal Plane: First
- Illumination: Yes
- Length: 8.75"
- Max Magnification: 8x
- Min. Magnification: 1x
- Model Number: NX8
- Objective Size: 24mm
- Reticle: FC-MIL
- Tube Size: 30mm
- Weight: 17.0 oz
- Delivery weight: 1.031kg
- Shipping height: 147mm
- Shipping width: 137mm
- Shipping length: 432mm
- UPC: 847362015514

## **Item details**

This product contains a battery.  
US export classification: 0A504.a

# Table of Contents

- Startpage
- NX8 18X24MM FFP RIFLE SCOPE SAFETY INSTRUCTIONS
- About Us

# NX8 18X24MM FFP RIFLE SCOPE SAFETY INSTRUCTIONS

## Introduction

Thank you for choosing the NX8 18X24MM FFP Rifle Scope. This guide provides important safety instructions and guidelines to ensure the safe and effective use of your riflescope. Please read this manual thoroughly before use to understand the necessary precautions and recommendations.

## General Safety Guidelines

- Ensure the riflescope is used in accordance with local laws and regulations regarding firearms and optics.
- Always treat the riflescope as if it is loaded and handle it with care.
- Keep the riflescope out of reach of children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear before use.
- Store the riflescope in a cool, dry place when not in use.
- Do not expose the riflescope to extreme temperatures or moisture to avoid damage.
- If you experience any malfunction or irregularity, discontinue use immediately and seek assistance.

## Specific Safety Precautions for Use

- Use the riflescope only for its intended purpose: short to midrange shooting.
- Always ensure the riflescope is securely mounted to your firearm before use.
- When adjusting the magnification or reticle settings, do so only when the firearm is pointed in a safe direction.
- Avoid looking directly at the sun through the riflescope, as this can cause permanent damage to your eyesight.
- Be aware of your surroundings and ensure a clear line of sight before taking any shots.
- Use protective eyewear when shooting to safeguard against debris and potential injury.
- If using the illumination feature, ensure the battery is installed correctly and is functioning.

## Instructions for Installation and Usage

### 1. Mounting the Riflescope

- Choose a suitable mounting base compatible with the 30mm tube of the NX8 riflescope.
- Securely attach the mounting rings to your firearm, ensuring they are tightened to the manufacturer's specifications.
- Place the riflescope in the rings and adjust its position for optimal eye relief (3.75 inches).
- Tighten the rings securely to prevent movement during use.

### 2. Adjusting the Reticle

- To adjust the reticle for windage and elevation, use the provided dials.
- Each click corresponds to 0.2 MRAD or 0.50 MOA adjustments. Make adjustments as necessary based on your shooting distance.
- Use the ZeroStop feature to return to your zero setting quickly after adjustments.

### 3. Using the Illumination Feature

- Insert a CR2032 battery into the illumination compartment, ensuring correct polarity.
- Turn on the illumination by adjusting the control knob to the desired brightness level.
- Always turn off the illumination feature when not in use to conserve battery life.

#### 4. Magnification Adjustments

- Use the builtin Power Throw Lever (PTL) to quickly adjust magnification from 1x to 8x as needed.
- Make adjustments while keeping the firearm pointed in a safe direction.

## Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste and firearms accessories.
- Remove the battery before disposal and recycle it according to local battery disposal guidelines.
- If the riflescope is damaged beyond repair, consult local waste management services for safe disposal options.

## Contact Information for Further Support

For safety inquiries, product support, or to report unsafe products, please contact the appropriate local authorities or your retailer. Ensure to keep the product's model number (NX8) and any relevant purchase information handy for reference.

By following these safety instructions, you can ensure a safe and enjoyable experience with your NX8 18X24MM FFP Rifle Scope. Thank you for your attention to safety.

# About Us

## Brownells Norge

**Brownells Norge - Komplett utvalg av ladeutstyr, våpendeler, kuler, hylser, kikkerter, optikk og luftvåpen**

Heiveien 882  
4985 Vegårshei

[www.brownells.no](http://www.brownells.no)