

ATACR 7-35X56MM F2 RIFLE SCOPES - ATACR 7-35X56MM SFP ILLUMINATED MOAR-T RETICLE BLACK

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

Extreme long range (ELR) shooting continues to grow in popularity, bringing the challenging requirements of seeing and then dialing to hit a target at extended distances. The ATACR 7-35x56 uses Extra-low Dispersion (ED) glass, that cuts through mirage and environmental conditions to deliver a clean and crisp image of the target and surrounding area. Every click of the ATACR's 100 MOA/29 MRAD total travel is extensively tested, ensuring the scope is not a weak link in connecting on target. Additionally, there are 30 MOA or 12 MRAD per rotation of the turret for rapid dialing and the ZeroStop™ feature provides an easy return to zero. Finally, each ATACR is impact tested to verify it will withstand the harshest of recoil from a super-magnum rifle. The combination of superb image quality, extensive elevation travel range available and robust construction, the ATACR 7-35x56 will work well on anything from a .22 LR to a .416 Barrett or bigger. For shooters looking to make hits on targets once thought impossible to reach, the second focal plane ATACR 7-35x56 is the answer.



Attributes

- Name: [ATACR 7-35X56MM SFP ILLUMINATED MOAR-T RETICLE BLACK](#)
- Manufacturer: [NIGHTFORCE](#)
- Product no.: 524000504
- Mfr. No.: C626
- Battery: CR-2032
- Click Value: 1/4 MOA
- Click Value: 1/4 MOA
- Eye Relief: 3.50"
- Finish: Matte Black
- Focal Plane: Second
- Illumination: Yes
- Length: 16"
- Max Magnification: 35x
- Min. Magnification: 7x
- Model Number: ATACR
- Objective Size: 56mm
- Reticle: MOAR-T
- Tube Size: 34mm
- Weight: 39.3 oz
- Delivery weight: 1.787kg
- Shipping height: 140mm
- Shipping width: 140mm
- Shipping length: 584mm
- UPC: 847362016740

Item details

Made in USA

This product contains a battery.

US export classification: 0A504.a

Table of Contents

- [Startpage](#)
- [ATACR 735X56MM F2 RIFLE SCOPES Safety Instructions](#)
- [About Us](#)

ATACR 735X56MM F2 RIFLE SCOPES Safety Instructions

Introduction

Thank you for choosing the ATACR 735X56MM F2 Rifle Scope. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this document carefully before using the scope.

General Safety Guidelines

- **Product Safety:** This rifle scope is designed for safe use. Ensure you follow the safety guidelines to minimize risks.
- **Enhanced Recalls:** Stay informed about potential recalls by checking reliable sources. If a recall occurs, follow the instructions provided for returning or remedying the product.
- **Online Shopping:** When purchasing online, ensure the retailer complies with safety regulations.
- **Vulnerable Groups:** Extra care should be taken if children are present during use or handling of the scope.
- **EU Contact Point:** For safety inquiries, please refer to the appropriate EU contact point available through the retailer or manufacturer.
- **Rapid Alerts:** Keep updated on product safety through the EU's Safety Gate system.

Specific Safety Precautions for Use

- **Avoid Eye Injury:** Always use protective eyewear when using the rifle scope to prevent eye injury from recoil or debris.
- **Proper Mounting:** Ensure that the scope is securely mounted on your firearm to avoid accidents during use.
- **Check for Damage:** Inspect the scope for any damage before use. Do not use if the scope is damaged or malfunctioning.
- **Keep Out of Reach of Children:** Store the scope in a safe place away from children to prevent accidents.
- **Use in Appropriate Conditions:** Avoid using the scope in extreme weather conditions that may affect its performance or safety.
- **Follow Firearm Safety Guidelines:** Always follow standard firearm safety practices when using the scope.

Instructions for Installation and Usage

1. Installation:

- Ensure your firearm is unloaded before installing the scope.
- Use the appropriate mounting rings for the scope size (34mm tube).
- Securely attach the scope to the rifle using a torque wrench to the manufacturer's specifications.
- Adjust the scope to ensure proper eye relief (3.50 inches) and alignment with your eyesight.

2. Usage:

- Before shooting, ensure the area is safe and clear of obstructions.
- Use the turret to adjust for elevation (30 MOA or 12 MRAD per rotation) and windage as needed.
- Utilize the ZeroStop™ feature to easily return to your zero setting.
- When making adjustments, take your time to ensure accuracy.

Disposal Instructions

- **Environmental Responsibility:** Dispose of the rifle scope in accordance with local regulations.
- **Electronic Waste:** If the scope contains electronic components (e.g., battery), ensure these are disposed of at an appropriate electronic waste facility.

Contact Information for Further Support

For any questions or concerns regarding the ATACR 735X56MM F2 Rifle Scope, please refer to the retailer or manufacturer for assistance.

By following these guidelines, you can ensure a safe and enjoyable experience with your ATACR rifle scope. Thank you for your attention to safety.

About Us

Brownells Norge

Brownells Norge - Komplet utvalg av ladeutstyr, våpendeler, kuler, hylser, kikkerter, optikk og luftvåpen

Heiveien 882
4985 Vegårshei

www.brownells.no