

NX8 2.5-20X50MM F2 RIFLE SCOPES - NX8 2.5-20X50MM SFP ILLUMINATED MIL-CF2 RETICLE BLACK

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

Rugged Riflescope Designed for Field Use

Even though it's smaller in size than many of today's high-power, long-range optics, the Nightforce NX8 is more than capable of providing premium performance downrange, thanks to its incredibly clear glass and the inclusion of the company's purpose-built F2 reticles. Available with either an MOAR-CF2 or a MIL-CF3 reticle, these sighting systems provide an open center and an intuitive system of subtensions for rapid adjustments. Each Nightforce NX8 2.5-20x50mm Riflescope is built with the company's extreme dispersion optical system, which provides enhanced clarity and quality in a scope tube that's shorter than many others on the market. The optic is equipped with a second focal plane reticle, which means that the reticle remains consistent in size throughout the magnification range. Other features included on the Nightforce NX8 2.5-20x50mm Riflescope are the company's ZeroStop turret, enhanced power-throw lever and the DigIllum reticle illumination system. Both optics are built on 30mm tubes for increased durability and adjustment range.



Attributes

- Name: [NX8 2.5-20X50MM SFP ILLUMINATED MIL-CF2 RETICLE BLACK](#)
- Manufacturer: [NIGHTFORCE](#)
- Product no.: 524000534
- Mfr. No.: C638
- Battery: CR-2032
- Click Value: 0.1 MRAD
- Click Value: 0.1 MRAD
- Eye Relief: 3.50"
- Finish: Black
- Focal Plane: Second
- Illumination: Yes
- Length: 12.1"
- Max Magnification: 20x
- Min. Magnification: 2.5x
- Model Number: NX8
- Objective Size: 50mm
- Reticle: MIL-CF2
- Tube Size: 30mm
- Weight: 28.6 oz
- Delivery weight: 1.352kg
- Shipping height: 152mm
- Shipping width: 140mm
- Shipping length: 432mm
- UPC: 847362018096

Item details

This product contains a battery.

US export classification: 0A504.a

Table of Contents

- [Startpage](#)
- [NX8 2.520X50MM F2 Rifle Scope Safety Instructions](#)
- [About Us](#)

NX8 2.520X50MM F2 Rifle Scope Safety Instructions

Introduction

Thank you for choosing the Nightforce NX8 2.520X50MM F2 Rifle Scope. This guide provides essential safety instructions to ensure the safe use and handling of your riflescope. Please read this manual carefully before using the product.

General Safety Guidelines

- Ensure that the riflescope is used only for its intended purpose: mounting on a firearm for aiming at targets.
- Always treat every firearm as if it is loaded. Follow all firearm safety rules.
- Keep the riflescope and any associated equipment out of reach of children and unauthorized users.
- Inspect the riflescope regularly for any signs of damage or wear. Do not use if damaged.
- Store the riflescope in a cool, dry place when not in use to prevent moisture damage.

Specific Safety Precautions for Use

- **Eye Safety:**
 - Always use appropriate eye protection when using firearms equipped with this riflescope.
 - Maintain a proper eye relief distance of 3.50 inches to avoid injury from recoil.
- **Mounting Precautions:**
 - Ensure that the riflescope is securely mounted to the firearm according to the manufacturer's instructions.
 - Check the mounting screws regularly to ensure they are tight and secure.
- **Operational Safety:**
 - Do not look directly at the sun through the riflescope, as this can cause severe eye damage.
 - Avoid using the riflescope in extreme weather conditions unless it is specifically rated for such use.
- **Handling Ammunition:**
 - Use only the appropriate caliber ammunition recommended for your firearm.
 - Store ammunition separately from the riflescope and firearm.

Instructions for Installation and Usage

Installation

1. Mounting the Riflescope:

- Select a mounting base compatible with your firearm and the 30mm tube size of the NX8.
- Securely attach the mounting rings to the base.
- Place the riflescope in the rings, ensuring it is level and aligned with the firearm.
- Tighten the mounting screws evenly to secure the riflescope in place.

2. Adjusting the Reticle:

- Use the ZeroStop turret to set your zero point according to your shooting requirements.
- Adjust the reticle using the click value of 0.1 MRAD for precise targeting.

Usage

1. Adjusting Magnification:

- Rotate the magnification ring to select the desired level of magnification, ranging from 2.5x to 20x.

2. Illumination:

- Activate the DigIllum reticle illumination system for improved visibility in lowlight conditions.
- Adjust the brightness as needed for optimal viewing.

3. Regular Maintenance:

- Clean the lenses with a soft, lintfree cloth to maintain clarity.
- Avoid using harsh chemicals or abrasive materials on the lenses.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste.
- Do not dispose of the riflescope in regular household waste.
- Remove batteries (if applicable) and dispose of them separately as per local guidelines.

Contact Information for Further Support

For any inquiries regarding the safety, usage, or maintenance of your Nightforce NX8 2.520X50MM F2 Rifle Scope, please contact the manufacturer or your retailer for assistance. Ensure you have the model number (NX8) and any other relevant information ready for a more efficient response.

By following these safety instructions, you can ensure a safe and enjoyable experience with your Nightforce NX8 2.520X50MM F2 Rifle Scope. Thank you for your attention to safety, and happy shooting!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at