

MATCHKING 338 CALIBER (0.338") HOLLOW POINT BOAT TAIL BULLETS - MATCHKING 338 CALIBER (0.338") 250GR HPBT 500/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

For serious rifle competition, you'll be in championship company with MatchKing® bullets. The hollow point boat tail design provides that extra margin of ballistic performance match shooters need to fire at long ranges under adverse conditions.



Attributes

- Name: [MATCHKING 338 CALIBER \(0.338"\) 250GR HPBT 500/BOX](#)
- Manufacturer: [SIERRA BULLETS](#)
- Product no.: 749008320
- Mfr. No.: 2650C
- Ballistic Coefficient (G1): 0.587
- Brand Style: MatchKing
- Bullet Style: Hollow Point Boat Tail (HPBT)
- Caliber: 338 Caliber
- Diameter (Breech): 0.338
- Diameter (in): 0.338
- Grain: 250
- Sectional Density: 0.313
- Quantity: 500
- Delivery weight: 8.278kg
- Shipping height: 102mm
- Shipping width: 145mm
- Shipping length: 173mm
- UPC: 092763526507

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- Startpage
- MATCHKING 338 CALIBER (0.338") HOLLOW POINT BOAT TAIL BULLETS Safety Instruction Guide
- About Us

MATCHKING 338 CALIBER (0.338") HOLLOW POINT BOAT TAIL BULLETS Safety Instruction Guide

Introduction

Welcome to the safety instruction guide for the MATCHKING 338 CALIBER (0.338") HOLLOW POINT BOAT TAIL BULLETS. This guide is designed to ensure the safe use of this product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully to understand the necessary precautions and procedures for safe handling and usage.

General Safety Guidelines

- Ensure that you are familiar with local laws and regulations regarding the use of ammunition and firearms.
- Always treat all ammunition as if it is live. Handle with care to prevent accidents.
- Keep ammunition out of reach of children and unauthorized users.
- Store ammunition in a cool, dry place, away from direct sunlight and moisture.
- Regularly inspect ammunition for signs of damage or corrosion.
- In case of a misfire, follow the manufacturer's instructions for safe handling.

Specific Safety Precautions for Use

- Always wear appropriate eye and ear protection when using firearms.
- Use only firearms that are specifically designed for the caliber of the bullets.
- Ensure the firearm is in good working condition before use.
- Avoid using ammunition that shows signs of damage or wear.
- Do not exceed the recommended load specifications for your firearm.
- Be aware of your surroundings and ensure a safe shooting environment.
- Never point a firearm at anything you do not intend to shoot.

Instructions for Installation and Usage

- Before loading, ensure that the firearm is pointed in a safe direction.
- Open the ammunition box carefully to avoid spilling bullets.
- Load the bullets into the magazine or chamber according to the firearm's manual.
- After loading, always check the safety mechanism of the firearm.
- When ready to shoot, align your aim and ensure the area is clear.
- Follow through with proper shooting techniques to ensure accuracy and safety.

Disposal Instructions

- Dispose of any damaged or expired ammunition in accordance with local regulations.
- Do not throw ammunition in regular trash or recycling bins.
- Contact local authorities or waste management facilities for proper disposal methods.
- Ensure that all spent casings are collected and disposed of safely.

Contact Information for Further Support

For any safety inquiries or concerns regarding the MATCHKING 338 CALIBER (0.338") HOLLOW POINT BOAT TAIL BULLETS, please refer to the manufacturer's contact information provided with the product packaging.

Conclusion

By following these safety instructions, you can help ensure a safe and enjoyable experience with the MATCHKING 338 CALIBER (0.338") HOLLOW POINT BOAT TAIL BULLETS. Always prioritize safety and stay informed about best practices for handling ammunition and firearms.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at