

V-MAX 22 CALIBER (0.224") POLYMER TIP BOAT TAIL RIFLE BULLETS - V-MAX .22 CAL. (0.224") 53GR POLYMER TIP BOAT TAIL 100/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

With its combination of proven materials, innovative design and streamlined profile, the Hornady® V-MAX® represents the pinnacle of what a specialized varmint bullet can achieve, offering straight-line trajectories, enhanced accuracy, dramatic expansion and explosive fragmentation at a wide range of distances and velocities. The industry's leading varmint bullet with polymer tip and streamlined design results in flat trajectories. The concentricity of the match grade AMP® bullet jacket provides maximum accuracy at all ranges as well as explosive expansion, even at velocities as low as 1600 fps. Product Features: POLYMER TIP The secret to the explosive terminal performance of the V-Max® is a hollow cavity resting between the tip's shaft and the body of the bullet. Upon impact, the hard shaft builds up speed and energy before driving into the core, causing the entire package to rapidly expand to the point of violent fragmentation, even at low terminal velocities. HIGHER BALLISTIC COEFFICIENT Hornady® combines the sharp, pointed polymer tip with the most aerodynamic profile for a high ballistic coefficient. The V-MAX® profile also provides the maximum bearing surface for added in-flight stability. SWAGED LEAD CORE The swaging process allows precise formation of the core up and around the tip, with a cavity under the tip's stem. This allows the tip to build up energy before smashing into the core, causing dramatic fragmentation of the core and jacket. PRECISE BOATTAIL & FLATBASE DESIGNS Utilizing the proper base design provides incredible in-flight stability for long-range shooting.



Attributes

- Name: [V-MAX .22 CAL. \(0.224"\) 53GR POLYMER TIP BOAT TAIL 100/BOX](#)
- Manufacturer: [HORNADY](#)
- Product no.: 749012744
- Mfr. No.: 22265
- Ballistic Coefficient (G1): 0.290
- Brand Style: V-Max
- Bullet Style: V-Max
- Caliber: 22 Caliber
- Diameter (Breech): 0.224
- Diameter (in): 0.224
- Grain: 53
- Sectional Density: 0.151
- Quantity: 100
- Delivery weight: 0.386kg
- Shipping height: 57mm
- Shipping width: 51mm
- Shipping length: 64mm
- UPC: 090255701036

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for VMAX 22 CALIBER \(0.224"\) POLYMER TIP BOAT TAIL RIFLE BULLETS](#)
- [About Us](#)

Safety Instruction Guide for VMAX 22 CALIBER (0.224") POLYMER TIP BOAT TAIL RIFLE BULLETS

Introduction

Thank you for choosing the Hornady® VMAX® 22 Caliber (0.224") Polymer Tip Boat Tail Rifle Bullets. This guide provides essential safety instructions to ensure the safe use of this product. Please read this guide carefully to understand how to handle, use, and dispose of these bullets safely.

General Safety Guidelines

- **Product Safety:** Ensure safe use of all nonfood products, including new technologies and online purchases.
- **Enhanced Recalls:** Stay informed about standardized recall notices and remedies for dangerous products.
- **Online Shopping:** Verify that online platforms meet safety requirements similar to physical stores.
- **Special Consumer Focus:** Extra safeguards are in place for vulnerable groups, including children.
- **EU Contact Point:** For any safety inquiries, refer to the designated EU-based contact.
- **Rapid Alerts:** Keep updated on unsafe products through the EU's Safety Gate system.

Specific Safety Precautions for Use

- **Age Restrictions:** This product is intended for use by adults. Keep out of reach of children.
- **Personal Protective Equipment (PPE):** Always wear appropriate PPE, including safety glasses and gloves, when handling bullets.
- **Storage:** Store bullets in a cool, dry place away from direct sunlight and moisture. Ensure they are kept in their original packaging.
- **Handling:** Always handle bullets with care. Avoid dropping or mishandling them to prevent damage or accidental discharge.
- **Transportation:** When transporting bullets, ensure they are securely stored in a suitable container to prevent movement and potential hazards.

Instructions for Installation and Usage

- **Installation:**
 - Ensure your firearm is clean and in good working condition before loading bullets.
 - Follow the manufacturer's instructions for your specific firearm model when loading bullets.
- **Usage:**
 - Only use these bullets in firearms that are specifically designed for .22 caliber ammunition.
 - Always check the barrel and action of your firearm to ensure it is clear of obstructions before loading.
 - Load bullets according to the recommended charge as specified in the reloading manual for your firearm.
 - Never exceed the recommended load for your specific firearm model.
- **Shooting:**
 - Always shoot in a safe direction and be aware of your surroundings.
 - Ensure a proper shooting stance and grip on the firearm.
 - Be alert for any malfunctions or unusual behavior from your firearm while shooting.

- If a bullet fails to fire, wait at least 30 seconds before attempting to remove it from the chamber.

Disposal Instructions

- Dispose of any unused or damaged bullets in accordance with local regulations.
- Do not discard bullets in regular household waste.
- Contact your local waste management authority for guidance on proper disposal methods.
- Ensure that spent cartridges are disposed of safely to prevent environmental contamination.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of the Hornady® VMAX® bullets, please refer to the manufacturer's official website or contact the designated EUbased contact for assistance.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your Hornady® VMAX® 22 Caliber (0.224") Polymer Tip Boat Tail Rifle Bullets. Thank you for prioritizing safety!

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz