

COMPETITION BUSHING NECK DIES - COMPETITION NECK DIE 30 NOSLER

Similar in design concept to Reddings Competition Seating Die, the cartridge case is completely supported and aligned with the sizing bushing before the sizing process begins. As the sizing process starts, the cartridge case remains supported in the tightly chambered, sliding sleeve as it moves upward while the resizing bushing self-centers on the case neck. The decapping rod is maintained in precise alignment by using the internal parts of the die as a linear support much like that of a firing pin. Meanwhile, the micrometer adjustment of the bushing position delivers precise control to the desired amount of neck length to be sized. These dies were designed for use by Competition Shooters who have meticulously prepared their cartridge cases and do not wish to use a sizing button, however, carbide size button kits are available separately. Bushings and shellholders sold separately

NO IMAGE
AVAILABLE

Attributes

- Name: COMPETITION NECK DIE 30 NOSLER
- Manufacturer: REDDING
- Product no.: 749016559
- Mfr. No.: 56817
- Cartridge: 30 Nosler
- Die Style: -
- Delivery weight: 0.408kg
- Shipping height: 25mm
- Shipping width: 114mm
- Shipping length: 152mm
- UPC: 611760568176

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Competition Bushing Neck Dies 30 Nosler](#)

Safety Instruction Guide for Competition Bushing Neck Dies 30 Nosler

Introduction

Thank you for choosing the Competition Bushing Neck Dies for your reloading needs. This guide provides important safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully before using the dies.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the dies out of reach of children and vulnerable individuals.
- Always wear appropriate safety gear, including eye protection, when reloading ammunition.
- Read and understand all instructions before use.
- Regularly inspect your equipment for wear and damage.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure that the cartridge case is properly supported before beginning the sizing process.
- Do not exceed the recommended pressure limits for the cartridge being resized.
- Use only compatible bushings and shellholders as specified by the manufacturer.
- Avoid wearing loose clothing or jewelry that may get caught in the equipment during operation.
- Do not attempt to modify the dies or use them for purposes other than intended.
- Ensure that the work area is clean and free from obstructions to prevent accidents.

Instructions for Installation and Usage

1. Setup:

- Secure the die in a reloading press according to the manufacturer's instructions.
- Ensure that the die is tightened properly to prevent movement during operation.

2. Using the Die:

- Insert the cartridge case into the die, ensuring it is fully seated.
- Adjust the micrometer to the desired neck length for resizing.
- Begin the sizing process by operating the reloading press slowly and steadily.
- Monitor the alignment of the decapping rod and ensure it remains in proper position throughout the process.

3. PostUse:

- Remove the resized cartridge case from the die.
- Clean the die after use to prevent corrosion and maintain performance.
- Store the dies in a cool, dry place away from direct sunlight.

Disposal Instructions

- Dispose of any damaged or worn dies in accordance with local regulations.
- Recycle materials whenever possible to minimize environmental impact.
- Do not dispose of the product in general waste if it can cause harm to the environment.

Contact Information for Further Support

For any questions or concerns regarding the use of this product, please refer to the manufacturer's website or customer service for assistance.

By following these safety instructions, you can ensure a safe and effective reloading experience with the Competition Bushing Neck Dies. Thank you for your attention to safety and compliance.