

FLAT BULLET SEATING MICROMETER - #5 FLAT BULLET SEATING MICROMETER

Redding Bullet Seating Micrometers are for use with most standard Redding Seating Dies and provide a direct replacement for the original seat plug. They provide a direct replacement for the original seat plugs and can easily be changed from one die to another. Redding Bullet Seating Micrometers for bottleneck cartridges are available for traditional bullet shapes (STD) and for VLD bullet shapes (VLD). They are also available for handgun and straight wall cartridges with traditional bullet shapes (STD) and flat nose bullet designs (FLAT).



Attributes

- Name: #5 FLAT BULLET SEATING MICROMETER
- Manufacturer: REDDING
- Product no.: 749017212
- Mfr. No.: 09465
- Delivery weight: 0.073kg
- Shipping height: 19mm
- Shipping width: 19mm
- Shipping length: 89mm
- UPC: 611760094651

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: FLAT BULLET SEATING MICROMETER #5 Safety Instruction Guide](#)

FLAT BULLET SEATING MICROMETER #5 Safety Instruction Guide

Introduction

Thank you for choosing the FLAT BULLET SEATING MICROMETER #5. This guide provides important safety information and instructions to ensure the safe and effective use of this product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that you are using the FLAT BULLET SEATING MICROMETER #5 with compatible Redding Seating Dies.
- Always inspect the micrometer before use for any signs of damage or wear.
- Keep the micrometer out of reach of children and vulnerable individuals.
- Use the micrometer only for its intended purpose: seating bullets in reloading applications.
- Do not modify the micrometer in any way; alterations may compromise safety and functionality.
- Be aware of your surroundings when using the micrometer to prevent accidents.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including safety glasses and gloves, when handling reloading equipment.
- Ensure that the work area is clean and free from obstructions.
- Avoid distractions while using the micrometer to maintain focus and precision.
- Handle bullets and cartridges with care to prevent accidental discharge.
- Store the micrometer in a safe and dry place when not in use to prevent damage.

Instructions for Installation and Usage

1. Installation:

- Remove the existing seat plug from the Redding Seating Die.
- Carefully insert the FLAT BULLET SEATING MICROMETER #5 into the die, ensuring it is securely seated.
- Adjust the micrometer to the desired bullet seating depth according to your specifications.

2. Usage:

- Before seating bullets, verify that the micrometer is set to the correct depth by using a caliper or similar measuring tool.
- Place the bullet into the die and apply a steady, even pressure to seat the bullet.
- After seating, check the bullet depth to ensure it meets your requirements.
- If adjustments are needed, carefully turn the micrometer to the desired setting and repeat the seating process.

Disposal Instructions

- Dispose of the FLAT BULLET SEATING MICROMETER #5 in accordance with local regulations.
- Do not dispose of the micrometer in regular household waste.
- Check with local authorities for proper disposal methods for metal products.

Contact Information for Further Support

For any safety inquiries or additional support, please refer to the manufacturer's contact details provided with the product packaging. Ensure you have the product information ready when seeking assistance.

By following these safety guidelines and instructions, you can ensure the safe and effective use of the FLAT BULLET SEATING MICROMETER #5. Thank you for prioritizing safety in your reloading practices.

