

# 77/22® REAR SIGHT - FLIP-UP REAR SIGHT FOR RUGER 77/22 BLACK

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

FITS: 77/22 R, RS, .22 LR; 77/22 RH, RSH, .22 Hornet; K77/22 RP, RSP, .22 LR;  
77/44 RS, .44 Mag; 77/50, .50; M-96, .22 LR



## Attributes

- Name: [FLIP-UP REAR SIGHT FOR RUGER 77/22 BLACK](#)
- Manufacturer: [RUGER](#)
- Product no.: 780000316
- Mfr. No.: J06100
- Color: Black
- Make: Ruger
- Model: 77/22
- Style: Flip-Up
- Delivery weight: 0.009kg
- Shipping height: 6mm
- Shipping width: 83mm
- Shipping length: 146mm

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [RUGER 77/22® Rear Sight Safety Instruction Guide](#)
- [About Us](#)

# RUGER 77/22® Rear Sight Safety Instruction Guide

## Introduction

Thank you for choosing the RUGER 77/22® Rear Sight. This guide provides important safety instructions and guidelines to ensure the safe and effective use of your product. Please read this document carefully and keep it for future reference.

## General Safety Guidelines

- Always handle the rear sight with care to avoid any damage or injury.
- Ensure that the rear sight is installed correctly to prevent malfunctions.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly check for wear and tear, and replace the sight if any damage is found.
- Do not use the rear sight for any purpose other than its intended use.
- If you experience any issues or have concerns about the product, seek assistance immediately.

## Specific Safety Precautions for Use

- Check that the rear sight is compatible with your firearm model (77/22 R, RS, .22 LR; 77/22 RH, RSH, .22 Hornet; K77/22 RP, RSP, .22 LR; 77/44 RS, .44 Mag; 77/50, .50; M96, .22 LR).
- Always ensure that your firearm is unloaded before installing or adjusting the rear sight.
- Use appropriate tools and follow the installation instructions carefully to avoid injury.
- Avoid using the rear sight in adverse weather conditions that could affect its performance.
- Do not attempt to modify the rear sight in any way, as this may compromise its safety and effectiveness.

## Instructions for Installation and Usage

### 1. Installation Steps:

- Ensure your firearm is completely unloaded.
- Remove the existing rear sight if applicable, following the manufacturer's instructions.
- Align the RUGER 77/22® Rear Sight with the mounting rail on your firearm.
- Securely fasten the sight in place using the appropriate screws or fasteners provided.
- Doublecheck that the sight is stable and properly aligned before use.

### 2. Usage Instructions:

- When aiming, ensure that your sight is adjusted to the correct elevation and windage settings for your shooting conditions.
- Practice proper shooting techniques to maximize accuracy and safety.
- After use, clean the rear sight as per the manufacturer's recommendations to maintain optimal performance.

## Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic and firearm accessories.
- Do not dispose of the rear sight in general household waste.
- If you are unsure about how to dispose of the product, contact your local waste management authority for guidance.

## **Contact Information for Further Support**

For any questions or concerns regarding the RUGER 77/22® Rear Sight, please refer to the manufacturer's contact information provided with your purchase. It is important to have access to support for any safety inquiries or product issues.

Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation while using the RUGER 77/22® Rear Sight. Enjoy your shooting experience responsibly!

# About Us

## Brownells Sverige

**Brownells Sverige - Världens största leverantör av Vapendelar, Vapensmide Verktyg & Skyttetillbehör**

Brownells Sverige AB  
Box 99  
793 22 Leksand  
Sverige

[www.brownells.se](http://www.brownells.se)