

BOLT LOCK PLUNGER SPRING FOR RUGER MINI-14 & MINI-30

FITS: Mini-14® - Common Parts, .223; Mini-30®, 7.62 x 39



Attributes

- Name: BOLT LOCK PLUNGER SPRING FOR RUGER MINI-14 & MINI-30
- Manufacturer: RUGER
- Product no.: 780000832
- Mfr. No.:
- Make: Ruger
- Model: Mini-14,Mini-30
- Delivery weight: 0.005kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: BOLT LOCK PLUNGER SPRING for RUGER MINI14 & MINI30 Safety Instructions](#)
- [Svenska: BOLT LOCK PLUNGER SPRING SÄKERHETSINSTRUKTIONER](#)

BOLT LOCK PLUNGER SPRING for RUGER MINI14 & MINI30 Safety Instructions

Introduction

Thank you for purchasing the BOLT LOCK PLUNGER SPRING designed for the Ruger Mini14 and Mini30. This product is intended to enhance the functionality of your firearm. It is essential to follow the safety instructions outlined in this guide to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms with care, following all safety protocols.
- Store the BOLT LOCK PLUNGER SPRING in a secure place out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before use.
- Use only compatible models: Ruger Mini14 and Mini30.
- Report any unsafe products or accidents to the relevant authorities immediately.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before installation or maintenance.
- Wear appropriate safety gear, including eye protection, when handling firearms.
- Follow the manufacturer's instructions for the firearm when installing the BOLT LOCK PLUNGER SPRING.
- Do not attempt to modify the BOLT LOCK PLUNGER SPRING or the firearm in any way.
- Keep the working area clean and free from distractions during installation.
- Be cautious of potential pinch points when installing the spring.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools (if applicable) for installation.

2. Installation Steps

- Remove the existing plunger spring from the firearm following the manufacturer's instructions.
- Carefully insert the new BOLT LOCK PLUNGER SPRING into the designated area.
- Ensure the spring is seated correctly and securely.
- Reassemble the firearm as per the manufacturer's guidelines.

3. PostInstallation Checks

- Check the functionality of the firearm to ensure the plunger operates correctly.
- Conduct a visual inspection to confirm that the spring is properly installed.
- Store the firearm safely when not in use.

Disposal Instructions

- Dispose of the BOLT LOCK PLUNGER SPRING in accordance with local regulations.
- Do not dispose of the product in regular household waste.

- Consider recycling options if available in your area.

Contact Information for Further Support

For any questions or concerns regarding the BOLT LOCK PLUNGER SPRING, please refer to the product packaging for the manufacturer's contact information. It is important to reach out to the manufacturer for any inquiries related to safety, installation, or product performance.

By following these safety instructions, you can ensure a safe and effective experience with your BOLT LOCK PLUNGER SPRING for the Ruger Mini14 and Mini30. Thank you for prioritizing safety in your firearm handling practices.

BOLT LOCK PLUNGER SPRING

SÄKERHETSINSTRUKTIONER

Introduktion

Tack för att du har valt BOLT LOCK PLUNGER SPRING för din Ruger Mini14 eller Mini30. Denna produkt är utformad för att förbättra funktionaliteten hos ditt vapen. För att säkerställa en säker och effektiv användning av produkten, vänligen läs och följ dessa säkerhetsinstruktioner noggrant.

Allmänna säkerhetsriktlinjer

- Kontrollera alltid att produkten är kompatibel med ditt vapen innan installation.
- Använd endast originaldelar och tillbehör för att undvika skador och säkerhetsrisker.
- Förvara produkten på en säker plats, utom räckhåll för barn och andra obehöriga.
- Rapportera eventuella skador eller defekter på produkten till tillverkaren omedelbart.
- Håll dig informerad om eventuella återkallelser via EU:s Safety Gateplattform.

Specifika säkerhetsåtgärder för användning

- Använd alltid skyddsglasögon och handskar vid installation och underhåll av produkten.
- Utför installationen i en säker och kontrollerad miljö.
- Undvik att använda produkten om du är osäker på dess skick eller installation.
- Låt aldrig vapnet vara laddat under installation eller underhåll.
- Följ alltid tillverkarens instruktioner för användning av vapnet.

Instruktioner för installation och användning

1. Förberedelse:

- Se till att vapnet är helt avladdat innan du börjar.
- Samla nödvändiga verktyg för installationen, inklusive skruvmejsel och tång.

2. Installation:

- Ta bort den gamla plunger spring från vapnet.
- Placera den nya BOLT LOCK PLUNGER SPRING på rätt plats.
- Kontrollera att fjädern sitter ordentligt och att alla delar är korrekt installerade.
- Återmontera eventuella skydd eller höljen som togs bort under installationen.

3. Testa:

- Kontrollera att vapnet fungerar korrekt efter installation.
- Utför en säkerhetstest innan du använder vapnet i skarpt läge.

Avfallshantering

- Kasta inte bort produkten tillsammans med vanligt hushållsavfall.
- Följ lokala riktlinjer för avfallshantering av vapenrelaterade produkter.
- Kontakta din lokala avfallshanteringsmyndighet för korrekt hantering och återvinning.

Kontaktinformation för vidare support

För frågor eller ytterligare information, vänligen kontakta tillverkaren eller din lokala återförsäljare.

Genom att följa dessa säkerhetsinstruktioner kan du säkerställa en säker och effektiv användning av BOLT LOCK PLUNGER SPRING. Tack för att du bidrar till en säker användning av vapenprodukter.