

RUGER® MINI-14® REAR SIGHT ASSEMBLY - FLIP-UP REAR SIGHT ASSEMBLY FOR RUGER MINI-14 RANCH BLACK

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

FITS: Mini-14® Ranch Rifle Serial # Prefix 187-188



Attributes

- Name: [FLIP-UP REAR SIGHT ASSEMBLY FOR RUGER MINI-14 RANCH BLACK](#)
- Manufacturer: [RUGER](#)
- Product no.: 780001222
- Mfr. No.: MS25501
- Color: Black
- Make: Ruger
- Model: Mini-14
- Style: Flip-Up
- Delivery weight: 0.009kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [RUGER MINI14 REAR SIGHT ASSEMBLY SAFETY INSTRUCTION GUIDE](#)
- [About Us](#)

RUGER MINI14 REAR SIGHT ASSEMBLY SAFETY INSTRUCTION GUIDE

Introduction

Thank you for purchasing the RUGER® MINI14® Rear Sight Assembly FlipUp Rear Sight Assembly for RUGER MINI14 RANCH BLACK. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Always handle the product with care to prevent accidents or injuries.
- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of damage or wear before use.
- If you notice any defects or issues, do not use the product and consult a professional.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or adjusting the rear sight assembly.
- Follow all manufacturer instructions for your firearm to ensure compatibility and safety.
- Use only approved tools for installation to avoid damaging the product or firearm.
- Do not attempt to modify the rear sight assembly in any way.
- Always wear appropriate eye protection when using the firearm.
- Be mindful of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

1. Preparation:

- Ensure your Mini14 Ranch Rifle is unloaded and pointed in a safe direction.
- Gather necessary tools, such as a screwdriver, if required.

2. Installation:

- Locate the rear sight mounting area on your Mini14 Ranch Rifle.
- Align the rear sight assembly with the mounting holes.
- Secure the assembly using the appropriate screws or fasteners, ensuring it is tightly fitted.

3. Adjustment:

- After installation, check the alignment of the rear sight.
- Make any necessary adjustments according to the manufacturer's guidelines for optimal accuracy.

4. Usage:

- Familiarize yourself with the operation of the rear sight assembly.
- Practice using the sight in a safe environment before engaging in live shooting.

Disposal Instructions

- When disposing of this product, follow local regulations for the disposal of firearm accessories.
- Ensure that the product is disposed of in a manner that prevents any risk of injury or harm to others.

Contact Information for Further Support

For any questions or concerns regarding the RUGER® MINI14® Rear Sight Assembly, please refer to the manufacturer's website or contact their customer support for assistance.

Thank you for prioritizing safety and compliance with these guidelines. Enjoy your shooting experience responsibly.

About Us

Brownells Sverige

Brownells Sverige - Världens största leverantör av Vapendelar, Vapensmide Verktyg & Skyttetillbehör

Brownells Sverige AB
Box 99
793 22 Leksand
Sverige

www.brownells.se